



HSPCB

# Haryana State Pollution Control Board

REGIONAL OFFICE, LALA NEMI CHAND SINGHAL ENCLAVE, SOHNA ROAD

NEAR PUNJAB NATIONAL BANK, DHARUHERA

Tele Fax: 01274-244241

E-Mail: [hspcbrodr@gmail.com](mailto:hspcbrodr@gmail.com)

HSPCB/DHR/2020/...4.8.61.

Dated...19-2-2020

To,

The District Magistrate,

Distt.- Mohindergarh at Naranul


**Sub.- Clarification regarding applicability of Consent to Establish/Consent to Operate for proposed MS/HSD retail outlet dealership at Khewat No. 1174, Khatoni No. 1274, Mustil No. 135, 136, Kila No. 11,15 village Kanina, Tehsil Kanina, Distt. Mohindergarh (Haryana).**

Ref.- Your office letter No. 1965-75/ PLA dated 28.11.2019.

Kindly refer to the subject noted above.

In this regard, it is submitted that as per Board's notification dt. 01.04.2012, 07.03.2014 & 14.07.2016, MS/HSD/CNG facility at retail outlet is not covered under consent management of the Board, but such kind of units are required to take pollution control measures and adhere to the prescribed standards. Therefore as per site plan at Khewat No. 1174, Khatoni No. 1274, Mustil No. 135, 136, Kila No. 11,15 village Kanina, Tehsil Kanina, Distt. Mohindergarh (Haryana) submitted by you, the Board has no objection to install the new MS/HSD/CNG facility at retail outlet subject to following conditions:-

- 1 The said MS/HSD/CNG facility at retail outlet will provide / install adequate safety measures regarding petroleum product which is hazardous in nature & fire extinguisher.
- 2 The unit will not alter the system and will not start any process without prior permission / NOC of Board.
- 3 The unit shall provide the acoustic chamber on D.G. Set and raise the height of D.G. Set exhaust pipe as per the norms of the Board.
- 4 The unit will provide green belt around the MS/HSD/CNG facility at retail outlet site.
5. The unit will provide vapor recovery system facility at retail outlet site.
- 6 At any stage, if the MS/HSD/ CNG facility at retail outlet will be covered under consent / NOC management, then said MS/HSD/ CNG facility at retail outlet will apply to the consent of the Board as per Law / Rule / Act / Direct of Government / Board.

  
Regional Officer  
Dharuhera Region