

**कार्यालय अधिशासी अभियन्ता,
प्रान्तीय खण्ड, लोक निर्माण विभाग, रानीखेत**

Ph. No. 05966-220679

Fax No. 05966-220679

E-mail – eepdrani@yahoo.com

पत्रांक 407/36सी.
सेवा में,

दिनांक रानीखेत फरवरी 21, 2018

प्रभागीय वनाधिकारी,
अल्मोड़ा वन प्रभाग,
अल्मोड़ा।

विषय :- जनपद अल्मोड़ा में देघाट तल्ली नारायण मंदिर मालभीड़ा धारकोट सेरा मुनानी मालीखेत नागचूलाखाल मोटर मार्ग। (प्रस्ताव सं. 16265)

सन्दर्भ :- आपका पत्रांक मैमो / 12-1(2) दिनांक 20.02.2018

महोदय,

उपरोक्त विषय के क्रम में अवगत कराना है कि प्रस्ताव में दि० 20.02.2018 द्वारा लगाई गई आपत्तियों का निम्नानुसार निराकरण कर प्रस्ताव पुनः आवश्यक कार्यवाही हेतु प्रेषित किया जा रहा है-

क्र. सं.	आपत्ति	निराकरण
1	2	3
1.	The data provided in the column of employment details at para E(iii) online Part I appear to be incorrect especially the data provided for permanent/regular employment. The State Govt. may review the same and provide correct data in online Part I.	Employment details at para E(iii) online Part I has been corrected.
2.	In the Cost Benefit(C/B) analysis uploaded in para G online Part I, columns are not quantified of both Performa VI b and VI C needs to be quantified in monetary terms. The revised C/B analysis after necessary correction may upload on para G online Part I.	Cost Benefit(C/B) analysis uploaded in para G online Part I, columns are quantified of both Performa VI b and VI C in monetary terms.
3.	In the village level committee (VLC) proceedings attached with the FRA certificate at para K, online Part I the State Govt may review the name of villages/Panchayats given in the proceedings and rectify the information. In annexures with the FRA certificate various corrections are made which need to be authenticated by the issuing authority. The correct copy of FRA certificate with all annexures may upload at para K, online Part I and also provide original hard copy to this office.	The village level committee (VLC) proceedings including the FRA certificate has been corrected & Uploaded in para-K of online Part-I. Original hard copy of the proposal has been submitted in Nodal Office by Personely.
4.	All the documents available in the hard copy of the proposal are photocopies except geo-referenced map for area proposed for diversion and not the original documents. State Govt. may provide hard copy of the proposal folder containing all original or attested copies of the documents. However, the FRa certificate and the geo-referenced digital maps of area proposed for CA should be in original.	Hard copy of the proposal folder containing all original /attested documents has been submitted in Nodal Office by Personely.(The FRA certificate and the geo-referenced digital maps of area proposed for CA in original).
5.	In the DSS analysis the area proposed for CA calculated as 14.0 ha while the proposed area for CA in this proposal is 10.5462 ha. The State Govt may upload revised KML for area 10.5462 ha ata Para L, online Part I and para 12, online Part II.	Revised KML for area 10.5462 ha at Para L, online Part I and para 12, online Part II are uploaded.

अधिशासी अभियन्ता,
प्रान्तीय खण्ड, लोक निर्माण विभाग,
रानीखेत