



फोन: 0135-2736032

Email: jalnigam.mussoorie@yahoo.com

कार्यालय अधिशासी अभियन्ता निर्माण शाखा

उत्तराखण्ड पेयजल संसाधन विकास एवं निर्माण निगम, मसूरी (देहरादून)
(उत्तराखण्ड सरकार का उपक्रम)
कुटुम्ब विहार, ग्रा० व पो० सिनौला, देहरादून, 248003

पत्रांक ३५

/ 133 / ०७

दिनांक ०५/०१/२०२४

सेया में,

उप वन संरक्षक,
मसूरी वन प्रभाग
मसूरी।

विषय :- मसूरी सीवरेज योजनान्तर्गत कैमलबैक जोन में ट्रीटमेंट के निर्माण हेतु अपेक्षित 0.165 है० प्राइवेट नोटिफाईड फॉरेस्ट भूमि के प्रत्यावर्तन के सम्बन्ध में।

महोदय,

उपरोक्त विषयक आपके कार्यालय पत्रांक 1638/12-1 मसूरी, दिनांक 07.11.2023 के द्वारा इंगित कमियों का निराकरण आख्या अग्रिमियत है :-

क०सं०	आपत्तियां	निराकरण
i.	The proposal is for a non-site-specific activity. According to the guidelines dated 24.01.2022, not-site specific activities are not allowed on forest land.	Mostly the area of Mussoorie town falls in notified area. The proposed land is situated in deamed to be forest. Proper site of the STP required a comprehensive study of the area to be served, to ensure that entire area can be adequately drained. The geographical structure and the slope of the Kampty fall zone does not permit to construct STP other site than the proposed site. There is no other land available to construct STP. Hence only proposed site is fasible for STP.
ii.	Instead of justifying the proposal activity, the benefits of the proposal have been submitted. The state government is requested to provide clear reasons for not selecting non-forest land for this purpose.	Mostly the area of Mussoorie town falls in notified area. The proposed land is situated in deamed to be forest. Proper site of the STP required a comprehensive study of the area to be served, to ensure that entire area can be adequately drained. The geographical structure and the slope of the Kampty fall zone does not permit to construct STP other site than the proposed site. There is no other land available to construct STP. Hence only proposed site is fasible for STP.
iii.	The proposed area falls within the eco-sensitive zone of Mussoorie wildlife sanctuary. The state government is requested to submit the comments of CWLW regarding this matter.	Report of Government of India Ministry of environment forest and climate change. <u>(copy attached)</u>
iv.	The area mentioned in FRA is 0.034 ha instead of 0.165 ha. The state government is requested to provide clarification in this regard and submit/upload the correct documents/information.	Amended as required actual area 0.165Ha <u>(copy attached)</u>

v.	It has been observed that the NPV sheet submitted uses old rates. Kindly submit the NPV calculation sheet based on the current rates.	
vi.	The administrative approval submitted is from the year 2009. Please clarify whether it is still valid or requires re-validation.	The administrative approval is still valid. <u>(Certificate attached)</u>
vii.	The muck disposal plan and plantation scheme have not been uploaded, as required. Kindly ensure these documents are submitted/uploaded as well.	The structure required cutting of filling of land. So all surplus earth/muck will be used in filling and leveling at the site.

सिवदीप
(सन्दीप कश्यप)
अधिशासी अभियन्ता

