



## उत्तराखण्ड पेयजल संसाधन विकास एवं निर्माण निगम

कार्यालय : अधिशासी अभियन्ता, निर्माण शाखा, विकासनगर  
(डाकपत्थर रोड नियर पुल न०-१)

पत्रांक ५९५ / वन भूमि / ०८

दिनांक २५/०८/२०२१

To,

District Forest Officer,  
Chakrata, Dehradun.

**Subject:- Regarding Forest clearance proposal submitted for Pokhra-khera.  
Water supply scheme (Proposal no. FP/UK/WATER/41216/2019).**

Respected Sir,

With reference to above mentioned subject the forest clearance proposal submitted for Pokhra-Khera water supply scheme the correction of observtion raised by Nodal officer has been submitted as given below.

Sr. No.	shortcomings	Explanation
1	Alternate alignment map not uploaded at section D in Form A, part I. Please rectify accordingly.	There is not alternate Source available for the scheme, and not availbale of Alternate alignment so that alternate alignment map not required.
2	Please review the employment detail filled at Para-E, in Form A, part-I.	Temporary employment generated during construction work.
3	Additional information file should be uploaded according to check list.	It has been uploaded accordingly.
4	Arial distance certificate, Land schedule, Bar Chart, NPV Calculation sheet has not been uploaded in Form A, part-II as additional information.	Arial distance certificate uploaded in serial no. 20, land schedule uploaded in serial no. 16, Bar chart uploaded in serial no. 2, NPV Calculation sheet uploaded in serial no. 23.

So please do needful action for sanction of forest clearance proposals. *The letter uploaded at Point no 32.* Thanking you

Your's faithfully

  
(S.K Burnwal)

Excutive Engineer

Copy:-

1. Nodal officer, forest conservation, forest colony, Dehradun.

  
Excutive Engineer