



PUNJAB POLLUTION CONTROL BOARD

Zonal Office-II, Vaidyashri Bhawan, Sabha Road, Patiala

Website: www.ppcb.gov.in

Office Dispatch No: 495

Registered/Speed Post

Date: 15/2/19

Industry Registration ID: OJASGR673033

Application No: 8657324

To:

Baljit Kaur
Village-Shergarh Cheema Malerkotla-Raikot Road
Malerkotla, Sangrur-148023

Subject: Grant of 'Consent to Operate' u/s 21 of Air (Prevention & Control of Pollution) Act, 1981 for discharge of emissions arising out of premises.

With reference to your application for obtaining 'Consent to Operate' u/s 21 of Air (Prevention & Control of Pollution) Act, 1981, you are hereby authorized to operate the industrial unit for discharge of the emission(s) arising out of your premises subject to the Terms and Conditions as mentioned in this Certificate.

1. Particulars of Consent to Operate under Air Act, 1981 granted to the Industry

Consent to Operate Certificate No.	UJASGR673033/2019/8657324
Date of issue:	15/02/2019
Date of expiry:	15/02/2020
Certificate Type:	Factory

2. Particulars of the Industry

Name & Designation of the Applicant	Divisional Forest Officer
Address of Industrial premises	Malerkotla Village-Shergarh Cheema Malerkotla-Raikot Road Malerkotla Sangrur-148023
Capital Investment of the Industry	24.50 Lakhs
Category of Industry	Others
Type of Industry	Consent to Operate
Scale of the Industry	Small
Office District	Sangrur
Consent Fee Details	Rs. 334828 dated 04.10.2018
Raw Materials (Name with Quantity per day)	
Products (Name with Quantity per day)	
By-products, if any, (Name with Quantity per day)	
Details of the machinery and process	
Quantity of fuel required (in TPD) and capacity of boilers, Furnace/Thermo heater, etc	

Divisional Forest Officer
Sangrur Forest Division
SANGRUR.

For RAJ PALACE

Baljit

Partner

Type of Air Pollution Control Devices to be installed	Stack of adequate height & acoustic enclosure / canopy
Stack height provided with each boiler/thermo heater/Furnace etc.	As per details given in consent application no. 8657324
Sources of emissions and type of pollutants	10% wet capacity 140 kg / h
Standards to be achieved under Air (Prevention & Control of Pollution) Act, 1981	As per standards prescribed by the Board, Ministry of Environment and Forests & Climate Change as amended from time to time

(Rajiv Goyal)
Environmental Engineer

For the full text of this article, please refer to the full-text version of this article on the publisher's website.

(Punjab Pollution Control Board)

Endst. No.:

Dated: _____

A copy of the above is forwarded to the following for information and necessary action please
Environmental Engineer, Punjab Pollution Control Board, Regional Office, Sangrur

Divisional Forest Officer
Sangrur Forest Division
SANGRUR.

(Rajiv Goyal)
Environmental Engineer

(Punjab Pollution Control Board)

For RAJ PALACE
Baljit
Partner

TERMS AND CONDITIONS

A. GENERAL CONDITIONS

1. This consent is not valid for getting power load from the Punjab State Power Corporation Ltd. or for getting loan from the financial institutions.
2. The industry shall apply for renewal/extension of consent at least two months before expiry of the consent.
3. The industry shall not violate any of the norms prescribed under the Air (Prevention & Control of Pollution) Act, 1981, failing which the consent shall be cancelled/revoked.
4. The achievement of adequacy and efficiency of the air pollution control devices installed shall be the entire responsibility of the industry.
5. The authorized fuel to be used shall not be changed without the prior written permission of the Board.
6. The industry shall not discharge any fugitive emissions. All gases shall be emitted through a stack of suitable height, as per the norms fixed by the Board from time to time.
7. The industry shall provide port-holes, platforms and/or other necessary facilities as may be required for collecting samples of emissions from any chimneys, ducts, stack or any other outlets.

Specifications of the port-holes shall be as under:-

- i) The sampling ports shall be provided atleast 8 times chimney diameter downstream and 2 times upstream from the flow disturbance. For a rectangular cross section the equivalent diameter (D_e) shall be calculated from the following equation to determine upstream, downstream distance:-

$$D_e = 2 LW / (L + W)$$

Where L = length in mts. W = Width in mts.

- ii) The sampling port shall be 7 to 10 cm in diameter.

8. The industry shall put display Board indicating environmental data in the prescribed format at the main entrance gate.
9. The industry shall discharge all gases through a stack of minimum height as specified in the following standards laid down by the Board.


(i) Stack height for boiler plants

S.NO.	Boiler with Steam Generating Capacity	Stack height
1.	Less than 2 ton/hr.	9 meters, or 2.5 times the height of neighboring building whichever is more
2.	More than 2 ton/hr. to 5 ton/hr.	12 meters
3.	More than 5 ton/hr. to 10 ton/hr.	15 meters
4.	More than 10 ton/hr. to 15 ton/hr.	18 meters
5.	More than 15 ton/hr. to 20 ton/hr.	21 meters
6.	More than 20 ton/hr. to 25 ton/hr.	24 meters
7.	More than 25 ton/hr. to 30 ton/hr.	27 meters
8.	More than 30 ton/hr.	30 meters or using the formula $H = 14 \sqrt{Q_{SO_2}}$ $H = 7 + 0.00024 Q_{PM}$ Where Q_{SO_2} = quantity of SO_2 in Kg/hr Q_{PM} = quantity of particulate matter in Ton/day.

Note : Minimum Stack height in all cases shall be 9.0 mtr. or as calculated from relevant formula whichever is more.

(ii) For industrial furnaces and kilns, the criteria for selection of stack height would be based on fuel used for the corresponding steam generation.

(iii) Stack height for diesel generating sets:


 Divisional Forest Officer
 Sangrur Forest Division
 SANGRUR.



For RAJ PALACE

Baljit

Partner

(This consent is valid only for the purpose for which it is issued by PPCB)

M/s. Raj Palace, Sangrur, Punjab. (This consent is valid only for the purpose for which it is issued by PPCB)

Page 3

Capacity of diesel generating set	Height of the building	Height of the Stack
0-50 KVA		1.5 mt
50-100 KVA	do	2.0 mt
100-150 KVA	do	2.5 mt
150-200 KVA	do	3.0 mt
200-250 KVA	do	3.5 mt
250-300 KVA	do	4.0 mt

For higher KVA rating stack height H (in meter) shall be worked out according to the formula:

$$H = 0.02(KVA)^{0.5}$$

where h = height of the building in metres where the generator set is installed


10. The pollution control devices shall be interlocked with the manufacturing process of the industry to ensure its regular operation
11. The existing pollution control equipment shall be altered or replaced in accordance with the directions of the Board, and no pollution control equipment or chimney shall be altered or a new one may be erected or re-erected except with the prior approval of the Board.
12. The industry will provide canopy over the stack with the D.G sets so as to comply with the provision of notification No. GSR-371 F dated 17-8-2001, amended from time to time issued by MOEF under Environment (Protection) Act, 1986.
13. The Govt. of Punjab, Department of Science, Technology & Environment vide its notification no 446-92-3ST/2839 dt. 29-12-1993 has put prohibition on the use of rice husk as fuel after 1-4-1995 except the following:-
"In the form of briquettes and use of rice husk in fluidized bed combustion. So the industry shall make the necessary arrangement to comply with the above notification."
14. The industry shall submit balance sheet of every financial year to the concerned Regional Office by 30th June of every year
15. That the industry shall submit a yearly certificate to the effect that no addition, up-gradation, modification, modernization has been carried out during the previous year otherwise the industry shall apply for the varied consent.
16.
 - a) The industry shall ensure that at any time the emission do not exceed the prescribed emissions standards laid down by the Board from time to time for such type of industry emissions
 - b) The industry shall ensure that the emissions from each stack shall conform to the following emission standards laid down by the Board in respect of the Industrial Boilers


Steam Generating capacity A	Required particulate matter B	
Area upto 5 Km from Urban area & in the periphery of I and Class-II town		
Less than 2 ton/hr.	800 mg NM3	1200 mg NM3
2 ton to 10 ton/hr	500 mg NM3	1000 mg NM3
Above 10 ton to 15 ton/hr	350 mg NM3	500 mg NM3
Above 15 ton/hr	150 mg NM3	150 mg NM3

All emissions normalized to 12% carbon dioxide.


17. The industry shall ensure that the Hazardous Wastes generated from the process are handled as per the provisions of the Hazardous Waste Management, Handling and Transportation Movement Rules, 2008, without any adverse effect on the environment, in any manner
18. The air pollution control equipments shall be kept at all time in good running condition.

For RAJ PALACE
Baljit
 Partner


 Divisional Forest Officer
 Sangrur Forest Division
 SANGRUR.



- 60
- (i) All failures of control equipments.
 - (ii) The emissions of any air pollutant into the atmosphere in excess of the standards lay down by the Board occurring or being apprehended to occur due to accident or other unforeseen act or event. Shall be intimated through fax to the Chief Executive Officer as well as to the Director of Factories, Punjab, Chandigarh as required under rule 10 of the Punjab State Board for the Prevention and Control of Air Pollution, Punjab, 1988.
 19. The industry shall plant minimum of three suitable varieties of trees at the density of not less than 1000 trees per hectare all along the boundary of the industrial premises.
 20. The industry shall submit a site emergency plan approved by the Chief Inspector of Factories, Punjab as applicable.
 21. The industry shall comply with the conditions imposed by the SIAA MOEF in the Environmental Clearance granted to it as required under EIA notification dated 14.9.06, if applicable.
 22. The industry shall make necessary arrangements for the monitoring of stack emissions and shall get its emissions analyzed from Lab approved / authorized by the Board:
 - (i) Once in Year for Small Scale Industries.
 - (ii) Twice three four time in a Year for Large Medium Scale Industries.
 23. The industry shall maintain the following record to the satisfaction of the Board:
 - (i) Log books for running of air pollution control devices or pumps motors used for it.
 - (ii) Register showing the result of various tests conducted by the industry for monitoring of stack emissions and ambient air.
 - (iii) Register showing the stock of absorbents and other chemicals to be used for scrubbers.
 24. The industry will install the separate energy meter for driving air pollution control devices and shall maintain record with respect to operation of air pollution control devices so as to satisfy the Board regarding the regular operation of air pollution control device and monthly reading record may be sent to the Board by the fifth of the following month.
 25. The industry shall provide online monitoring system as applicable for in stack emission and shall maintain the record of the same for inspection of the Board Officers.
 26. The Board reserves the right to revoke the consent granted to the industry at any time, in case the industry is found violating the provisions of Air (Prevention & Control of Pollution) Act, 1981 as amended from time to time.
 27. The industry shall comply with any other conditions laid down or directions issued in due course by the Board under the provisions of the Air (Prevention & Control of Pollution) Act, 1981.
 28. Nothing in this consent shall be deemed to neither preclude the institution of any legal action nor relieve the applicant from any responsibilities, liabilities or penalties to which the applicant is or may be subjected to under this or any other Act.
 29. Any amendments / revisions made by the Board / PCB MOEF in the emission stack height standards shall be applicable to the industry from the date of such amendments / revisions.
 30. The industry shall dispose off its solid waste generated by the burning of fuel in an Environmentally Sound Manner within the premises outside as approved by the Board, to avoid public nuisance and air pollution problem in the area.
 31. The industry shall ensure that no air pollution problem or public nuisance is created in the area due to the discharge of emissions from the industry.
 32. The industry shall provide adequate arrangement for reducing the accidental leakage / discharge of any air pollutant gas / liquids from the vessels, mechanical equipment etc. which are likely to cause environmental pollution.
 33. The industry shall not change or alter the manufacturing processes and fuel so as to change the quality / quantity of emissions generated without the prior permission of the Board.
 34. The industry shall carry out a fund within their premises for disposal of boiler ash in an environmentally sound manner, and / or the industry shall make necessary arrangements for proper disposal of fuel ash in a scientific manner and shall maintain proper record for the same, if applicable.
 35. The industry shall obtain and submit Insurance cover of its Public Liability.
 36. The industry shall provide proper and adequate air pollution control arrangement for its fuel handling area, if applicable.


 Divisional Forest Officer
 Sangrur Forest Division
 SANGRUR.

For RAJ PALACE

Baljit

Partner

(H)

37. The industry shall comply with the code of practice as notified by the Government Board for the type of industries where the siting guidelines & Code of Practice have been notified.
38. The industry shall not cause any nuisance or hazard in vicinity of the site.
39. The industry shall ensure that the noise & air emission from D/G sets do not exceed the standards prescribed for D/G sets by the Ministry of Environment & Forests, New Delhi.
40. The industry shall ensure that there will not be significant visible dust emissions beyond the property line.
41. The industry shall provide adequate and appropriate air pollution control devices to contain emissions from handling, transportation and processing of raw material & product of the industry.
42. The Industry shall ensure that its production capacity does not exceed the capacity mentioned in the consent and shall not carry out any expansion without the prior permission / NOC of the Board.

B. SPECIAL CONDITIONS

Divisional Forest Officer
Sangrur Forest Division
SANGRUR.


For **RAJ PALACE**
Baljit
Partner

- 1) The marriage palace has been approved by the Board from pollution angle and the marriage palace shall obtain the statutory clearances / permissions from all other concerned departments
- 2) The promoter shall not consume any fuel except HSD in DG set of capacity 140 KVA for burning purposes without the prior written permission of the Board
- 3) The promoter shall comply with the instructions issued by the Board vide office order no. Adm. SA-2 T.No. 781/2010-448 dated 8/6/2010 regarding DG sets
- 4) The promoter shall comply with all the bye-laws of the Master Plan of the area notified / to be notified by the Department of Town and Country Planning - Local Authority - GMADA.
- 5) The promoter shall ensure the compliance of the Solid Waste Management Rules, 2016 as well as the Construction and Demolition Rules, 2016.
- 6) The promoter shall ensure that the solid waste is properly segregated and stored in the specified containers and kept under its supervision till the same is collected by the authorized persons of the Municipal Authority.
- 7) The promoter shall comply with the provisions of Noise Pollution (Regulation & Control) Rules, 2000
- 8) The promoter shall ensure that no public nuisance / noise pollution is created in the area due to discharge of noise / emissions / effluent from the premises of the marriage palace.
- 9) The management of the marriage palace shall display the noise limits and noise limits as provided in the guidelines, as a prominent place in the marriage palace.
- 10) The management of marriage palace will allow the DJ parties / owners of privately owned sound system or sound producing instruments etc. only if the customer has obtained written permission from the concerned authority as mentioned in the guidelines.
- 11) The marriage palace owners will inform the Board about any violation of the guidelines by any DJ party / owner of the private sound system etc. to the Board within 24 hours of the function. The Board will thereafter, take action as per the Act / Rules.
- 12) The promoter shall ensure proper parking of the vehicles so that no hindrance is created to the general public.
- 13) The promoter shall ensure that there are no public complaints against the nuisance / noise pollution caused due to operation of the marriage palace.
- 14) The promoter shall ensure the provisions contained in the guidelines / criteria for abstraction of ground water, notified by the Central Ground Water Authority from time to time and obtain permission from authorities concerned in this regard.
- 15) The promoter shall ensure the compliance of stipulation / condition by the Deptt. of Town & Country Planning - Municipal Council while granting permission for change of land use.
- 16) The promoter shall in addition to get the building plan of marriage palace approved from the authorities concerned and submit a copy of the same to the Board.
- 17) The promoter of the marriage palace shall comply with the provisions of the policy / guidelines framed by the Government regarding operation of marriage palaces in the State.
- 18) The promoter shall ensure the compliance of provisions of the Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1986, Environment (Protection) Act, 1986 and / or any other environmental law applicable to the marriage palace and the Rules, Circulars & Directions issued by the Board from time to time, at all times.


Divisional Forest Officer
Sangrur Forest Division
SANGRUR.



For RAJ PALACE


Baljit

Partner

(Punjab Pollution Control Board)

Q1

Baljit
Partner