

संयुक्त स्थल निरीक्षण प्रमाण पत्र

SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF (For the forest land to be diverted under FCA)

A proposal has been received by this office from **Sherwood College Of Engineering Research and Technologe (user agency)** for diversion under Forest Conservation Act, 1980 of **0.063404 Ha.** of forest land for non-forestry purpose. The project envisages the use of forest land for construction of **Sherwood College Owner.** The site inspection of the land involved in the proposal has done by me on dated –

06-06-2019

On inspection of the site, it is found that the land required by the user agency is a protected forest measuring **0.063404 Ha.**

The requirement of forest land as proposed by the user agency in col.2 part-1 is unavoidable and is barest minimum required for the project.

Whether any rare/endangered/unique species of flora and fauna found in the area. If, so the details there of **No**

Whether any protected archeological/heritage site/defence establishment or any other important mounuments is located in the area, if so the details there of with NOC from competent authority, if required: **No**


(a) The user agency has violated the provisions of Forest Conservation Act, 1980 and work has been started without proper sanction **Yes**

(b) It has been found that the user agency has violated the Forest Conservation Act, 1980 porvisions. A detail report as per para 1.9 of chapter 1, Para C of Handbook of Forest Conservation Act, 1980 is attached **Yes**

Specific recommendation for acceptance or otherwise of the proposal
Recommended.

Place :- **Barabanki**

Date :-


(एन.के.सिंह)
Divisional Forest Officer
Barabanki
संयुक्त स्थल निरीक्षण
बाराबंकी

N.B x State the purose for which the forest land is proposed to be diverted .
xx out of (a) and (b) the option which is applicable and cross the portion which is not applicable.

As per letter number 2-2/2000 FC dated 16-10-2010 from Ministry of Environment & Forests, Government of India for proposal involving less the 40 hectares of forst land, the site inspection report from DCF is required and for proposal involving more than 40 hectares of forest land site inspection report from the Conservator of frests is required.