

# **SITE INSPECTION REPORT**


## **OFFICE OF THE CHIEF CONSERVATOR OF FORESTS, CHANDRAPUR**

1.	Name of Project and location (Range, Round, Beat)	<p>Diversion of 44.0397 ha. forest land for the construction of 132 KV D/C Mul –Sicom Chandrapur Electricity Transmission Line under Chandrapur forest Division</p> <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 5px;"> <tr> <th style="width: 33%;">Range</th> <th style="width: 33%;">Round</th> <th style="width: 33%;">Beat</th> </tr> <tr> <td colspan="3" style="text-align: center;"><b>Territorial</b></td> </tr> <tr> <td>Chandrapur</td> <td>Chandrapur</td> <td>Lohara</td> </tr> <tr> <td rowspan="6">Chichpalli</td> <td rowspan="2">Chichpalli</td> <td>Walani</td> </tr> <tr> <td>Chichpalli</td> </tr> <tr> <td>Mahadwadi</td> <td>Mahadwadi</td> </tr> <tr> <td rowspan="4">Mul</td> <td>Chiroli</td> </tr> <tr> <td>Chichala</td> </tr> <tr> <td>Mul</td> </tr> <tr> <td colspan="3" style="text-align: center;"><b>FDCM West Chanda</b></td> </tr> <tr> <td>Mamla</td> <td>Lohara-1</td> <td>Ghanta Chowki</td> </tr> <tr> <td>Chichpalli</td> <td>Chichpalli</td> <td>Chichpalli-1</td> </tr> </table>	Range	Round	Beat	<b>Territorial</b>			Chandrapur	Chandrapur	Lohara	Chichpalli	Chichpalli	Walani	Chichpalli	Mahadwadi	Mahadwadi	Mul	Chiroli	Chichala	Mul	<b>FDCM West Chanda</b>			Mamla	Lohara-1	Ghanta Chowki	Chichpalli	Chichpalli	Chichpalli-1
Range	Round	Beat																												
<b>Territorial</b>																														
Chandrapur	Chandrapur	Lohara																												
Chichpalli	Chichpalli	Walani																												
		Chichpalli																												
	Mahadwadi	Mahadwadi																												
	Mul	Chiroli																												
		Chichala																												
		Mul																												
<b>FDCM West Chanda</b>																														
Mamla	Lohara-1	Ghanta Chowki																												
Chichpalli	Chichpalli	Chichpalli-1																												
2.	Name of the User Agency	Executive Engineer, EHV Project Division MSETCL, Chandrapur																												
3.	Date of Site Inspection	18/03/2021																												
4.	Extent (ha.) and legal status of forest land proposed for diversion,	<table border="1" style="width: 100%; border-collapse: collapse; margin-top: 5px;"> <tr> <th style="width: 33%;">Division</th> <th style="width: 33%;">Type</th> <th style="width: 33%;">Area in Ha.</th> </tr> <tr> <td rowspan="2">Territorial</td> <td>PF</td> <td>8.1837</td> </tr> <tr> <td>Zudpi Jangle</td> <td>0.6507</td> </tr> <tr> <td>FDCM</td> <td>RF</td> <td>32.0058</td> </tr> <tr> <td colspan="2" style="text-align: center;"><b>Total</b></td> <td><b>44.0397</b></td> </tr> </table>	Division	Type	Area in Ha.	Territorial	PF	8.1837	Zudpi Jangle	0.6507	FDCM	RF	32.0058	<b>Total</b>		<b>44.0397</b>														
Division	Type	Area in Ha.																												
Territorial	PF	8.1837																												
	Zudpi Jangle	0.6507																												
FDCM	RF	32.0058																												
<b>Total</b>		<b>44.0397</b>																												
5.	a) Details of forest land proposed for diversion and activity-wise break-up of forest land,	132 KV Transmission Line																												
	b) Density and Eco-value class	Above 0.5- 41.389 ha. and 0.4- 0.6507 ha. = 44.0397 ha. Eco-Value Class- III																												
6.	Where the requirement of forest land as proposed by the User Agency in Col.2 of Part-I is unavoidable and barest minimum for the project. If no recommended area item-wise with details of alternative examined.	44.0397 ha. Forest land for 132 KV Transmission Line is unavoidable and barest minimum for the project.																												
7.	Whether proposal involves any construction of building (including residential) or not? If yes, details thereof.	No. only for Transmission Line																												
8.	a) Whether forest area proposed for diversion is important from wildlife point of view or not.	Yes																												
	b) Details of any rare or endangered or unique species of flora and fauna found in proposed forest land if so. The details thereof.	Tiger & leopard found in proposed area																												
	c) Aerial distance from the nearest boundary of any protected Area (km.)	Proposed area for diversion is 1.00 Km. (aerial distance) away from Tadoba-Andhari Tiger Reserve Project boundary.																												
	d) Remarks about sensitivity of the forest area likely to be affected due to project.	No																												

	e) Whether wildlife mitigation plan is required? If yes reasons thereof,	Yes, 25.995 Km. Transmission Line will pass through the Eco-sensitive Zone area.
9.	Details of vegetation	9514
	a) Total number of trees to be felled.	
	b) Number of trees to be felled girth below 60 cm.	6447
	c) Number of trees to be felled of girth above 60 cm.	3067
	d) Effect of removal of trees on the general ecosystem in the area.	Yes
10.	Background note on the proposal (short summary)	User agencies brief note attached (P.No. 15 -17)
11.	Whether the proposal involves any violation of Forest (Conservation) Act 1980? If yes a detailed report on violation including action taken against the concerned officials to be attached.	No
12.	Whether the proposal involves rehabilitation of displaced person. If yes, whether rehabilitation plan has been approved by the State Government?	No
13.	Details on catchment and culturable command area under the project (if applicable)	Not applicable
	Status of catchment area treatment plan to prevent siltation of reservoir (if applicable)	Not applicable
14.	Utility of the project.	The proposed transmission Line will help to supply power to remote area of Gadchiroli district.
15.	Whether land being diverted has any socio-cultural/religious values? Whether any scared grove or very old growth trees/ forests exist in the areas proposed for diversion?	No
16.	Any other important information related to the project (separate note may be attached if required)	No
17.	Details of documents and photographs enclosed.	Yes
18.	Recommendations of the Inspecting Officer CCF	Recommended for Acceptance

Date :-22/03/2021

Place :- Chandrapur

  
**(N.R.Praveen)**  
 Chief Conservator of Forests  
 Chandrapur Circle, Chandrapur