

**Title of the Project:** For laying of underground OFC by Jio digital fibre private limited, ground floor, Reliance House RK 4 Square, Building No. 4, DLF Cyber city, Phase II, Gurugram, Haryana 12202, starting from MEDANDA Hospital to Rajendera children School to DHBVN Office to Jiwan Jyoti Hospital (Total 780 Meters) (LHS). Another Span starting from LALGARHIYA Hospital up to (Total 530 Metres) (RHS) And another Span from RAJINDERA Hospital towards jiwan jyoti Hospital but after 150 meters turn left towards SANGWAN Hospital and after road crossing turn right up to RSD school (160 meters) LHS and Another Span from Huda chowk to Era society (826 meters)(RHS) and Huda Chowk near Kapas Bhawan up to 842 meters on Barnala Road, in Sirsa city, under forest distt. & division Sirsa, Haryana.

**File No.:** FP/HR/OFC/126684/2021

**Date of Proposal:** 08/03/2020

### **CHECK LIST SERIAL NUMBER: 16**

#### **SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF/DFO**

*(For the Forest land to be diverted under FCA)*

A proposal has been received by this office from JIO digital fibre private limited, ground floor, Reliance house RK4 square, building no. 4, DLF cyber city, phase II, Gurugram, Haryana 12202 for diversion (under FCA-1980) of 0.148 ha. of forest land. The project envisages use of forest land for laying of OFC by Jio Digital Fibre Private Limited from MEDANDA Hospital to Rajendera children School to DHBVN Office to Jiwan Jyoti Hospital (Total 780 Meters) (LHS). Another Span starting from LALGARHIYA Hospital up to (Total 530 Metres) (RHS) And another Span from RAJINDERA Hospital towards jiwan jyoti Hospital but after 150 meters turn left towards SANGWAN Hospital and after road crossing turn right up to RSD school (160 meters) LHS and Another Span from Huda chowk to Era society (826 meters)(RHS) and Huda Chowk near Kapas Bhawan up to 842 meters on Barnala Road, in Sirsa city, under forest distt. & division Sirsa, Haryana.

- 1 The site inspection of the land involved in the proposal has been done by me on 14-09-2021.
- 2 On inspection of the site, it is found that the land required by the user agency is a forest area measuring 0.148 ha.
- 3 The requirement of forest land as proposed by the user agency in Col. 2 of part-I is unavoidable and is barest minimum required for the project.
- 4 Whether any rare/ endangered/ unique species of flora and fauna found in the area. If so, the details thereof.- No
- 5 Whether any protected archaeological/ heritage site/ defense establishment or any other important monument is located in the area. If so, the details thereof with NOC from the competent authority. – No
- 6 (a) **The user agency has not violated the provisions of Forest (Conservation) Act, 1980 and no work has been started without proper sanction. ✓**  
(b) It has been found that the user agency has violated the provisions of the Forest (Conservation) Act, 1980 and Indian Forest Act, 1927. A detailed report as per para 1.9 of Chapter 1, Part C of Hand-book of Forest (Conservation) Act, 1980 is attached. X

Recommended in public interest for acceptance or otherwise of the proposal.

Place: Sirsa

Date:

Signature **Ram Kumar Jangra, M.F.S**

Name:

Office Seal

**Divisional Forest Officer,**

**SIRSA**