

	management point of view (To be signed by the concerned Deputy Conservator of Forests.	
11	Site inspection report of the Deputy Conservator of Forests (To be enclosed) especially highlighting facts asked in col. 7 (xi. xii) 8 and 9 above.	Yes enclosed
12	Division/ District profile	Mancherial / Adilabad District
i	Geographical area of the District	225299.00 Ha (Mancherial Division)
ii	Forest area of the District	111555.70 Ha (Mancherial Division)
iii	Total forest area diverted since 1980 with numbers of acres.	4575.286 Ha (Mancherial Division)
iv	Total Compensatory afforestation stipulated in the district/division since, 1980 on	229.830 Ha
	a) Forest land including penal Compensatory Afforestation.	1067.405 Ha
	b) Non-forest land	229.830 Ha
v	Progress of Compensatory Afforestation	229.830 Ha
	a) Forest land	87.772 Ha
	b) Non-forest land	229.830 Ha
13	Specific recommendation of the Dy. Conservator of Forests for acceptance or otherwise of the proposals with reasons.	This project is recommended keeping in view of provide the safe drinking water supply for the people living in the interior areas of Adilabad District of Telangana State.

Date: 23.04.2016
Place Mancherial


Divisional Forest Officer
Mancherial

PART-II
(To be filled by the Concerned Deputy Conservator of Forests)
State Serial No. of Proposals

7	Location of the Project/Scheme	Diversion of 3.645 Ha forest land in Mancherial Division in favour of Superintending Engineer, TDWSP (RWS&S) Circle, Nirmal for laying of pipe line and Construction of Structures in Segment-23/1 (Dharmaram Gutta) for Providing Safe Drinking Water to Adilabad District –under Telangana Drinking Water Supply Project
i	State	Telangana State
ii	District	Adilabad
iii	Forest Division	Divisional Forest Officer, Mancherial
iv	Area of Forest land proposed for diversion (in Ha)	3.645 Ha
v	Legal status of forest	Indaram & Rally Reserve Forests Notified U/s -15 of Hyderabad /Madras Forest Act vide GoMs No. 234/235, Dt 30.01.1349 F, and Rally RF notified U/s 15 APF Act 1967 GO Ms No. 771 Dt 13.03.1955
Vi	Density of Vegetation	Open Forest 0.5
Vii	Species –wise (Scientific names) and diameter class-wise enumeration of trees to be enclosed. In case of Irrigation / Hydal project enumeration at FRL, FRL-2 meter & FRL-4 meter also to be enclosed.	Species and diameter class wise enumeration list enclosed.
viii	Brief note on vulnerability of the forest area to erosion.	There is no erosion due to this laying of pipe line and Construction of Structures in Segment-23/1 (Dharmaram Gutta) for Providing Safe Drinking water supply.
ix	Approximate distance of proposed site for diversion from boundary of forest	This project passing through the Indaram, & Rally RFs of Mancherial Division.
x	Whether from part of National Park Wildlife Sanctuary biosphere Reserve tiger Reserve Elephant corridor, etc. (if so the details of the area and comments of the Chief Wildlife Warden to be annexed.	No it is not falling in any National Park, Wildlife Sanctuary, Biosphere Reserve Tiger Reserve, Elephant corridor etc..

Xi	Whether any rare/endangered/ unique species of florae and fauna in the area if so details thereof.	No rare/endangered unique species of flora and fauna found in the area.
xii	Whether any protected archaeological / Heritage site/defense establishment or any other important monuments is located in the area. If so the details thereof with NOC from competent authority if required.	No Protected archeological/heritage site/defense establishment or any other important monuments are located in the area.
8	Whether the requirement of forest land as proposed by the user agency in col.2 of Part-I is unavoidable and barest minimum for the Project, if no recommended area item wise with details of alternative examined.	The forest land 3.645 Ha proposed by the user agency in <u>col.2 of Part-I</u> is unavoidable and barest minimum for the Project.
9	Whether any working violation of the Act has been carried out (Yes/No). If yes, details of the same including period of work done, action taken on erring officials. Whether works in violation is still in progress.	No violation of the Act has been noticed.
10	Details of Compensatory afforestation Scheme.	In the proposed, for laying of pipe line and Construction of Structures in Segment-23/1 (Dharmaram Gutta) for Providing Safe Drinking Water to Adilabad District -under Telangana Drinking Water Supply Project. Since it is laying of underground pipeline for providing safe drinking water supply. Hence it comes under General Approval and no CA area is stipulated.
i	Details of non-forest area/degraded forest area identified for compensatory afforestation and distance from adjoining forest number of patches, size of each patch.	The degraded area has been identified in compt. No. 314 ^{MS/2014/111} Range Mancherial. The CA scheme for raising of double the number of the trees which are felled is prepared for two projects i.e. segment 23/1 & 23/2 and enclosed.
ii	Map showing non forest /degraded forest area identified for compensatory afforestation and adjoining forest boundaries.	Not applicable
iii	Total financial outlay for compensatory afforestation scheme	Not applicable
iv	Certificate from competent authority regarding suitability of area identified for compensatory afforestation and from	Not applicable