

Site Inspection By the DCF


Annexure-17 (64)

Sr. no.	Particular	Inspection Report by DCF
1	Extent in hectares	1.9602 ha.
2	Location (Let-Long) of the forest land proposed for Diversion.	23° 44' 39.6" N to 23° 44' 38.6" N 73° 23' 11.5E 73° 23' 18.1 IE
3	Legal status of the forest land (protected forest, Reserved forest, Revenue forest land or any other forest land)	Reserve Forest
4	Demarcation of the area with temporary cairns etc.	Demarcated with permanent boundry pillars
5	Any sings of encroachment	No
6	Any activity already taken up within the forest land or adjoining on forest land as part of the proposed project by the user agency. Details of action taken against the user agency in case of violation of the FC Act and guideline there under.	No violation reported.
7	Status of vegetation, site quality, species composition etc.	Teak dominated dense forest.
8	Importance area from wildlife point of view, status of wildlife (Density and abundance of important species, bird life reptiles, butterflies and other scheduled animals any endangered wildlife) Any latest census of wildlife in this area.	Frequently visited by Wildlife especially Leaopard.
9	Endemism of flora / fauna or any other unique ecosystem in the area.	Not reported.
10	Current land use. Is this area managed as per prescription in the working plan and if not, why	Proposed area is included in the Regeneration and Enrichament Working Circle under Working Plan
11	Importance of the area from historical or religious point of view.	Adjoining to Shamlajee temple
12	Any department of persons proposed	NA
13	Any displacement of person proposed	NA
14	Is there any Rehabilitation and Resettlement plan for the person to be affected? is there any dissenting	NA
15	Compensatory afforestation proposed is on forest land or non- forest land. Location of this area, suitability of the area for CA. if in the degraded forest land then what is the current working plan prescription for the area? Distance of the non- forest land for CA from the nearest forest area. Number of patches in case the area should be more than 10 kms.	Atteched here with
16	Proposal area should not be part of any protected area Also distance from the boundary of the nearest protected area should be more than 10 kms.	Not the Part of any P.A. Nearest PA is more than 10 Km. distance.
17	Dependence of tribal in the area, Whether the rights of the tribal have been recognized in this area.	Yes
18	Utility of the project, including the people living in closed vicinity of the project.	Power transmission.
19	In case of renewal whether all the the conditions stipulated N/A in the earlier sanction order have been complied with.	NA

Deputy Conservator of Forests
Aravalli Forest Division
Modasa

Sr. no.	Particular	Inspection Report by DCF
20	Alternatives examined by the user agency in case of non - site specific projects.	NA
21	A certificate by the user agency that the forest land requested for diversion for non - forestry purpose is bare minimum.	Annexured
22	Any scope of saving tree growth while ensuring that the purpose for which the forest land is being diverted is also not adversely affected.	No
23	Any Other issued of significance.	No
24	Specific recommendation of the DFO with reason for approval of the project.	Recommend. Since the proposal involve laying of overhead transmission line Requirement of reserve forest is unavoidable and barest minimum for the Project.

Date: 14/08/2019
25/12/2019


Deputy Conservator of Forest
Arvalli Division
Modasa