

SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF

(for the forest land to be diverted under FCA)

A proposal has been reviewed by this office from SJVN Ltd. for diversion under FCA-1980 of 22.667 hac. Of forest land non-forestry purpose. The Project envisages the use of forest land for construction of Jakhol Sankri Hydro Electric Project the site inspection of the land involved in the proposal has done by me dated. 21-06-2018.

On inspection of the site, it is found that land required by the user agency is a RF/PF/un-classed/Protect forest measuring 22.667 hac.

The requirement of forest land as proposed by the user agency in Col. 2 Part-I is unavoidable and is barest minimum required for the project. Yes

Whether any rare/endangered/unique species of flora and fauna found in the area. If, so the details there of: No

Whether any protected archaeological/heritage site/defence establishment of any other important monuments is located in the area, if, so the details there of with NOC from competent authority, if required: No

- a) The user agency has not violated the provisions of forest (Conservation), Act, 1980 and no work has been started without proper sanction.
- b) It has been found that the user agency has violated the forest (Conservation), Act, 1980 provisions. A details report as per para 1.9 of chapter 1, Para C of Handbook of forest (Conservation) Act, 1980 is attached.

Specific recommendation for acceptance or otherwise of the proposal.

Recommended for acceptance please.

Place: Purala

Date: 21-6-2018

(Signature)

Name: (उमरं के. मिश्रा)

Designation: उप निदेशक

Office Seal: जीव विहार/रा० पा०

पुरोला, उत्तराखण्ड

NB: X state the purpose for which the forest land is proposed to be diverted xx out of (a) and (b) tick the option which is applicable and cross the option which is not applicable.

As per letter No.....from Ministry of Environment & Forest, Government of India for proposal involving less than 40 hectares of forest land, the site inspection report from DCG is required and for proposal involving more than 40 hac. of forest land site inspection report the conservation of forest is required.