

Part-III

(To be filled by the concerned Conservator of Forests)

1	Whether site, where the forest land involved is located has been inspected by concerned Conservator of Forests, (Yes/No.) If yes, the date of inspection & Observations made in form of inspection note to be enclosed?	:	No - As area is less than 40 Ha No inspection has been made for this purpose.
2	Whether the concerned Conservator of Forests, agree with the information given in Part-B and the recommendations of Deputy Conservator of Forests ?	:	Yes. Agreed with the information given by the Divisional Forest Officer, Kagaznagar in the Proposal for Proposal for <b>diversion 3.876 Ha</b> Forest land in Kagaznagar Division for laying of Pipeline in <b>Segment -22/2 (Bejjur)</b> for providing safe drinking water to Adilabad District under Telangana Drinking water supply project in favour of Superintending Engineer, TDWSP (RWS&S) Circle, Nirmal.
3	Specific recommendation of concerned Conservator of Forests for acceptance or other wise of the proposal with detailed reasons?	:	The <b>for</b> Proposal for <b>diversion 3.876 Ha</b> Forest land in Kagaznagar Division for laying of Pipeline in <b>Segment -22/2 (Bejjur)</b> for providing safe drinking water to Adilabad District under Telangana Drinking water supply project in favour of Superintending Engineer, TDWSP (RWS&S) Circle, Nirmal is recommended.

Place : Adilabad.

Date : 09-07-2016.

Signature:

Name & Designation:

**T.P. Thimma Reddy, IFS,**  
Conservator of Forests,  
(Office Seal) Adilabad Circle, Adilabad