

(12)

**SITE INSPECTION REPORT**  
(For the forest land to be diverted under FCA.)

**Subject:-** Site inspection of the Forest land Proposed to be diverted for laying of underground 33/11KV cable at Bareilly-Pilibhit Road Near Civil Enclave (Airport) in Distt Bareilly

A proposal has been received by this office from Electricity Secondary Works Division, M.V.V.N.L Bareilly for diversion under (FCA-1980) of 0.0714 Hect. of forest land non-forestry purpose. The project envisages the use of forest land for laying of 33KV line. The site inspection of the land Involved in the proposal has done by me on dated ..... ~~18.02.2021~~ 18.02.2021

On inspection of the site it is found that the land required by the user agency is a protect forest measuring Length 1428m x Width 0.50m = 0.0714 Hect.

The requirement of forest land as proposed by the user agency in col. 2 part-1 is unavoidable and is minimum required for the project:- **Yes**

Whether any rare/endangered/unique species of flora and fauna found in the area. If, so the details there of:- **No**

Whether any protected archaeological / heritage site / defense establishment or any other important monuments is located in the area, if, so the details there of with NOC from competent authority, if required:- **No**

- (a) The user agency has not violated the provisions of forest (Conservation) Act 1980 and no work has been started without proper sanction. ( **Yes** )
- (b) It has been found that the user agency has violated the forest (Conservation), Act 1980 provisions. A detail report as per para 1.9 of chapter I, Para C of handbook of forest (Conservation) Act 1980 is attached. ( **No** )

**Specific recommendation for acceptance or otherwise of the proposal-**

Recommended for Acceptance/Approval

Place:- Bareilly

Date:- 18/02/21

क्षेत्रीय वनाधिकारी  
बरेली रेंज (बरेली)

(Bharat Lal)  
Divisional Forest Officer  
Social Forestry Division  
Bareilly