

PART-III

(To be filled by the concerned Chief Conservator of Forests)

Name of Proposal : Diversion of 3.6975 Ha Forest Land for Intake Well with Pump House, MCC Room, raising Main Pipeline, Approach Road, HT Transmission Line, in Baisasing DAM, Sirohi
UA- PHED Sirohi. (FP/RJ/water/145797/2021)

FP/RJ/WATER/145797/2021

| | | |
|----|--|---|
| 14 | Whether site, where the forestland involved is located has been inspected by concerned Chief Conservator of Forests (Yes/No). If yes, the date of inspection & observations made in form of inspection note to be enclosed | No, Not required |
| 15 | Whether the concerned Chief Conservator of Forests agree with the information given in Part-B and the recommendations of Deputy Conservator of Forests. | I agree with the information given in Part-B and the recommendations of Deputy Conservator of Forests Sirohi. |
| 16 | Specific recommendation of concerned Chief Conservator of Forests for acceptance or otherwise of the proposal with detailed reasons. | Recommend for acceptance in public Interest. |

Date : 27.7.22

Place: Jodhpur

(S.R.V. Murthy, IFS)

Designation: Regional Chief Conservator of Forests

CHIEF CONSERVATOR OF FOREST
(RCCF) Jodhpur
JODHPUR
(Official seal)