

Sub :Proposal for diversion of 1.638 ha. forest land for erection of 400 D/C Twer line from 400KV Amreli S/S to 400KV Kasor S/S with Quad Moose Conductor (Part-I).
Online Proposal No.FP/GJ/TRANS/30335/2017

Annexture-17

Chek List for site inspection by DFO/CF/CCF

| sr.no | Particular | Inspection Report by DFO | |
|-------|---|---|--|
| | | 1.638 | |
| 1 | Extent in hectares | Starting Point | Ending Point |
| 2 | Location (Lat-Long) of the forest land proposed for Diversion Bakhalvad, Jasapar & Jivapar Village S.No.152/p.229, 43 & 229/1 Ta: jasdan dis: Rajkot | 22.075574 lat. 71.236246 log. 21.949243 lat. 71.095738 log. 21.920307 lat. 71.116888 log. | 22.074741 lat. 71.235480 log. 21.947948 lat. 71.095545 log. 21.920006 lat. 71.117224 log. |
| 3 | Legal status of the forest land (protected forest, Reserved forest, Revenue forest land or any other forest land) | Reserved forest Area. Sec.-4 & Sec.-20 | |
| 4 | Demarcation of the area with temporary cairns etc. | Yes | |
| 5 | Any signs of encroachment. | No | |
| 6 | Any activity already taken up within the forest land or adjoining non-forest land as part of the proposed project by the user agency. Detail of action taken against the user Agency in case of Violation of the FC Act and Guidelines there under. | No work has been done by the user agency for the proposed Laying erection of 400 D/C Twer line from 400KV Amreli S/S to 400KV Kasor S/S with Quad Moose Conductor (Part-I). in the Proposed area. | |
| 7 | Status of vegetation, site, quality, species composition etc. | No vegetation in the Proposed area. | |
| 8 | Importance of area from wildlife point of view, status of wildlife (density and abundance of important species, bird life reptiles, butterflies and other scheduled animals any endangered wildlife). any latest censuses of wildlife in this area. | The Proposed area is not Important from wildlife point of view. | |
| 9 | Endemism of flora / fauna or any other unique ecosystem in the area. | The Proposed area is not Important for Endemism of flora / fauna. | |
| 10 | Current land use. is this area managed as per prescriptions in the working plan and if not, why | The Proposed area is Sec.-4 & Sec-20 forest Area, which is Under Working Plan. | |
| 11 | importance of the area from historical or religious point of view. | There is no Historic Place/ Archeological Place in this Demanded Area. | |
| 12 | Any department of persons proposed | No | |
| 13 | Any displacement of persons proposed | No | |
| 14 | Is there any Rehabilitation and Resettlement plan for the person to be affected ? is there any dissenting. | There is no Rehabilitation Hence not Applicable. | |
| 15 | Compensatory afforestation proposed is on forest land or non-forest land. Location of this area, suitability of the area for CA. if in the degraded forest land then what is the current working plan prescription for the area ? Distance of the non-forest land for CA from the nearest forest area. Number of patches in case the area should be more than 10 kms. | Compensatory Afforestation taken at degraded forest land S.no:137/p. vil: - Sivrajpur, tal:Jasdan Di:Rajkot Area:4.0 Ha. Range:Jasdan Division:Morbhi, Circle:Junagadh. | |

Sub : Proposal for diversion of 1.638 ha. forest land for erection of 400 D/C Twer line from 400KV Amreli S/S to 400KV Kasor S/S with Quad Moose Conductor (Part-I).
Online Proposal No.FP/GJ/TRANS/30335/2017

Annexture-17

Chek List for site inspection by DFO/CF/CCF

| sr.no | Particular | Inspection Report by DFO |
|-------|---|--|
| 16 | Proposal area should not be part of any protected area. Also distance from the boundary of the nearest protected area should be more than 10 kms. | Proposed Area is 11.00 K.M. (Approx) (Using GPS technology) Away in Areal Lenear Distance from the nerest as Hingolgadh Wild life Sanctuary's Eco-sensitive zone boundary and not Fall in Eco-sensitive zone . |
| 17 | Dependence of tribal in the area, Whether the rights of the tribal have been recognized in this area. | The Proposed area is not in tribal area. |
| 18 | utility of the project, Including the people living in closed vicinity of the project. | The proposed Project is useful for the forest land for erection of 400 D/C Twer line from 400KV Amreli S/S to 400KV Kasor S/S with Quad Moose Conductor (Part-I). |
| 19 | In case of renewal whether all the conditions stipulated N/A in the earlier sanction order have been complied with. | The Proposal satisfactory fulfills all the necessary conditions of FCA. |
| 20 | Alternatives examined by the user agency in case of non-site specific projects. | NO |
| 21 | A Certificate by the user agency that the forest land requested for diversion for non-forestry purpose in bare minimum. | Yes |
| 22 | Any scope of saving tree growth while ensuring that the purpose for which the forest land is being diverted is also not adversely affected. | There is no tree cutting during the diversion. |
| 23 | Any other issued of singificance | No |
| 24 | Specific recommendation of the DFO with reason for approval of the project. | Recommended because, The Project is not Harmful from wildlife and flora / fauna point of view. |

Place : Morbi

Date : 23 /08/2020

(Dr. Sandipkumar)
Dy. Conservator of Forests
Morbi Forest Division
Morbi