

**SITE INSPECTION REPORT OF SRI SIVALA RAMBABU, DISTRICT FOREST OFFICER, I/c FOREST DIVISIONAL OFFICER, YELLANDU IN RESPECT OF DIVERSION OF 0.344 HA OF FOREST LAND FALLING IN YELLANDU DIVISION, OUT OF 1.997 HA OF FOREST LAND IN GUDUR WLM, MAHABUBABAD, WARANGAL (R) AND YELLANDU DIVISIONS FOR LAYING OF OPTICAL FIBER CABLE ALONG THE ROAD AND WITHIN THE EXISTING RIGHT OF WAY FOR PROVIDING LTE VOICE & DATA SERVICES IN FAVOUR OF M/s RELIANCE JIO INFOCOMM LIMITED ON dt. 9.08.2018.**

\*\*\*\*\*

Inspected the proposed diversion area of 0.344 Ha of forest land falling in Compt no.23, 22 & 25 of Dharmapuram and Muttarapukatta Beats in Komararam Section of Komararam Range in Yellandu Division, out of 1.997 Ha of Diversion of Forest land in Guduru WLM, Mahabubabad, Warangal (R) and Yellandu Divisions for laying of optical fiber cable along the road and within the existing Right of Way in favour of m/s Reliance Jio Infocomm Limited with the Forest Range Officer, Komararam and concerned filed staff.

The total length of the Optical Fiber Cable proposed by the User Agency is 49931.51 mtrs, Out of that, 8594.92 Mtrs falling in Yellandu division with a width of 0.40 mtrs along the existing Road from Rompedu to Narsampeta within the Right of Way.

The said area passing through Shatpalli RF of Komararam Range and it notified U/s 18 vide G.O.Ms.No.1219, dt. 7.12.1353 F.

**Existing of Tree growth:**

The vegetation of this area comes under Eco class II of Tropical Dry deciduous open forest having density > 0.4. The enumeration of tree growth is NIL.

**Flora and Fauna**

The existing flora in the proposed diversion of forest is Pongamia pinnata (Kanuga) Xylia Xylocarpa (tangedu), Albizia lebbeck (Dirisanam) etc.,

No rare/endangered/unique species of flora and fauna are found in the proposed diverted forest land. There are no unique or endangered flora and fauna.

No protected Archeology/Heritage site and Defense establishment or any other important monuments are located in the proposed diversion area.

In the proposed forest area no work in violation of Act has been carried out by the User Agency.

The proposed Optical Fiber Cable (OFC) width is 0.40 mtrs within the RoW. In view of the above, the following condition may be imposed.

- The work should be taken up under the supervision of forest department (within the RF area) to avoid the felling of tree growth if any during execution of work as well as the work taken up within the Right of Way (RoW).

District Forest Officer  
I/c Forest Divisional Officer  
Yellandu

*[Signature]*

*[Signature]*  
9.08.2018