

**Part-III**

**(To be filled by the concerned Conservator of Forests)**

1	Whether site, where the forest land involved is located has been inspected by concerned Conservator of Forests, (Yes/No.) If yes, the date of inspection & Observations made in form of inspection note to be enclosed?	:	No - As area is less than 40 Ha No inspection has been made for this purpose.
2	Whether the concerned Conservator of Forests, agree with the information given in Part-B and the recommendations of Deputy Conservator of Forests ?	:	Yes. Agreed with the information given by the Divisional Forest Officer, Mancherial in the Proposal for diversion <b>1.177 Ha</b> ( Area in Bellampally Division is 1.06 Ha and Mancherial Division 0.117 Ha) of Forest land in Bellampally and Mancherial Divisions – in favour of Superintending Engineer, TDWSP (RWS&S) Circle, Nirmal for laying of Pipeline in <b>Segment -22/7 (Vemanapally)</b> for providing safe drinking water to Adilabad District – Under Telangana Drinking Water supply Project
3	Specific recommendation of concerned Conservator of Forests for acceptance or other wise of the proposal with detailed reasons?	:	The Proposal for diversion <b>1.777 Ha</b> (Area in Bellampally Division is 1.06 Ha and Mancherial Division 0.117 Ha) of Forest land in Bellampally and Mancherial Divisions – in favour of Superintending Engineer, TDWSP (RWS&S) Circle, Nirmal for laying of Pipeline in <b>Segment -22/7 (Vemanapally)</b> for providing safe drinking water to Adilabad District – Under Telangana Drinking Water supply Project is recommended.

Place : Adilabad.

Date : -07-2016.

Signature:

**T.P. THIRUMA REDDY, I.A.S.,**  
Name & Designation,  
Conservator of Forests  
Adilabad Circle.

(Official Seal):