

Part-III

(To be filled by the concerned Conservator of Forests)

1	Whether site, where the forest land involved is located has been inspected by concerned Conservator of Forests, (Yes/No.) If yes, the date of inspection & Observations made in form of inspection note to be enclosed?	:	No - As area is less than 40 Ha No inspection has been made for this purpose.
2	Whether the concerned Conservator of Forests, agree with the information given in Part-B and the recommendations of Deputy Conservator of Forests ?	:	Yes. Agreed with the information given by the Divisional Forest Officer, Mancherial in the Proposal for Proposal for diversion 3.386 Ha of Forest land in Mancherial Division in favour of Superintending Engineer, TDWSP (RWS&S) Circle, Nirmal for laying of Pipeline and Construction of structure in Segment 23/3 (Kotapally) for providing safe drinking water to Adilabad District under Telangana Drinking Water supply Project.
3	Specific recommendation of concerned Conservator of Forests for acceptance or other wise of the proposal with detailed reasons?	:	The Proposal for diversion 3.386 Ha of Forest land in Mancherial Division in favour of Superintending Engineer, TDWSP (RWS&S) Circle, Nirmal for laying of Pipeline and Construction of structure in Segment 23/3 (Kotapally) for providing safe drinking water to Adilabad District under Telangana Drinking Water supply Project. under Telangana Drinking Water supply Project is recommended.

Place : Adilabad.

Date : 14-07-2016.

Signature:

T.P. THIMMA REDDY
Name & Designation: F.S.,
Conservator of Forests
Adilabad Circle.

(Official Seal):

14/7/16

14/7/16