

## PART - III

(To be filled by the concerned Conservator of Forests)

14. Whether site, where the forest land involved is located has been inspected by concerned Conservator of Forests (Yes/No). If yes, the date of inspection & observation made in form of inspection note to be enclosed.

No, as per guidelines of GOI not required being Forest Area less than 40 Ha.

15. Whether concerned Conservator of Forests agree with the information given in Part - B and the recommendations of Deputy Conservator of Forests.

Yes, I agree with the information given in part II and the recommendations of the Deputy Conservator of Forests.

16. Specific recommendation of concerned Conservator of Forests for acceptance or otherwise of the proposal with detailed reasons.

Present proposal has been submitted by the GAIL for JHBDPL Gas Pipe Line 5.2673 Ha. Forest Land (P.F-4.0393 Ha. , GM(JJ)-1.2280 Ha.) to be diverted under Chatra South Forest Division & 13.0825 Ha. Forest Land (P.F-10.3172 Ha. , GM(JJ)-2.7653 Ha.) to be diverted under Chatra North Forest Division.

The proposal for diversion of forest under the Forest Conservation Act 1980, may be accorded in national and state interest, but gas being inflammable fire protection measure/plan needs to be implemented at the project cost and moreover under Chatra North Forest Division proposed site lies in defacto Eco Sensitive Zone being within 10 Kms of Wildlife Sanctuary Gautam Budha, Hazaribagh, hence clearance from standing committee of NBWL is a must.

Signature :



Name : K.K.Tripathy, IFS

Office Seal : 28-1-2019

वन संरक्षक

Date : प्रादेशिक अंचल, चतरा

Place : Chatra