

Site Inspection Report

Prescribed vide PCCF (Hoff) No. Desk-17-4/1445, dated 5/11/2015.

Sr No	Items	Observations and remarks										
1	Name of the Project and location (Range, Round, Beat)	Laying of OFC Cable along the existing road Ghatburi-Sawargaon road passes through forest area in Tah patur Dist Akola										
2	Name of the User Agency	Reliance Geo Infocom Ltd										
3	Date of site inspection	2-8-19										
4	Extent (ha) and legal status of forest land proposed for diversion	0.316 ha ✓										
5	a) Detail of forest land proposed for diversion and activity-wise break-up of forest land b) Density and Eco-value class	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 5%;">S No</th> <th style="width: 35%;">Item</th> <th style="width: 15%;">Forest area involved</th> <th style="width: 15%;">Non forest area involved</th> <th style="width: 20%;">Total area involve d</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Layin of OFC Cable</td> <td>0.316 ha</td> <td>0.052ha ✓</td> <td>0.368 ha ✓</td> </tr> </tbody> </table> >0.40 Eco Class III ✓	S No	Item	Forest area involved	Non forest area involved	Total area involve d	1	Layin of OFC Cable	0.316 ha	0.052ha ✓	0.368 ha ✓
S No	Item	Forest area involved	Non forest area involved	Total area involve d								
1	Layin of OFC Cable	0.316 ha	0.052ha ✓	0.368 ha ✓								
6	Whether the requirement of forest land as proposed by the User Agency in Col.2 of Part- I is unavoidable and barest minimum for the project. If no, recommended area item-wise with details of alternative examined.	Yes it is un avoidable and barest minimum										
7	Whether the proposal involves any construction of building (including residential) or not? If yes, details thereof.	No										
8	a) Whether forest area proposed for diversion is important from wildlife point of view or not. b) Details of any rare or endangered or unique species of flora and fauna found in proposed forest land. If so, the details there of. c) Aerial distance from the nearest boundary of any Protected Area (Km) d) Remarks about sensitivity of the forest area likely to be affected due to project: e) Whether Wildlife mitigation plan is required? If yes, reasons there for:	No No Above 10 Km The laying of OFC cable is along the existing road that's why the project is not affect the sensitivity of forest. NO										

9	<p>Details of vegetation</p> <p>a) Total number of trees to be felled:</p> <p>b) Number of trees to be felled of girth below 60 cm:</p> <p>c) Number of trees to be felled of girth above 60 cm:</p> <p>d) Effect of removal of trees on the general ecosystem in the area</p>	<p>Nill</p> <p>Nill</p> <p>Nill</p> <p>Not applicable</p>
10	Background note on the proposal (Short summary)	The laying of OFC cable is along the existing road, tree felling is not required. Due to the project better connectivity to local villagers may get.
11	Whether the proposal involves any violation of Forest (Conservation) Act 1980? If yes, a detailed report on violation including action taken against the concerned officials to be attached	No
12	Whether the proposal involves rehabilitation of displaced person. If yes, Whether rehabilitation plan has been approved by the State Government?	No
13	<p>Details on catchment and culturable command area under the project (if applicable)</p> <p>Status of catchment area treatment plan to prevent siltation of reservoir (if applicable)</p>	N A
14	Utility of the project	Due to the project local villagers may get better connectivity in remote area.
15	Whether land being diverted has any socio-cultural/religious values? Whether any sacred grove or very old growth trees/forests exist in the areas proposed for diversion?	No
16	Any other important information related to the project (Separate note may be attached, if required)	--
17	Details of documents and photographs enclosed:	Photographs are attached
18	Recommendations of the Inspection Officer (CCF/CF/DCF)	The laying of OFC cable is along the existing road which already passes through the forest area, tree felling is not involved. Due to the project better connectivity to local villagers may get. Hence recommended for Sanction.



Place:- Akola

Name of Inspecting Officer:- (S B Valvi)

Date:- 10/8/19

Designation:- Dy. Conservator of forests, Akola