


PART - II
(To be filled by the concerned Deputy Conservator of Forests)
State Serial No. of Proposal: (FP/GJ/TRANS/82015/2020)
Adani Green Energy Limited

7.	Location of the Project/Scheme :: For Laying 220 KV Transmission line	
(i)	State/Union Territory	Gujarat
(ii)	District	Kachchh
(iii)	Forest Division	Social Forestry Division. Bhuj
(iv)	Area of forest land proposed for diversion (in ha)	0.2498 Ha
(v)	Legal Status of Forest	Protected Forest
(vi)	Density of vegetation	No Need to cut the tree during work.
(vii)	Species-wise (scientific names) and diameter class wise enumeration of trees (to be enclosed. In case of irrigation/hydel projects enumeration at FRI...1, FRI...2 meter also to be enclosed).	No tree should be cut in demanded forest area, so information is nil
(viii)	Brief note on vulnerability of the forest area to erosion	Not applicable.
(ix)	Approximate distance of proposed site for diversion from boundary of forest.	Preferably on the extra ledge of the declared protected forest road boundary
(x)	Whether forms part of National Park, Wildlife sanctuary, biosphere reserve, tiger reserve, elephant corridor, etc. (If so, the details of the area and comments of the Chief Wildlife Warden to be annexed).	Nearest Distance from the Wild life sanctuary to the Demanded forest area is 33.58 Km. (Narayan Sarovar Wild life Sanctuary) (Detail report is attached in annexure-25)
(xi)	Whether any rare/endangered/unique species of flora and fauna found in the area -- if so details thereof.	No, Rare/endangered/heritage site/defence establishment or any other important monument is not located in the Demanded area.
(xii)	Whether any protected archaeological / heritage site / defence establishment or any other important monument is located in the area. If so, the details thereof with NOC from Competent Authority, if required.	No, Archaeological / heritage site / defense establishment or any other important monument is not located in the Demanded area.
8.	Whether the requirement of forest land as proposed by the user agency in col.2 of part-I is unavoidable and barest minimum for the project. If no, recommended area item wise with details of alternatives examined.	It is unavoidable. The area required for Construction of Transmission Cable is minimum which is a part of Protected forest land.
9.	Whether any work in violation of the act has been carried out (Yes/No). If yes, details of the same including period of work done, action taken on erring officials. Whether work in violation is still in progress?	No, UA has not Violated FCA-1980 Act
10.	Details of compensatory afforestation scheme	
(i)	Details of non forest area/degraded forest area identified for compensatory afforestation, its distance from adjoining forest, number of patches, size of each patch.	As per the Handbook of Forest Conservation Act, 1980 & Forest Conservation Rule, 2003 (Guidelines & Clarifications) Year 2019 in Chapter-4 (4.3) Compensatory afforestation scheme is exempted.

(ii)	Map showing non-forest/degraded forest area identified for compensatory afforestation and adjoining forest boundaries.	As per the Handbook of Forest Conservation Act, 1980 & Forest Conservation Rule, 2003 (Guidelines & Clarifications) Year 2019 in Chapter-4 (4.3) Compensatory afforestation scheme is exempted.
(iii)	Detailed compensatory afforestation scheme including species to be planted, implementing agency, time schedule, cost structure, etc.	As per the Handbook of Forest Conservation Act, 1980 & Forest Conservation Rule, 2003 (Guidelines & Clarifications) Year 2019 in Chapter-4 (4.3) Compensatory afforestation scheme is exempted.
(iv)	Total financial outlay for compensatory afforestation scheme.	As per the Handbook of Forest Conservation Act, 1980 & Forest Conservation Rule, 2003 (Guidelines & Clarifications) Year 2019 in Chapter-4 (4.3) Compensatory afforestation scheme is exempted.
(v)	Certificate from Competent Authority regarding suitability of area identified for compensatory afforestation and from management point of view. (To be signed by the concerned Deputy Conservator of Forests).	As per the Handbook of Forest Conservation Act, 1980 & Forest Conservation Rule, 2003 (Guidelines & Clarifications) Year 2019 in Chapter-4 (4.3) Compensatory afforestation scheme is exempted.
11.	Site inspection report of the DCF (to be enclosed) especially highlighting facts asked in col.7 (xi,xii), 8 and 9 above.	Attached Annexure - 17
12.	Division / District Profile:	Covering an area of 45,652 km ² , it is the largest district of India. The population of Kutch is 21 Lacs, literacy rate is 59.79%
(i)	Geographical area of the district	45,692 square kilometres
(ii)	Forest area of the district	Forests Area : 1635.51 Ha.
(iii)	Total forest area diverted since 1980 with number of cases.	834.68165 Ha. No. of cases - 42
(iv)	Total compensatory afforestation stipulated in the district/division since 1980 on. a) forest land including penal compensatory afforestation b) Non - forest land	(a) 364.04 Ha. (b) NA-
(v)	Progress of compensatory afforestation as on (date) 2014-15 on a) Forest land b) Non-forest land	(a) 82.18 (b) NA
13.	Specific recommendations of the DCF for acceptance or otherwise of the proposal with reasons	Recommended diversion 0.2498 Ha


Dy. Conservator of Forests
Social Forestry Division
Kachchh

Dt: 29/01/2021

Place: Bhuj