

**PART - III**

(To be filled by the concerned Conservator of Forests)

14. Whether site, where the forest land involved is located has been inspected by concerned Conservator of Forests (Yes/No). If yes, the date of inspection & observations made in form of inspection note to be enclosed.

No.


15. Whether the concerned Conservator of Forests agree with the information given in Part-II and the recommendations of Deputy Conservator of Forests.

*Yes, I agree with the information given in the proposals and Recommendations made by the DFO, Bhadradi Kothagudem.*

16. Specific recommendation of concerned Conservator of Forests for acceptance or otherwise of the proposal with detailed reasons.

*Recommended the proposal basing on the justifications explained by the District Forest Officer, Bhadradi kothagudem in Part-II and Inspection report in lieu of diversion of 1.4043 Ha, of forest land in Kinnerasani forest Division for conversion of existing single phase to 3-phase supply in Pedda Venkatapuram ST habitation, Allapally Mandal by using Aerial Bunched Cable in Allapally RF of Kinnerasani WLM Division, Paloncha in Bhadradi Kothagudem District*

Date : 21.05.2022.  
Place: Kothagudem.

Signature   
Name: Sri.D.Bheema,I.F.S.,  
Office Seal: Conservator of Forests  
Kothagudem Circle, Kothagudem.