


NAME OF WORK : Diversion of 3.9850 hectare of govt. land for the construction of Sheel Thachali Soyal Bagna road km. 0/0 to 6/685.

Shortcoming Point No. 01.

It is to certify that the shortcomings has been noticed vide GoI, Nodal Officer-cum-APCCF (FCA) Shimla office letter No. Ft.48-3957/2019 (FCA) 26.10.2023 regarding in Part-I, A-3(xvii), the name mentioned in the authorization letter does not match the details of the person making the application, maximum slope in which muck can be dumped, it is submitted that Er. Naresh Sharma, the than Engineer-in-Chief HPPWD being competent authority has authorized all Executive Engineers in HPPWD Divisions (not authorized by name for matching the details of the person making the application) to make application on behalf of the User Agency for seeking prior approval of Central Government under Section-2 of the FCA-1980 for diversion of fresh forest area please.


Deputy Conservator of Forests
Chopal Forest Division


(Er. Rakesh Thakur)
Executive Engineer
Chopal Division,
HPPWD Chopal


NAME OF WORK :

Diversion of 3.9850 hectare of govt. land for the construction of Sheel Thachali Soyab Bagna road km. 0/0 to 6/685.

Shortcoming Point No. 02.

It is to certify that the shortcomings has been noticed vide GoI, Nodal Officer-cum-APCCF (FCA) Shimla office letter No. Ft.48-3957/2019 (FCA) 26.10.2023 regarding administrative approval and Approved DPR for the instant proposal need to be uploaded, it is submitted that the administrative approval of DPR can be prepared and approved after obtaining Stage I approval of diversion of forest land from the competent authority please.


Deputy Conservator of Forests
Chopal Forest Division


(Er. Rakesh Thakur)
Executive Engineer
Chopal Division,
HPPWD Chopal.

NAME OF WORK : Diversion of 3.9850 hectare of govt. land for the construction of Sheel Thachali Soyol Bagna road km. 0/0 to 6/685.

Shortcoming Point No. 05.

It is to certify that the shortcomings has been noticed vide Gol, Nodal Officer-cum-APCCF (FCA) Shimla office letter No. Ft.48-3957/2019 (FCA) 26.10.2023 regarding the proposed route as well as the alternative route, does not seem to be the alignments with the least possible distance connecting the villages. The State Govt. may be requested to ensure that the user agency will explore the alignments with the least possible distance between the villages to be benefitted and submit the same, it is intimated that the proposed route ^{has} ~~will~~ explore the alignments with the least possible distance between the villages to be benefitted by the construction of road to facilitate a population of 668 people of Gram Panchayat Chanju Chopal (241 people of village Dhanot village code 025593 & 427 people of village Lakhawati (Neoti sheel) village code 025592) and a population of 609 people of Gram Panchayat Chandlog Nerwa (174 people of village Soyol village code 025778, 243 people of village Thachali village code 025777 & 192 people of village Kalara village code 025780) directly and about 500 people indirectly please.



Deputy Conservator of Forests
Chopal Forest Division


(Er. Rakesh Thakur)
Executive Engineer
Chopal Division,
HPPWD Chopal

NAME OF WORK : Diversion of 3.9850 hectare of govt. land for the construction of Sheel Thachali Soyol Bagna road km. 0/0 to 6/685.

Shortcoming Point No. 09.

It is to certify that the shortcomings has been noticed vide Gol, Nodal Officer-cum-APCCF (FCA) Shimla office letter No. Ft.48-3957/2019 (FCA) 26.10.2023 regarding the project involves 1.1216 Ha. of Private Land which can be used of Muck Dumping. Still 1.205 Ha. of Forest Land is proposed for Muck Dumping. The State Govt. is required to identify suitable Private/Non-Forest Land for Muck Dumping. It is intimated that the project involves 1.1216 Ha. of Private Land, but the revenue status of land is Bagicha, Ghasani, Bakhal abbal, Gaim mumkin rasta, Banjar kadeem etc. which is in patches and is not in sufficient size and proper shape to use as muck dumping place. Muck dumping places required in proper size and shape, please.


Deputy Conservator of Forests
Chopal Forest Division


(Er. Rakesh Thakur)
Executive Engineer
Chopal Division,
HPPWD Chopal.

Road Level



24

Executive Engineer
B&R Division
HPPWD Chopal

TOTAL: 525 x 3 = 1575 Cum

Executive Engineer
B&R Division
HPPWD Chopal


Muck Disposal Plan

Name of work : C/o Sheel Thachali Soyai Bagna road km. 0/0 to 6/685.

1	Total quantity of muck being produced.	35035.80
2	Deduction	1751.79
	Deduction for useful stone as required under the clause of agreement to be executed by the contractor and Executive Engineer of Project implementing unit division on behalf of Governor of H.P. for using in project.	
	Net balance quantity of debris/Muck.	33284.01
3	Quantity available on site with swell factor @ 40% of (A)	13313.60
	Grand Total (B)	46597.61
	Deduction	
	(i) Deduction for material required for the construction of dumping place in dry masonry wall @ 5% of (B)	-2329.88
	(ii) Less for material/Muck required for the levelling of the proposed road @ 15% of (B)	-6989.64
	Net Qty. (C)	
4	Net Material/Muck to be dumped in dumping site (B-C) in cum	37278.09
	In tonne	23298.81
5	Proposed dumping sites.	3 Nos.
	Material/Muck left at the site which required carriage for the proper dumping at the recognized site as per the instructions of forest and Environment Ministry reinforced by various judgements of the Apex court Govt. of India.	


Assistant Engineer,
Shailu Sub Division,
HPPWD Nerwa



Executive Engineer,
HPPWD Division,
HPPWD Chopal.


Deputy Conservator of Forests
Chopal Forest Division

MUCK DUMPING CAPACITY PLAN

Name of work : C/o Sheel Thachali Soyol Bagna road km. R.D. 0/0 to 6/685.

Sl. No.	Dumping site place.	R.D.	Design annexed	Capacity (in cum)	Remarks
1	Dhanot	1/555 to 1/655	D1	11746.00	Muck generated in the entire length of road will be used in all dumping places as per muck dumping capacity.
2	Dhanot	2/080 to 2/180	D2	11746.00	
3	Dhanot	5/230 to 5/270	D3	11745.00	
TOTAL				35237.00	


Assistant Engineer,
Shallu Sub Divn.
HPPWD Nerwa


Executive Engineer,
Chopal Division,
HPPWD Chopal.

MUCK DUMPING CAPACITY PLAN


Deputy Conservator of Forest,
Chopal Forest Division

Sl. No.	Dumping site place.	R.D.	Design annexed	Capacity (in cum)	Remarks
1	Dhanot	1/555 to 1/655	D1	11746.00	Muck generated in the entire length of road will be used in all dumping places as per muck dumping capacity.
2	Dhanot	2/080 to 2/180	D2	11746.00	
3	Dhanot	5/230 to 5/270	D3	11745.00	
TOTAL				35237.00	


Assistant Engineer,
Shallu Sub Divn.
HPPWD Nerwa


Executive Engineer,
Chopal Division,
HPPWD Chopal.

Detail of measurement

Name of work : C/o Sheel Thachali Soyal Bagna road km. R.D. 0/0 to 6/685
(SH: F/C between km . 0/0 to 6/685).

Sl. No.	RDs	X-section	Mean area	L	Qty.	Classification				Qty.			
						PW	JW	SB	HB	PW	JW	SB	HB
1	0/0.	5.36	0	0	0	0	0	0	0	0	0	0	0
2	15	5.83	5.60	15	83.93	70%	20%	10%	0%	58.75	16.79	8.39	0.00
3	30	5.36	5.60	15	83.93	70%	20%	10%	0%	58.75	16.79	8.39	0.00
4	45	5.63	5.50	15	82.43	70%	20%	10%	0%	57.70	16.49	8.24	0.00
5	60	5.63	5.63	15	84.45	70%	20%	10%	0%	59.12	16.89	8.45	0.00
6	75	5.67	5.65	15	84.75	70%	20%	10%	0%	59.33	16.95	8.48	0.00
7	90	5.55	5.61	15	84.15	70%	20%	10%	0%	58.91	16.83	8.42	0.00
8	105	5.05	5.30	15	79.50	70%	20%	10%	0%	55.65	15.90	7.95	0.00
9	120	5.94	5.50	15	82.43	70%	20%	10%	0%	57.70	16.49	8.24	0.00
10	135	6.25	6.10	15	91.43	70%	20%	10%	0%	64.00	18.29	9.14	0.00
11	150	6.65	6.45	15	96.75	70%	20%	10%	0%	67.73	19.35	9.68	0.00
12	165	4.43	5.54	15	83.10	70%	20%	10%	0%	58.17	16.62	8.31	0.00
13	180	4.40	4.42	15	66.23	70%	20%	10%	0%	46.36	13.25	6.62	0.00
14	195	4.19	4.30	15	64.43	70%	20%	10%	0%	45.10	12.89	6.44	0.00
15	210	4.62	4.41	15	66.08	70%	20%	10%	0%	46.25	13.22	6.61	0.00
16	225	4.85	4.74	15	71.03	70%	20%	10%	0%	49.72	14.21	7.10	0.00
17	240	4.12	4.49	15	67.28	70%	20%	10%	0%	47.09	13.46	6.73	0.00
18	255	4.08	4.10	15	61.50	70%	20%	10%	0%	43.05	12.30	6.15	0.00
19	270	4.58	4.33	15	64.95	70%	20%	10%	0%	45.47	12.99	6.50	0.00
20	285	4.32	4.45	15	66.75	70%	20%	10%	0%	46.73	13.35	6.68	0.00
21	300	4.65	4.49	15	67.28	70%	20%	10%	0%	47.09	13.46	6.73	0.00
22	315	4.25	4.45	15	66.75	70%	20%	10%	0%	46.73	13.35	6.68	0.00
23	330	5.83	5.04	15	75.60	70%	20%	10%	0%	52.92	15.12	7.56	0.00
24	345	5.67	5.75	15	86.25	70%	20%	10%	0%	60.38	17.25	8.63	0.00
25	360	5.12	5.40	15	80.93	70%	20%	10%	0%	56.65	16.19	8.09	0.00
26	375	5.78	5.45	15	81.75	70%	20%	10%	0%	57.23	16.35	8.18	0.00
27	390	5.41	5.60	15	83.93	70%	20%	10%	0%	58.75	16.79	8.39	0.00
28	405	5.93	5.67	15	85.05	70%	20%	10%	0%	59.54	17.01	8.51	0.00
29	420	5.25	5.59	15	83.85	70%	20%	10%	0%	58.70	16.77	8.39	0.00
30	435	5.58	5.42	15	81.23	70%	20%	10%	0%	56.86	16.25	8.12	0.00
31	450	5.62	5.60	15	84.00	70%	20%	10%	0%	58.80	16.80	8.40	0.00
32	465	5.70	5.66	15	84.90	70%	20%	10%	0%	59.43	16.98	8.49	0.00
33	480	6.40	6.05	15	90.75	70%	20%	10%	0%	63.53	18.15	9.08	0.00
34	495	6.93	6.67	15	99.98	70%	20%	10%	0%	69.98	20.00	10.00	0.00
35	510	7.93	7.43	15	111.45	70%	20%	10%	0%	78.02	22.29	11.15	0.00
36	525	7.50	7.72	15	115.73	70%	20%	10%	0%	81.01	23.15	11.57	0.00

Sl. No.	RDs	X-section	Mean area	L	Qty.	Classification				Qty.			
						PW	JW	SB	HB	PW	JW	SB	HB
37	540	6.94	7.22	15	108.30	70%	20%	10%	0%	75.81	21.66	10.83	0.00
38	555	6.25	6.60	15	98.93	70%	20%	10%	0%	69.25	19.79	9.89	0.00
39	570	5.65	5.95	15	89.25	70%	20%	10%	0%	62.48	17.85	8.93	0.00
40	585	5.43	5.54	15	83.10	70%	20%	10%	0%	58.17	16.62	8.31	0.00
41	600	5.40	5.42	15	81.23	70%	20%	10%	0%	56.86	16.25	8.12	0.00
42	615	4.43	4.92	15	73.73	70%	20%	10%	0%	51.61	14.75	7.37	0.00
43	630	4.40	4.42	15	66.23	70%	20%	10%	0%	46.36	13.25	6.62	0.00
44	645	4.19	4.30	15	64.43	70%	20%	10%	0%	45.10	12.89	6.44	0.00
45	660	4.62	4.41	15	66.08	50%	30%	20%	0%	33.04	19.82	13.22	0.00
46	675	4.85	4.74	15	71.03	50%	30%	20%	0%	35.51	21.31	14.21	0.00
47	690	4.12	4.49	15	67.28	50%	30%	20%	0%	33.64	20.18	13.46	0.00
48	705	4.08	4.10	15	61.50	50%	30%	20%	0%	30.75	18.45	12.30	0.00
49	720	4.58	4.33	15	64.95	50%	30%	20%	0%	32.48	19.49	12.99	0.00
50	735	4.32	4.45	15	66.75	50%	30%	20%	0%	33.38	20.03	13.35	0.00
51	750	4.65	4.49	15	67.28	50%	30%	20%	0%	33.64	20.18	13.46	0.00
52	765	4.25	4.45	15	66.75	50%	30%	20%	0%	33.38	20.03	13.35	0.00
53	780	5.12	4.69	15	70.28	50%	30%	20%	0%	35.14	21.08	14.06	0.00
54	795	5.78	5.45	15	81.75	50%	30%	20%	0%	40.88	24.53	16.35	0.00
55	810	5.41	5.60	15	83.93	50%	30%	20%	0%	41.96	25.18	16.79	0.00
56	825	5.93	5.67	15	85.05	50%	30%	20%	0%	42.53	25.52	17.01	0.00
57	840	5.25	5.59	15	83.85	50%	30%	20%	0%	41.93	25.16	16.77	0.00
58	855	5.58	5.42	15	81.23	50%	30%	20%	0%	40.61	24.37	16.25	0.00
59	870	5.62	5.60	15	84.00	50%	30%	20%	0%	42.00	25.20	16.80	0.00
60	885	5.70	5.66	15	84.90	50%	30%	20%	0%	42.45	25.47	16.98	0.00
61	900	5.40	5.55	15	83.25	50%	30%	20%	0%	41.63	24.98	16.65	0.00
62	915	5.93	5.67	15	84.98	50%	30%	20%	0%	42.49	25.49	17.00	0.00
63	930	4.43	5.18	15	77.70	50%	30%	20%	0%	38.85	23.31	15.54	0.00
64	945	4.40	4.42	15	66.23	50%	30%	20%	0%	33.11	19.87	13.25	0.00
65	960	4.19	4.30	15	64.43	50%	30%	20%	0%	32.21	19.33	12.89	0.00
66	975	4.62	4.41	15	66.08	50%	30%	20%	0%	33.04	19.82	13.22	0.00
67	990	4.85	4.74	10	47.35	50%	30%	20%	0%	23.68	14.21	9.47	0.00
68	1/0.	4.12	4.49	15	67.28	50%	30%	20%	0%	33.64	20.18	13.46	0.00
69	15	4.08	4.10	15	61.50	50%	30%	20%	0%	30.75	18.45	12.30	0.00
70	30	4.58	4.33	15	64.95	50%	30%	20%	0%	32.48	19.49	12.99	0.00
71	45	4.32	4.45	15	66.75	50%	30%	20%	0%	33.38	20.03	13.35	0.00
72	60	4.65	4.49	15	67.28	50%	30%	20%	0%	33.64	20.18	13.46	0.00
73	75	4.25	4.45	15	66.75	50%	30%	20%	0%	33.38	20.03	13.35	0.00
74	90	5.20	4.73	15	70.88	50%	30%	20%	0%	35.44	21.26	14.18	0.00
75	105	5.89	5.55	15	83.18	50%	30%	20%	0%	41.59	24.95	16.64	0.00
76	120	7.62	6.76	15	101.33	50%	30%	20%	0%	50.66	30.40	20.27	0.00

Sl. No.	RDs	X-section	Mean area	L	Qty.	Classification				Qty.			
						PW	JW	SB	HB	PW	JW	SB	HB
77	135	5.63	6.63	15	99.38	50%	30%	20%	0%	49.69	29.81	19.88	0.00
78	150	5.67	5.65	15	84.75	50%	30%	20%	0%	42.38	25.43	16.95	0.00
79	165	5.55	5.61	15	84.15	50%	30%	20%	0%	42.08	25.25	16.83	0.00
80	180	5.05	5.30	15	79.50	50%	30%	20%	0%	39.75	23.85	15.90	0.00
81	195	5.94	5.50	7	38.47	50%	30%	20%	0%	19.23	11.54	7.69	0.00
82	210	5.25	5.60	8	44.76	50%	30%	20%	0%	22.38	13.43	8.95	0.00
83	225	5.65	5.45	15	81.75	50%	30%	20%	0%	40.88	24.53	16.35	0.00
84	240	5.43	5.54	15	83.10	50%	30%	20%	0%	41.55	24.93	16.62	0.00
85	255	5.40	5.42	15	81.23	50%	30%	20%	0%	40.61	24.37	16.25	0.00
86	270	4.43	4.92	15	73.73	50%	30%	20%	0%	36.86	22.12	14.75	0.00
87	285	4.40	4.42	15	66.23	50%	30%	20%	0%	33.11	19.87	13.25	0.00
88	300	4.19	4.30	15	64.43	50%	30%	20%	0%	32.21	19.33	12.89	0.00
89	315	4.62	4.41	15	66.08	50%	30%	20%	0%	33.04	19.82	13.22	0.00
90	330	4.85	4.74	15	71.03	50%	30%	20%	0%	35.51	21.31	14.21	0.00
91	345	4.12	4.49	15	67.28	50%	30%	20%	0%	33.64	20.18	13.46	0.00
92	360	4.08	4.10	15	61.50	50%	30%	20%	0%	30.75	18.45	12.30	0.00
93	375	4.58	4.33	15	64.95	50%	30%	20%	0%	32.48	19.49	12.99	0.00
94	390	4.32	4.45	15	66.75	50%	30%	20%	0%	33.38	20.03	13.35	0.00
95	405	4.65	4.49	15	67.28	50%	30%	20%	0%	33.64	20.18	13.46	0.00
96	420	4.25	4.45	15	66.75	50%	30%	20%	0%	33.38	20.03	13.35	0.00
97	435	5.12	4.69	15	70.28	50%	30%	20%	0%	35.14	21.08	14.06	0.00
98	450	5.78	5.45	15	81.75	50%	30%	20%	0%	40.88	24.53	16.35	0.00
99	465	5.41	5.60	15	83.93	50%	30%	20%	0%	41.96	25.18	16.79	0.00
100	480	5.93	5.67	15	85.05	50%	30%	20%	0%	42.53	25.52	17.01	0.00
101	495	5.25	5.59	15	83.85	50%	30%	20%	0%	41.93	25.16	16.77	0.00
102	510	5.58	5.42	15	81.23	50%	30%	20%	0%	40.61	24.37	16.25	0.00
103	525	5.62	5.60	15	84.00	60%	20%	20%	0%	50.40	16.80	16.80	0.00
104	540	5.70	5.66	15	84.90	60%	20%	20%	0%	50.94	16.98	16.98	0.00
105	555	5.40	5.55	15	83.25	60%	20%	20%	0%	49.95	16.65	16.65	0.00
106	570	5.93	5.67	15	84.98	60%	20%	20%	0%	50.99	17.00	17.00	0.00
107	585	7.93	6.93	15	103.95	60%	20%	20%	0%	62.37	20.79	20.79	0.00
108	600	7.50	7.72	15	115.73	60%	20%	20%	0%	69.44	23.15	23.15	0.00
109	615	7.21	7.36	15	110.33	60%	20%	20%	0%	66.20	22.07	22.07	0.00
110	630	7.76	7.49	15	112.28	60%	20%	20%	0%	67.37	22.46	22.46	0.00
111	645	6.79	7.28	15	109.13	60%	20%	20%	0%	65.48	21.83	21.83	0.00
112	660	7.69	7.24	15	108.60	60%	20%	20%	0%	65.16	21.72	21.72	0.00
113	675	7.10	7.40	15	110.93	60%	20%	20%	0%	66.56	22.19	22.19	0.00
114	690	7.40	7.25	15	108.75	60%	20%	20%	0%	65.25	21.75	21.75	0.00
115	705	7.08	7.24	15	108.60	60%	20%	20%	0%	65.16	21.72	21.72	0.00
116	720	7.00	7.04	15	105.60	60%	20%	20%	0%	63.36	21.12	21.12	0.00

Sl. No.	RDs	X-section	Mean area	L	Qty.	Classification				Qty.			
						PW	JW	SB	HB	PW	JW	SB	HB
117	735	6.94	6.97	15	104.55	60%	20%	20%	0%	62.73	20.91	20.91	0.00
118	750	6.25	6.60	15	98.93	60%	20%	20%	0%	59.36	19.79	19.79	0.00
119	765	6.65	6.45	15	96.75	60%	20%	20%	0%	58.05	19.35	19.35	0.00
120	780	6.43	6.54	15	98.10	60%	20%	20%	0%	58.86	19.62	19.62	0.00
121	795	6.40	6.42	15	96.23	60%	20%	20%	0%	57.74	19.25	19.25	0.00
122	810	4.43	5.42	15	81.23	60%	20%	20%	0%	48.74	16.25	16.25	0.00
123	825	4.40	4.42	15	66.23	60%	20%	20%	0%	39.74	13.25	13.25	0.00
124	840	4.19	4.30	15	64.43	60%	20%	20%	0%	38.66	12.89	12.89	0.00
125	855	4.62	4.41	15	66.08	60%	20%	20%	0%	39.65	13.22	13.22	0.00
126	870	4.85	4.74	15	71.03	60%	20%	20%	0%	42.62	14.21	14.21	0.00
127	885	4.12	4.49	15	67.28	60%	20%	20%	0%	40.37	13.46	13.46	0.00
128	900	4.08	4.10	15	61.50	60%	20%	20%	0%	36.90	12.30	12.30	0.00
129	915	4.58	4.33	15	64.95	60%	20%	20%	0%	38.97	12.99	12.99	0.00
130	930	4.32	4.45	15	66.75	60%	20%	20%	0%	40.05	13.35	13.35	0.00
131	945	4.65	4.49	15	67.28	60%	20%	20%	0%	40.37	13.46	13.46	0.00
132	960	4.25	4.45	15	66.75	60%	20%	20%	0%	40.05	13.35	13.35	0.00
133	975	5.12	4.69	15	70.28	60%	20%	20%	0%	42.17	14.06	14.06	0.00
134	990	5.78	5.45	10	54.50	60%	20%	20%	0%	32.70	10.90	10.90	0.00
135	2/0.	5.41	5.60	15	83.93	60%	20%	20%	0%	50.36	16.79	16.79	0.00
136	15	5.93	5.67	15	85.05	60%	20%	20%	0%	51.03	17.01	17.01	0.00
137	30	5.25	5.59	15	83.85	60%	20%	20%	0%	50.31	16.77	16.77	0.00
138	45	5.58	5.42	15	81.23	60%	20%	20%	0%	48.74	16.25	16.25	0.00
139	60	5.62	5.60	15	84.00	60%	20%	20%	0%	50.40	16.80	16.80	0.00
140	75	5.70	5.66	15	84.90	60%	20%	20%	0%	50.94	16.98	16.98	0.00
141	90	5.40	5.55	15	83.25	60%	20%	20%	0%	49.95	16.65	16.65	0.00
142	105	5.93	5.67	15	84.98	60%	20%	20%	0%	50.99	17.00	17.00	0.00
143	120	4.43	5.18	15	77.70	60%	20%	20%	0%	46.62	15.54	15.54	0.00
144	135	4.40	4.42	15	66.23	60%	20%	20%	0%	39.74	13.25	13.25	0.00
145	150	4.19	4.30	15	64.43	60%	20%	20%	0%	38.66	12.89	12.89	0.00
146	165	4.62	4.41	15	66.08	60%	20%	20%	0%	39.65	13.22	13.22	0.00
147	180	4.85	4.74	15	71.03	60%	20%	20%	0%	42.62	14.21	14.21	0.00
148	195	4.12	4.49	15	67.28	60%	20%	20%	0%	40.37	13.46	13.46	0.00
149	210	4.08	4.10	15	61.50	60%	20%	20%	0%	36.90	12.30	12.30	0.00
150	225	4.58	4.33	15	64.95	60%	20%	20%	0%	38.97	12.99	12.99	0.00
151	240	4.32	4.45	15	66.75	60%	20%	20%	0%	40.05	13.35	13.35	0.00
152	255	4.65	4.49	15	67.28	60%	20%	20%	0%	40.37	13.46	13.46	0.00
153	270	4.25	4.45	15	66.75	60%	20%	20%	0%	40.05	13.35	13.35	0.00
154	285	5.20	4.73	15	70.88	60%	20%	20%	0%	42.53	14.18	14.18	0.00
155	300	5.89	5.55	15	83.18	60%	20%	20%	0%	49.91	16.64	16.64	0.00
156	315	7.62	6.76	15	101.33	60%	20%	20%	0%	60.80	20.27	20.27	0.00

Sl. No.	RDs	X-section	Mean area	L	Qty.	Classification				Qty.			
						PW	IW	SB	HB	PW	IW	SB	HB
157	330	4.43	6.03	15	90.38	60%	20%	20%	0%	54.23	18.08	18.08	0.00
158	345	4.40	4.42	15	66.23	60%	20%	20%	0%	39.74	13.25	13.25	0.00
159	360	4.19	4.30	15	64.43	60%	20%	20%	0%	38.66	12.89	12.89	0.00
160	375	4.62	4.41	15	66.08	60%	20%	20%	0%	39.65	13.22	13.22	0.00
161	390	4.85	4.74	15	71.03	60%	20%	20%	0%	42.62	14.21	14.21	0.00
162	405	4.12	4.49	15	67.28	60%	20%	20%	0%	40.37	13.46	13.46	0.00
163	420	4.08	4.10	15	61.50	60%	20%	20%	0%	36.90	12.30	12.30	0.00
164	435	4.58	4.33	15	64.95	60%	20%	20%	0%	38.97	12.99	12.99	0.00
165	450	4.32	4.45	15	66.75	60%	20%	20%	0%	40.05	13.35	13.35	0.00
166	465	4.65	4.49	15	67.28	60%	20%	20%	0%	40.37	13.46	13.46	0.00
167	480	4.25	4.45	15	66.75	60%	20%	20%	0%	40.05	13.35	13.35	0.00
168	495	5.26	4.76	15	71.33	50%	20%	30%	0%	35.66	14.27	21.40	0.00
169	510	5.35	5.31	15	79.58	50%	20%	30%	0%	39.79	15.92	23.87	0.00
170	525	5.23	5.29	15	79.35	50%	20%	30%	0%	39.68	15.87	23.81	0.00
171	540	5.19	5.21	15	78.15	50%	20%	30%	0%	39.08	15.63	23.45	0.00
172	555	5.76	5.48	15	82.13	50%	20%	30%	0%	41.06	16.43	24.64	0.00
173	570	5.10	5.43	15	81.45	50%	20%	30%	0%	40.73	16.29	24.44	0.00
174	585	5.99	5.55	15	83.18	50%	20%	30%	0%	41.59	16.64	24.95	0.00
175	600	5.91	5.95	15	89.25	50%	20%	30%	0%	44.63	17.85	26.78	0.00
176	615	4.43	5.17	15	77.55	50%	20%	30%	0%	38.78	15.51	23.27	0.00
177	630	4.40	4.42	15	66.23	50%	20%	30%	0%	33.11	13.25	19.87	0.00
178	645	4.19	4.30	15	64.43	50%	20%	30%	0%	32.21	12.89	19.33	0.00
179	660	4.62	4.41	15	66.08	50%	20%	30%	0%	33.04	13.22	19.82	0.00
180	675	4.85	4.74	15	71.03	50%	20%	30%	0%	35.51	14.21	21.31	0.00
181	690	4.12	4.49	15	67.28	50%	20%	30%	0%	33.64	13.46	20.18	0.00
182	705	4.08	4.10	15	61.50	50%	20%	30%	0%	30.75	12.30	18.45	0.00
183	720	4.58	4.33	15	64.95	50%	20%	30%	0%	32.48	12.99	19.49	0.00
184	735	4.32	4.45	15	66.75	50%	20%	30%	0%	33.38	13.35	20.03	0.00
185	750	4.65	4.49	15	67.28	50%	20%	30%	0%	33.64	13.46	20.18	0.00
186	765	4.25	4.45	15	66.75	50%	20%	30%	0%	33.38	13.35	20.03	0.00
187	780	5.32	4.79	15	71.78	50%	20%	30%	0%	35.89	14.36	21.53	0.00
188	795	5.10	5.21	15	78.15	50%	20%	30%	0%	39.08	15.63	23.45	0.00
189	810	5.20	5.15	15	77.25	50%	20%	30%	0%	38.63	15.45	23.18	0.00
190	825	5.10	5.15	15	77.25	50%	20%	30%	0%	38.63	15.45	23.18	0.00
191	840	6.87	5.99	15	89.78	50%	20%	30%	0%	44.89	17.96	26.93	0.00
192	855	7.76	7.32	15	109.73	50%	20%	30%	0%	54.86	21.95	32.92	0.00
193	870	6.44	7.10	15	106.50	50%	20%	30%	0%	53.25	21.30	31.95	0.00
194	885	6.82	6.63	15	99.45	50%	20%	30%	0%	49.73	19.89	29.84	0.00
195	900	7.34	7.08	15	106.20	50%	20%	30%	0%	53.10	21.24	31.86	0.00
196	915	6.04	6.69	15	100.35	50%	20%	30%	0%	50.18	20.07	30.11	0.00

Sl. No.	RDs	X-section	Mean area	L	Qty.	Classification				Qty.			
						PW	JW	SB	HB	PW	JW	SB	HB
197	930	4.43	5.24	15	78.53	50%	20%	30%	0%	39.26	15.71	23.56	0.00
198	945	4.40	4.42	15	66.23	50%	20%	30%	0%	33.11	13.25	19.87	0.00
199	960	4.19	4.30	15	64.43	50%	20%	30%	0%	32.21	12.89	19.33	0.00
200	975	4.62	4.41	15	66.08	50%	20%	30%	0%	33.04	13.22	19.82	0.00
201	990	4.85	4.74	10	47.35	50%	20%	30%	0%	23.68	9.47	14.21	0.00
202	3/0.	4.12	4.49	15	67.28	50%	20%	30%	0%	33.64	13.46	20.18	0.00
203	15	4.08	4.10	15	61.50	50%	20%	30%	0%	30.75	12.30	18.45	0.00
204	30	4.58	4.33	15	64.95	50%	20%	30%	0%	32.48	12.99	19.49	0.00
205	45	4.32	4.45	15	66.75	50%	20%	30%	0%	33.38	13.35	20.03	0.00
206	60	4.65	4.49	15	67.28	50%	20%	30%	0%	33.64	13.46	20.18	0.00
207	75	4.25	4.45	15	66.75	50%	20%	30%	0%	33.38	13.35	20.03	0.00
208	90	5.12	4.69	15	70.28	50%	20%	30%	0%	35.14	14.06	21.08	0.00
209	105	5.78	5.45	15	81.75	50%	20%	30%	0%	40.88	16.35	24.53	0.00
210	120	5.41	5.60	15	83.93	50%	20%	30%	0%	41.96	16.79	25.18	0.00
211	135	5.93	5.67	15	85.05	50%	20%	30%	0%	42.53	17.01	25.52	0.00
212	150	5.25	5.59	15	83.85	50%	20%	30%	0%	41.93	16.77	25.16	0.00
213	165	5.58	5.42	15	81.23	50%	20%	30%	0%	40.61	16.25	24.37	0.00
214	180	5.62	5.60	15	84.00	50%	20%	30%	0%	42.00	16.80	25.20	0.00
215	195	5.70	5.66	15	84.90	50%	20%	30%	0%	42.45	16.98	25.47	0.00
216	210	5.40	5.55	15	83.25	50%	20%	30%	0%	41.63	16.65	24.98	0.00
217	225	5.93	5.67	15	84.98	50%	20%	30%	0%	42.49	17.00	25.49	0.00
218	240	4.43	5.18	15	77.70	50%	20%	30%	0%	38.85	15.54	23.31	0.00
219	255	4.40	4.42	15	66.23	50%	20%	30%	0%	33.11	13.25	19.87	0.00
220	270	4.19	4.30	15	64.43	50%	20%	30%	0%	32.21	12.89	19.33	0.00
221	285	4.62	4.41	15	66.08	50%	20%	30%	0%	33.04	13.22	19.82	0.00
222	300	4.85	4.74	15	71.03	50%	20%	30%	0%	35.51	14.21	21.31	0.00
223	315	4.12	4.49	15	67.28	50%	20%	30%	0%	33.64	13.46	20.18	0.00
224	330	4.08	4.10	15	61.50	50%	20%	30%	0%	30.75	12.30	18.45	0.00
225	345	4.58	4.33	15	64.95	50%	20%	30%	0%	32.48	12.99	19.49	0.00
226	360	4.32	4.45	15	66.75	50%	20%	30%	0%	33.38	13.35	20.03	0.00
227	375	4.65	4.49	15	67.28	50%	20%	30%	0%	33.64	13.46	20.18	0.00
228	390	4.25	4.45	15	66.75	50%	20%	30%	0%	33.38	13.35	20.03	0.00
229	405	7.00	5.63	15	84.38	50%	20%	30%	0%	42.19	16.88	25.31	0.00
230	420	7.29	7.15	15	107.18	50%	20%	30%	0%	53.59	21.44	32.15	0.00
231	435	7.90	7.60	15	113.93	50%	20%	30%	0%	56.96	22.79	34.18	0.00
232	450	7.41	7.66	15	114.83	50%	20%	30%	0%	57.41	22.97	34.45	0.00
233	465	7.59	7.50	15	112.50	50%	20%	30%	0%	56.25	22.50	33.75	0.00
234	480	6.32	6.96	15	104.33	50%	20%	30%	0%	52.16	20.87	31.30	0.00
235	495	6.15	6.24	15	93.53	50%	20%	30%	0%	46.76	18.71	28.06	0.00
236	510	6.19	6.17	15	92.55	50%	20%	30%	0%	46.28	18.51	27.77	0.00

Sl. No.	RDs	X-section	Mean area	L	Qty.	Classification				Qty.			
						PW	JW	SB	HB	PW	JW	SB	HB
237	525	5.75	5.97	15	89.55	50%	20%	30%	0%	44.78	17.91	26.87	0.00
238	540	5.63	5.69	15	85.35	50%	20%	30%	0%	42.68	17.07	25.61	0.00
239	555	4.43	5.03	15	75.45	50%	20%	30%	0%	37.73	15.09	22.64	0.00
240	570	4.40	4.42	15	66.23	50%	20%	30%	0%	33.11	13.25	19.87	0.00
241	585	4.19	4.30	15	64.43	50%	20%	30%	0%	32.21	12.89	19.33	0.00
242	600	4.62	4.41	15	66.08	50%	20%	30%	0%	33.04	13.22	19.82	0.00
243	615	4.85	4.74	15	71.03	50%	20%	30%	0%	35.51	14.21	21.31	0.00
244	630	4.12	4.49	15	67.28	50%	20%	30%	0%	33.64	13.46	20.18	0.00
245	645	4.08	4.10	15	61.50	50%	20%	30%	0%	30.75	12.30	18.45	0.00
246	660	4.58	4.33	15	64.95	50%	20%	30%	0%	32.48	12.99	19.49	0.00
247	675	4.32	4.45	15	66.75	50%	20%	30%	0%	33.38	13.35	20.03	0.00
248	690	4.65	4.49	15	67.28	50%	20%	30%	0%	33.64	13.46	20.18	0.00
249	705	4.25	4.45	15	66.75	50%	20%	30%	0%	33.38	13.35	20.03	0.00
250	720	5.12	4.69	15	70.28	50%	20%	30%	0%	35.14	14.06	21.08	0.00
251	735	5.66	5.39	15	80.85	50%	20%	30%	0%	40.43	16.17	24.26	0.00
252	750	5.25	5.46	15	81.83	50%	20%	30%	0%	40.91	16.37	24.55	0.00
253	765	5.43	5.34	15	80.10	50%	20%	30%	0%	40.05	16.02	24.03	0.00
254	780	4.43	4.93	15	73.95	50%	20%	30%	0%	36.98	14.79	22.19	0.00
255	795	4.40	4.42	15	66.23	50%	20%	30%	0%	33.11	13.25	19.87	0.00
256	810	4.19	4.30	15	64.43	50%	20%	30%	0%	32.21	12.89	19.33	0.00
257	825	4.62	4.41	15	66.08	50%	20%	30%	0%	33.04	13.22	19.82	0.00
258	840	4.85	4.74	15	71.03	50%	20%	30%	0%	35.51	14.21	21.31	0.00
259	855	4.12	4.49	15	67.28	50%	20%	30%	0%	33.64	13.46	20.18	0.00
260	870	4.08	4.10	15	61.50	50%	20%	30%	0%	30.75	12.30	18.45	0.00
261	885	4.58	4.33	15	64.95	50%	20%	30%	0%	32.48	12.99	19.49	0.00
262	900	4.32	4.45	15	66.75	50%	20%	30%	0%	33.38	13.35	20.03	0.00
263	915	4.65	4.49	15	67.28	50%	20%	30%	0%	33.64	13.46	20.18	0.00
264	930	4.25	4.45	15	66.75	50%	20%	30%	0%	33.38	13.35	20.03	0.00
265	945	5.94	5.10	15	76.43	50%	20%	30%	0%	38.21	15.29	22.93	0.00
266	960	5.25	5.60	15	83.93	50%	20%	30%	0%	41.96	16.79	25.18	0.00
267	975	5.65	5.45	15	81.75	50%	20%	30%	0%	40.88	16.35	24.53	0.00
268	990	5.43	5.54	10	55.40	50%	20%	30%	0%	27.70	11.08	16.62	0.00
269	4/0.	5.40	5.42	15	81.23	50%	20%	30%	0%	40.61	16.25	24.37	0.00
270	15	7.10	6.25	15	93.75	80%	10%	10%	0%	75.00	9.38	9.38	0.00
271	30	7.80	7.45	15	111.75	80%	10%	10%	0%	89.40	11.18	11.18	0.00
272	45	7.66	7.73	15	115.95	80%	10%	10%	0%	92.76	11.60	11.60	0.00
273	60	7.13	7.40	15	110.93	80%	10%	10%	0%	88.74	11.09	11.09	0.00
274	75	5.08	6.11	15	91.58	80%	10%	10%	0%	73.26	9.16	9.16	0.00
275	90	5.70	5.39	15	80.85	80%	10%	10%	0%	64.68	8.09	8.09	0.00
276	105	5.90	5.80	15	87.00	80%	10%	10%	0%	69.60	8.70	8.70	0.00


Sl. No.	RDs	X-section	Mean area	L	Qty.	Classification				Qty.			
						PW	JW	SB	HB	PW	JW	SB	HB
277	120	5.33	5.62	15	84.23	80%	10%	10%	0%	67.38	8.42	8.42	0.00
278	135	5.50	5.42	15	81.23	80%	10%	10%	0%	64.98	8.12	8.12	0.00
279	150	5.05	5.28	15	79.13	80%	10%	10%	0%	63.30	7.91	7.91	0.00
280	165	5.81	5.43	15	81.45	80%	10%	10%	0%	65.16	8.15	8.15	0.00
281	180	5.05	5.43	15	81.45	80%	10%	10%	0%	65.16	8.15	8.15	0.00
282	195	5.81	5.43	15	81.45	80%	10%	10%	0%	65.16	8.15	8.15	0.00
283	210	5.19	5.50	15	82.50	80%	10%	10%	0%	66.00	8.25	8.25	0.00
284	225	5.35	5.27	15	79.05	80%	10%	10%	0%	63.24	7.91	7.91	0.00
285	240	5.17	5.26	15	78.90	80%	10%	10%	0%	63.12	7.89	7.89	0.00
286	255	7.61	6.39	15	95.85	80%	10%	10%	0%	76.68	9.59	9.59	0.00
287	270	7.50	7.56	15	113.33	80%	10%	10%	0%	90.66	11.33	11.33	0.00
288	285	7.38	7.44	15	111.60	80%	10%	10%	0%	89.28	11.16	11.16	0.00
289	300	5.25	6.32	15	94.73	80%	10%	10%	0%	75.78	9.47	9.47	0.00
290	315	5.75	5.50	15	82.50	80%	10%	10%	0%	66.00	8.25	8.25	0.00
291	330	5.77	5.76	15	86.40	80%	10%	10%	0%	69.12	8.64	8.64	0.00
292	345	5.91	5.84	15	87.60	80%	10%	10%	0%	70.08	8.76	8.76	0.00
293	360	5.87	5.89	15	88.35	80%	10%	10%	0%	70.68	8.84	8.84	0.00
294	375	5.56	5.72	15	85.73	80%	10%	10%	0%	68.58	8.57	8.57	0.00
295	390	5.89	5.73	15	85.88	80%	10%	10%	0%	68.70	8.59	8.59	0.00
296	405	5.26	5.58	15	83.63	80%	10%	10%	0%	66.90	8.36	8.36	0.00
297	420	5.91	5.59	15	83.78	80%	10%	10%	0%	67.02	8.38	8.38	0.00
298	435	4.43	5.17	15	77.55	80%	10%	10%	0%	62.04	7.76	7.76	0.00
299	450	4.40	4.42	15	66.23	80%	10%	10%	0%	52.98	6.62	6.62	0.00
300	465	4.19	4.30	15	64.43	80%	10%	10%	0%	51.54	6.44	6.44	0.00
301	480	4.62	4.41	15	66.08	80%	10%	10%	0%	52.86	6.61	6.61	0.00
302	495	4.85	4.74	15	71.03	80%	10%	10%	0%	56.82	7.10	7.10	0.00
303	510	4.12	4.49	15	67.28	80%	10%	10%	0%	53.82	6.73	6.73	0.00
304	525	4.08	4.10	15	61.50	80%	10%	10%	0%	49.20	6.15	6.15	0.00
305	540	4.58	4.33	15	64.95	80%	10%	10%	0%	51.96	6.50	6.50	0.00
306	555	4.32	4.45	15	66.75	80%	10%	10%	0%	53.40	6.68	6.68	0.00
307	570	4.65	4.49	15	67.28	80%	10%	10%	0%	53.82	6.73	6.73	0.00
308	585	4.25	4.45	15	66.75	80%	10%	10%	0%	53.40	6.68	6.68	0.00
309	600	5.12	4.69	15	70.28	80%	10%	10%	0%	56.22	7.03	7.03	0.00
310	615	5.78	5.45	15	81.75	80%	10%	10%	0%	65.40	8.18	8.18	0.00
311	630	5.41	5.60	15	83.93	80%	10%	10%	0%	67.14	8.39	8.39	0.00
312	645	5.93	5.67	15	85.05	80%	10%	10%	0%	68.04	8.51	8.51	0.00
313	660	6.25	6.09	15	91.35	80%	10%	10%	0%	73.08	9.14	9.14	0.00
314	675	5.58	5.92	15	88.73	80%	10%	10%	0%	70.98	8.87	8.87	0.00
315	690	5.62	5.60	15	84.00	80%	10%	10%	0%	67.20	8.40	8.40	0.00
316	705	6.70	6.16	15	92.40	80%	10%	10%	0%	73.92	9.24	9.24	0.00

Sl. No.	RDs	X-section	Mean area	L	Qty.	Classification				Qty.			
						PW	JW	SB	HB	PW	JW	SB	HB
317	720	5.66	6.18	15	92.70	80%	10%	10%	0%	74.16	9.27	9.27	0.00
318	735	5.29	5.48	15	82.13	80%	10%	10%	0%	65.70	8.21	8.21	0.00
319	750	4.43	4.86	15	72.90	80%	10%	10%	0%	58.32	7.29	7.29	0.00
320	765	4.40	4.42	15	66.23	80%	10%	10%	0%	52.98	6.62	6.62	0.00
321	780	4.19	4.30	15	64.43	80%	10%	10%	0%	51.54	6.44	6.44	0.00
322	795	4.62	4.41	15	66.08	80%	10%	10%	0%	52.86	6.61	6.61	0.00
323	810	4.85	4.74	15	71.03	80%	10%	10%	0%	56.82	7.10	7.10	0.00
324	825	4.12	4.49	15	67.28	80%	10%	10%	0%	53.82	6.73	6.73	0.00
325	840	4.08	4.10	15	61.50	80%	10%	10%	0%	49.20	6.15	6.15	0.00
326	855	4.58	4.33	15	64.95	80%	10%	10%	0%	51.96	6.50	6.50	0.00
327	870	4.32	4.45	15	66.75	80%	10%	10%	0%	53.40	6.68	6.68	0.00
328	885	4.65	4.49	15	67.28	80%	10%	10%	0%	53.82	6.73	6.73	0.00
329	900	4.25	4.45	15	66.75	80%	10%	10%	0%	53.40	6.68	6.68	0.00
330	915	6.36	5.31	15	79.58	80%	10%	10%	0%	63.66	7.96	7.96	0.00
331	930	7.33	6.85	15	102.68	80%	10%	10%	0%	82.14	10.27	10.27	0.00
332	945	7.82	7.58	15	113.63	80%	10%	10%	0%	90.90	11.36	11.36	0.00
333	960	7.10	7.46	15	111.90	80%	10%	10%	0%	89.52	11.19	11.19	0.00
334	975	5.20	6.15	15	92.25	80%	10%	10%	0%	73.80	9.23	9.23	0.00
335	990	5.38	5.29	10	52.90	80%	10%	10%	0%	42.32	5.29	5.29	0.00
336	5/0.	5.26	5.32	15	79.80	80%	10%	10%	0%	63.84	7.98	7.98	0.00
337	15	6.06	5.66	15	84.90	60%	20%	20%	0%	50.94	16.98	16.98	0.00
338	30	6.78	6.42	15	96.30	60%	20%	20%	0%	57.78	19.26	19.26	0.00
339	45	6.30	6.54	15	98.10	60%	20%	20%	0%	58.86	19.62	19.62	0.00
340	60	6.50	6.40	15	96.00	60%	20%	20%	0%	57.60	19.20	19.20	0.00
341	75	6.42	6.46	15	96.90	60%	20%	20%	0%	58.14	19.38	19.38	0.00
342	90	6.00	6.21	15	93.15	60%	20%	20%	0%	55.89	18.63	18.63	0.00
343	105	6.35	6.18	15	92.63	60%	20%	20%	0%	55.58	18.53	18.53	0.00
344	120	4.43	5.39	15	80.85	60%	20%	20%	0%	48.51	16.17	16.17	0.00
345	135	4.40	4.42	15	66.23	60%	20%	20%	0%	39.74	13.25	13.25	0.00
346	150	4.19	4.30	15	64.43	60%	20%	20%	0%	38.66	12.89	12.89	0.00
347	165	4.62	4.41	15	66.08	60%	20%	20%	0%	39.65	13.22	13.22	0.00
348	180	4.85	4.74	15	71.03	60%	20%	20%	0%	42.62	14.21	14.21	0.00
349	195	4.12	4.49	15	67.28	60%	20%	20%	0%	40.37	13.46	13.46	0.00
350	210	4.08	4.10	15	61.50	60%	20%	20%	0%	36.90	12.30	12.30	0.00
351	225	4.58	4.33	15	64.95	60%	20%	20%	0%	38.97	12.99	12.99	0.00
352	240	4.32	4.45	15	66.75	60%	20%	20%	0%	40.05	13.35	13.35	0.00
353	255	4.65	4.49	15	67.28	60%	20%	20%	0%	40.37	13.46	13.46	0.00
354	270	4.25	4.45	15	66.75	60%	20%	20%	0%	40.05	13.35	13.35	0.00
355	285	6.20	5.23	15	78.38	60%	20%	20%	0%	47.03	15.68	15.68	0.00
356	300	5.76	5.98	15	89.70	60%	20%	20%	0%	53.82	17.94	17.94	0.00

Sl. No.	RDs	X-section	Mean area	L	Qty.	Classification				Qty.			
						PW	JW	SB	HB	PW	JW	SB	HB
357	315	5.21	5.49	15	82.28	60%	20%	20%	0%	49.37	16.46	16.46	0.00
358	330	5.19	5.20	15	78.00	60%	20%	20%	0%	46.80	15.60	15.60	0.00
359	345	7.81	6.50	15	97.50	60%	20%	20%	0%	58.50	19.50	19.50	0.00
360	360	5.77	6.79	15	101.85	60%	20%	20%	0%	61.11	20.37	20.37	0.00
361	375	5.91	5.84	15	87.60	60%	20%	20%	0%	52.56	17.52	17.52	0.00
362	390	5.87	5.89	15	88.35	60%	20%	20%	0%	53.01	17.67	17.67	0.00
363	405	5.56	5.72	15	85.73	60%	20%	20%	0%	51.44	17.15	17.15	0.00
364	420	5.89	5.73	15	85.88	60%	20%	20%	0%	51.53	17.18	17.18	0.00
365	435	5.26	5.58	15	83.63	60%	20%	20%	0%	50.18	16.73	16.73	0.00
366	450	5.91	5.59	15	83.78	60%	20%	20%	0%	50.27	16.76	16.76	0.00
367	465	4.43	5.17	15	77.55	60%	20%	20%	0%	46.53	15.51	15.51	0.00
368	480	4.40	4.42	15	66.23	60%	20%	20%	0%	39.74	13.25	13.25	0.00
369	495	4.19	4.30	15	64.43	60%	20%	20%	0%	38.66	12.89	12.89	0.00
370	510	4.62	4.41	15	66.08	60%	20%	20%	0%	39.65	13.22	13.22	0.00
371	525	4.85	4.74	15	71.03	60%	20%	20%	0%	42.62	14.21	14.21	0.00
372	540	4.12	4.49	15	67.28	60%	20%	20%	0%	40.37	13.46	13.46	0.00
373	555	4.08	4.10	15	61.50	60%	20%	20%	0%	36.90	12.30	12.30	0.00
374	570	4.58	4.33	15	64.95	60%	20%	20%	0%	38.97	12.99	12.99	0.00
375	585	4.32	4.45	15	66.75	60%	20%	20%	0%	40.05	13.35	13.35	0.00
376	600	4.65	4.49	15	67.28	60%	20%	20%	0%	40.37	13.46	13.46	0.00
377	615	4.25	4.45	15	66.75	60%	20%	20%	0%	40.05	13.35	13.35	0.00
378	630	5.12	4.69	15	70.28	60%	20%	20%	0%	42.17	14.06	14.06	0.00
379	645	5.78	5.45	15	81.75	60%	20%	20%	0%	49.05	16.35	16.35	0.00
380	660	5.41	5.60	15	83.93	60%	20%	20%	0%	50.36	16.79	16.79	0.00
381	675	5.93	5.67	15	85.05	60%	20%	20%	0%	51.03	17.01	17.01	0.00
382	690	5.25	5.59	15	83.85	60%	20%	20%	0%	50.31	16.77	16.77	0.00
383	705	5.58	5.42	15	81.23	60%	20%	20%	0%	48.74	16.25	16.25	0.00
384	720	5.62	5.60	15	84.00	60%	20%	20%	0%	50.40	16.80	16.80	0.00
385	735	5.70	5.66	15	84.90	60%	20%	20%	0%	50.94	16.98	16.98	0.00
386	750	5.77	5.74	15	86.03	60%	20%	20%	0%	51.62	17.21	17.21	0.00
387	765	5.91	5.84	15	87.60	60%	20%	20%	0%	52.56	17.52	17.52	0.00
388	780	5.87	5.89	15	88.35	60%	20%	20%	0%	53.01	17.67	17.67	0.00
389	795	5.56	5.72	15	85.73	60%	20%	20%	0%	51.44	17.15	17.15	0.00
390	810	5.89	5.73	15	85.88	60%	20%	20%	0%	51.53	17.18	17.18	0.00
391	825	5.26	5.58	15	83.63	60%	20%	20%	0%	50.18	16.73	16.73	0.00
392	840	5.91	5.59	15	83.78	60%	20%	20%	0%	50.27	16.76	16.76	0.00
393	855	5.19	5.55	15	83.25	60%	20%	20%	0%	49.95	16.65	16.65	0.00
394	870	5.62	5.41	15	81.08	60%	20%	20%	0%	48.65	16.22	16.22	0.00
395	885	5.85	5.74	15	86.03	60%	20%	20%	0%	51.62	17.21	17.21	0.00
396	900	5.12	5.49	15	82.28	60%	20%	20%	0%	49.37	16.46	16.46	0.00

Sl. No.	RDs	X-section	Mean area	L	Qty.	Classification				Qty.			
						PW	JW	SB	HB	PW	JW	SB	HB
397	915	4.43	4.78	15	71.63	40%	30%	30%	0%	28.65	21.49	21.49	0.00
398	930	4.40	4.42	15	66.23	40%	30%	30%	0%	26.49	19.87	19.87	0.00
399	945	4.19	4.30	15	64.43	40%	30%	30%	0%	25.77	19.33	19.33	0.00
400	960	4.62	4.41	15	66.08	40%	30%	30%	0%	26.43	19.82	19.82	0.00
401	975	4.85	4.74	15	71.03	40%	30%	30%	0%	28.41	21.31	21.31	0.00
402	990	4.12	4.49	15	67.28	40%	30%	30%	0%	26.91	20.18	20.18	0.00
403	6/0.	4.08	4.10	15	61.50	40%	30%	30%	0%	24.60	18.45	18.45	0.00
404	15	4.58	4.33	15	64.95	40%	30%	30%	0%	25.98	19.49	19.49	0.00
405	30	4.32	4.45	15	66.75	40%	30%	30%	0%	26.70	20.03	20.03	0.00
406	45	4.65	4.49	15	67.28	40%	30%	30%	0%	26.91	20.18	20.18	0.00
407	60	4.25	4.45	15	66.75	40%	30%	30%	0%	26.70	20.03	20.03	0.00
408	75	5.25	4.75	15	71.25	40%	30%	30%	0%	28.50	21.38	21.38	0.00
409	90	5.58	5.42	15	81.23	40%	30%	30%	0%	32.49	24.37	24.37	0.00
410	105	5.62	5.60	15	84.00	40%	30%	30%	0%	33.60	25.20	25.20	0.00
411	120	5.70	5.66	15	84.90	40%	30%	30%	0%	33.96	25.47	25.47	0.00
412	135	5.67	5.69	15	85.28	40%	30%	30%	0%	34.11	25.58	25.58	0.00
413	150	5.83	5.75	15	86.25	40%	30%	30%	0%	34.50	25.88	25.88	0.00
414	165	4.43	5.13	15	76.95	40%	30%	30%	0%	30.78	23.09	23.09	0.00
415	180	4.40	4.42	15	66.23	40%	30%	30%	0%	26.49	19.87	19.87	0.00
416	195	4.19	4.30	15	64.43	40%	30%	30%	0%	25.77	19.33	19.33	0.00
417	210	4.62	4.41	15	66.08	40%	30%	30%	0%	26.43	19.82	19.82	0.00
418	225	4.85	4.74	15	71.03	40%	30%	30%	0%	28.41	21.31	21.31	0.00
419	240	4.12	4.49	15	67.28	40%	30%	30%	0%	26.91	20.18	20.18	0.00
420	255	4.08	4.10	15	61.50	40%	30%	30%	0%	24.60	18.45	18.45	0.00
421	270	4.58	4.33	15	64.95	40%	30%	30%	0%	25.98	19.49	19.49	0.00
422	285	4.32	4.45	15	66.75	40%	30%	30%	0%	26.70	20.03	20.03	0.00
423	300	4.65	4.49	15	67.28	40%	30%	30%	0%	26.91	20.18	20.18	0.00
424	315	4.25	4.45	15	66.75	40%	30%	30%	0%	26.70	20.03	20.03	0.00
425	330	7.32	5.79	15	86.78	40%	30%	30%	0%	34.71	26.03	26.03	0.00
426	345	7.65	7.49	15	112.28	40%	30%	30%	0%	44.91	33.68	33.68	0.00
427	360	7.25	7.45	15	111.75	40%	30%	30%	0%	44.70	33.53	33.53	0.00
428	375	6.24	6.75	15	101.18	40%	30%	30%	0%	40.47	30.35	30.35	0.00
429	390	6.51	6.38	15	95.63	40%	30%	30%	0%	38.25	28.69	28.69	0.00
430	405	6.68	6.60	15	98.93	40%	30%	30%	0%	39.57	29.68	29.68	0.00
431	420	6.84	6.76	15	101.40	40%	30%	30%	0%	40.56	30.42	30.42	0.00
432	435	6.01	6.43	15	96.38	40%	30%	30%	0%	38.55	28.91	28.91	0.00
433	450	6.18	6.10	15	91.43	40%	30%	30%	0%	36.57	27.43	27.43	0.00
434	465	6.34	6.26	15	93.90	40%	30%	30%	0%	37.56	28.17	28.17	0.00
435	480	6.51	6.43	15	96.38	40%	30%	30%	0%	38.55	28.91	28.91	0.00
436	495	6.68	6.60	15	98.93	40%	30%	30%	0%	39.57	29.68	29.68	0.00

Sl. No.	RDs	X-section	Mean area	L	Qty.	Classification				Qty.			
						PW	JW	SB	HB	PW	JW	SB	HB
437	510	6.19	6.44	15	96.53	40%	30%	30%	0%	38.61	28.96	28.96	0.00
438	525	6.74	6.47	15	96.98	40%	30%	30%	0%	38.79	29.09	29.09	0.00
439	540	4.43	5.59	15	83.78	40%	30%	30%	0%	33.51	25.13	25.13	0.00
440	555	4.40	4.42	15	66.23	40%	30%	30%	0%	26.49	19.87	19.87	0.00
441	570	4.19	4.30	15	64.43	40%	30%	30%	0%	25.77	19.33	19.33	0.00
442	585	4.62	4.41	15	66.08	40%	30%	30%	0%	26.43	19.82	19.82	0.00
443	600	4.85	4.74	15	71.03	40%	30%	30%	0%	28.41	21.31	21.31	0.00
444	615	4.12	4.49	15	67.28	40%	30%	30%	0%	26.91	20.18	20.18	0.00
445	630	4.08	4.10	15	61.50	40%	30%	30%	0%	24.60	18.45	18.45	0.00
446	645	4.58	4.33	15	64.95	40%	30%	30%	0%	25.98	19.49	19.49	0.00
447	660	4.32	4.45	15	66.75	40%	30%	30%	0%	26.70	20.03	20.03	0.00
448	675	4.65	4.49	15	67.28	40%	30%	30%	0%	26.91	20.18	20.18	0.00
449	685	4.25	4.45	15	66.75	40%	30%	30%	0%	26.70	20.03	20.03	0.00
Total					35035.80					20453.44	7290.71	7291.66	0.00


Assistant Engineer,
Shallu Sub Divn.
HPPWD Nerwa


Executive Engineer,
Chopal Division,
HPPWD Chopal


Deputy Conservator of Forests
Chopal Forest Division