


| WL Mitigation plan items for Manala to Marrimadla Road | | | | |
|--|---|--|-----------------------------|----------------|
| Sl.No. | Name of the item | total Numbers | Unit Cost | Amt |
| 1 | Box culverts at appropriate location | 2 | as per FSR | As per FSR |
| 2 | Sign boards for publicity on wildlife | 10 Nos | 10000 | 100000 |
| 3 | Signages for caution | on per KM (10 Nos) | 5000 | 50000 |
| 4 | Salary for watchers | 2 persons | 15000/ Month (1 year) | 360000 |
| 5 | speed breakers | 1 for every 300500 m stretch | | As per R&B |
| 6 | check posts | 2 numbers one at Veerunithanda and one at Marrimadla | | As per R&B |
| 7 | Solar based 4g bullet cc Cameras | 7 Nos | 40000 incl all taxes | 280000 |
| 8 | Tree plantations | 1 for every 10 ft all along the road on both sides (5000 Nos) | 200 | 100000 |
| 9 | Development of palatable species grass land, broadcasting of seed and maintenance | 2 HA | 35000 | 70000 |
| 10 | Saucer pits 1 M dia | 10 Nos | 15000 | 150000 |
| 11 | Mini percolation tank | 3 Nos | 100000 | 300000 |
| 12 | Percolation Tank | 1 Nos | 200000 | 200000 |
| 13 | Check dam | 1 Nos | 500000 | 500000 |
| 14 | Rock fill dam | 12 Nos | 15000 | 180000 |
| 15 | Salt licks | 100 Nos | 100 | 10000 |
| | | TOTAL | | 2300000 |


 Prl. Chief Conservator of Forest (P&V) &
 CWLW (FAC)

15.3.22

Additional conditions imposed:

The UA has to comply with the following conditions in addition to the conditions imposed in the WMP approved:

- (i) The UA shall install speed control devices with proper caution sign boards at animal crossing points identified by the DFO.
- (ii) Funds required for implementation for WMP shall be deposited by the UA with the forest department.
- (iii) Work shall be carried out only between 8.00 AM to 4.00 PM without disturbing / damaging the flora and fauna of the area.
- (iv) No labour camp shall be set up during the execution of work.
- (v) All the debris at the site of construction of box culverts shall be removed after construction.
- (vi) Care shall be taken to ensure no incidents of fire occur in the forest area. No explosives to be used.
- (vii) There shall be no violation of Forest Act, FC Act or WL (P) Act during the execution of work.
- (viii) Any other condition specified by the Circle Head / DFO shall be complied with.


Prl. Chief Conservator of Forest (P&V) & CWLW (FAC) 15.3.22