

U.P. Pollution Control Board

CONSENT ORDER

Ref No. -
67313/UPPCB/Bareilly(UPPCBRO)/CTO/water/P
ILIBHIT/2019

Dated : 30/09/2019

To,

Shri AVADH NARESH
M/s SHRI NARESH FILLING STATION
opp. govt. hospital bilsanda bisalpur road ,PILIBHIT,262202
PILIBHIT

Sub : Consent under Section 25/26 of The Water (Prevention and control of Pollution) Act, 1974
(as amended) for discharge of effluent to M/s. SHRI NARESH FILLING STATION

Reference Application No :6053128

Dated :30/09/2019

1. For disposal of effluent into water body or drain or land under The Water (Prevention and control of Pollution) Act,1974 as amended (here in after referred as the act) M/s. SHRI NARESH FILLING STATION is hereby authorized by the board for discharge of their industrial effluent generated through ETP for irrigation/river through drain and disposal of domestic effluent through septic tank soak pit subject to general and special conditions mentioned in the annexure ,in refrence to their foresaid application .
2. This consent is valid for the period from 30/09/2019 to 31/03/2020 .
3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 27(2) of the Water (Prevention and Control of Pollution) Act, 1974 as amended .

This consent is being issued with the permission of competent authority .

For and on behalf of U.P. Pollution Control Board

ROHIT
SINGH

REGIONAL OFFICER

Enclosed : As above
(condition of consent):

Copy to: Chief Environmental Officer, Circle-7, U.P. POLLUTION CONTROL BOARD, LUCKNOW.

ROHIT
SINGH

REGIONAL OFFICER

अखिलेश यादव
महोदय (आरोग्य), बरेली-2
प्रतिपद अधिकारी कारपोरेट वि. (एम.डी.)
बरेली मण्डल कार्यालय
35-ए, सिविल लाईन्स, कमला मेडर मार्ग,
बरेली-243001 (उ.प्र.)

(42)

U.P. POLLUTION CONTROL BOARD, LUCKNOW

Annexure to Consent issued to M/s.SHRI NARESH FILLING STATION vide

Consent Order No. 6053128/ Water

Dated : 30/09/2019

CONDITIONS OF CONSENT

1. This consent is valid only for the approved production capacity of MS & H.S.D. RETAIL OUTLET.
2. The quantity of maximum daily effluent discharge should not be more than the following :

Effluent Discharge Details			
S.No	Kind of Effluent	Maximum daily discharge, KL/day	Treatment facility and discharge point
1	Domestic	0.5	Septic Tank

3. Arrangement should be made for collection of water used in process and domestic effluent separately in closed water supply system. The treated domestic and industrial effluent if discharged outside the premises, if meets at the end of final discharge point, arrangement should be made for measurement of effluent and for collecting its sample. Except the effluent informed in the application for consent no other effluent should enter in the said arrangements for collection of effluent. It should also be ensured that domestic effluent should not be discharged in storm water drain.

- 4(a) The domestic effluent should be treated in treatment plant so that the should be in conformity with the following norms dated treated effluent .


Domestic Effluent		
S.No	Parameter	Standard
1	Quantity of Discharge	0

- 4(b). The industrial effluent should be treated in treatment plant so that the treated effluent should be in conformity with the following norms. .

Industrial Effluent		
S.No	Parameter	Standard
1	Quantity of Discharge	0

5. Effluent generated in all the processes, bleed water, cooling effluent and the effluent generated from washing of floor and equipments etc should be treated before its disposal with treated industrial effluent so that it should be according to the norms prescribed under The Environment (Protection) Act, 1986 or otherwise mandatory .
6. The other pollutant for which norms have not been prescribed, the same should not be more than the norms prescribed for the water used in manufacturing process of the industry .
7. The method for collecting industrial and domestic effluent and its analysis should be as per legal Indian standards and its subsequent amendments/standards prescribed under The Environment (Protection) Act, 1986.
8. The treated domestic and industrial effluent be mixed (as per the provisions of Condition No. 2) and disposed of on one disposal point. This common effluent disposal point should have arrangement for flow meter/V Notch for measuring effluent and its log book be maintained .

Specific Conditions:


अनुषूचित यशवत
 ए००००००००, बरेली-२
 इंडियन ऑयल कॉरपोरेशन लि. (एच.डी.)
 बरेली मण्डल कार्यालय
 ३५-ए, सिविल लाईन्स, कानपुर
 बरेली-२४३००१ (उ०प्र०)

43

1. Unit shall comply the Moef & CC Government of India gazette notification no. G.S.R. 489 (E), dated 9th July, 2002 at serial no. 96, under the Environment (Protection) Act, 1986.
2. Unit shall comply the Moef & CC Government of India gazette notification no. G.S.R. 771(E), dated 11th December, 2013 under the Environment (Protection) Act, 1986.
3. Unit shall make all arrangements of fire safety and disaster, comply with the provisions of fire safety and explosive norms.
4. Unit shall responsible for any emergency/ Disaster.
5. Unit shall comply with the provisions of Environment (Protection) Act, 1986, Water (Prevention and Control of Pollution) Act, 1974 as amended, Air (Prevention and Control of Pollution) Act, 1981 as amended.
6. Retail Outlet shall insure the proper/sufficient plantation of your Retail Outlet campus for the improvement of environment nearby area and submit a compliance report within three month.

Issued with the permission of competent authority .

For and on behalf of U.P. Pollution Control Board .

ROHIT
SINGH

REGIONAL OFFICER


अश्विन यादव
ए०एम० (आर०एम०), बरेली-2
इंडियन ऑयल कारपोरेशन लि. (एम्.डी.)
बरेली मण्डल कार्यालय
35-ए, सिविल लाईन्स, कमला नगर, 17
बरेली-243001 (उ०प्र०)

U.P. Pollution Control Board

CONSENT ORDER

Ref. No. -
65876/UPPCB/Bareilly(UPPCBRO)/CTO/air/PILIBHIT/2019

Dated : 30/09/2019

To,

Shri AVADH NARESH
M/s SHRI NARESH FILLING STATION
opp. govt. hospital bilsanda bisalpur road, PILIBHIT, 262202
PILIBHIT

Sub : Consent under section 21/22 of the Air (Prevention and control of Pollution) Act, 1981 (as amended)
to M/s. SHRI NARESH FILLING STATION

Reference Application No. 5943077

Dated : 30/09/2019

1. With reference to the application for consent for emission of air pollutants from the plant of M/s SHRI NARESH FILLING STATION, under Air Act 1981. It is being authorised for said emissions, as per the standards, in environment, by the Board as per enclosed conditions.
 2. This consent is valid for the period from 30/09/2019 to 31/03/2020.
 3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 21 (6) of the Air (Prevention and Control of Pollution) Act, 1981 as amended.
- This consent is being issued with the permission of competent authority.

For and on behalf of U.P. Pollution Control Board

ROHIT SINGH


REGIONAL OFFICER

Enclosed : As above
(condition of consent):

Copy to: Chief Environmental Officer, Circle-7, U.P. POLLUTION CONTROL BOARD, LUCKNOW.

ROHIT SINGH

REGIONAL OFFICER


अश्विन यादव
ए०एस० (आर०एस०), बरेली-2
इंडियन ऑयल कारपोरेशन लि. (एम.डी.)
बरेली मण्डल कार्यालय
35-ए, सिविल लाईन्स, कमला नेहरू मार्ग,
बरेली-243001 (उ०प्र०)

U.P. Pollution Control Board

CONSENT ORDER

Ref No. -
65702/UPPCB/Bareilly(UPPCBRO)/CTO/air/PILIBHIT/2019

Dated : 30/09/2019

To ,

Sari MEERA JAISWAL
M/s SHUBH FILLING STATION
HISALPUR-BILSANDA ROAD ITGAON, PILIBHIT, 262201
PILIBHIT

Sub : Consent under section 21/22 of the Air (Prevention and control of Pollution) Act, 1981 (as amended)
to M/s. SHUBH FILLING STATION

Reference Application No. 5930826

Dated : 30/09/2019

1. With reference to the application for consent for emission of air pollutants from the plant of M/s SHUBH FILLING STATION. under Air Act 1981. It is being authorised for said emissions, as per the standards, in environment, by the Board as per enclosed conditions.
 2. This consent is valid for the period from 30/09/2019 to 31/03/2020.
 3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 21 (6) of the Air (Prevention and Control of Pollution) Act, 1981 as amended.
- This consent is being issued with the permission of competent authority.

For and on behalf of U.P. Pollution Control Board

ROHIT
SINGH
REGIONAL OFFICER

Enclosed : As above
(condition of consent);

Copy to: Chief Environmental Officer, Circle-7, U.P. POLLUTION CONTROL BOARD, LUCKNOW.

ROHIT
SINGH
REGIONAL OFFICER

अश्विनी यादव
इन्फोर्स (ऑरिएण्टल), बरेली-2
इंडियन ऑयल कारपोरेशन लि. (एम.डी.)
बरेली मण्डल कार्यालय
35-ए, सिविल लाईन्स, कमला नेहरू मार्ग,
बरेली-243001 (अ.प्र.)