

परियोजना का नाम:- जनपद बागेश्वर के अन्तर्गत स्व0 कारगिल शहीद श्री रमेश परिहार के
गौव डुंगरपुर हेतु अमतौड़ा से मोटर मार्ग निर्माण।

भारत सरकार के पत्रांक 11/ मिस0/ 618/ 2010/ उ0प्र0, राज0, उत्तराखण्ड/ 11/ 58 दिनांक 16.
04.2014 साथ संलग्न प्रारूप के अनुसार मलवा निस्तारण योजना।

MUCK DISPOSAL PLAN

1. Calculation of muck to be generated. Swell factor has to be applied	11200.00 cum. As per item no. 1 of enclosed muck disposal plan.
2. Quantity of muck to be utilized in the project activities.	Approximate 85% i.e. 9521 cum. As per item no. 2 of enclosed muck disposal plan.
3. Balance quantity of muck which requires disposal/ Management plan.	1680 cum, As per item no. 3 of enclosed muck disposal plan.
4. Carriage of muck from the muck generation site to the dumping site.	Provision for carriage of muck to muck disposal site is being made Rs, 92,400.00 As per item no. 4 of enclosed muck disposal plan.
5. Ownership of land and the consent of land owners, in case muck disposal is proposed on non forest land. Photo graph & carrying capacity of proposed dumping site (Muck disposal site)	Forest land. . (Private land not available) Muck dumping site proposed in khud side of the road in km.2 for which extra area is being included in the land schedule. Muck disposal site shown in Google map. Carrying capacity of proposed dumping site is 160 cum as per item no. 5(a) of enclosed muck disposal plan.
6. Development of dumping site- construction of retaining walls and other structure as per requirement of the site. The objective is to completely stop rollig down of the muck.	Provision for development and construction of retaining walls etc. in dumping site Rs. 52,800 is being made as per item no. 5(b) of enclosed muck disposal Hence total provisions for muck disposal will be made Rs. . 1,45,200.00 As per item no. 6 of enclosed muck disposal plan.,
7 Rehabilitation of dumping site like leveling, planting of grass, shrubs and tree species	Dumping site selected in khud side of the proposed motor road. After construction of motor road plantation will be made by the Forest Department through the provisions of both site plantation fund to be deposited by this Department.


Note- Cost to be incurred on the above activities has to be given component wise. Detail of dumping site including length, width and height of structures to be executed must be meintioned.


Enclosed - Muck disposal plan.


Undertaking

I undertaking that -

1. Muck management plan will be implemented by the user agency.
2. The proposed dumping site is located away from river/ Stream/ Nala.
3. Dumping site is not located in reserved forest


Junior/ Engineer
Provincial Division PWD
Bageshwar


Assistant Engineer
Provincial Division PWD
Bageshwar
सहायक अभियन्ता
प्रान्त खण्ड लोड निड कि
बागेश्वर


Executive Engineer
Provincial Division PWD
Bageshwar
अधिशिक्षा अभियन्ता
प्रान्त खण्ड लोड निड कि
बागेश्वर


परियोजना का नाम:- जनपद बागेश्वर के अन्तर्गत स्व० कारगिल शहीद श्री रमेश परिहार के
गाँव डुंगरपुर हेतु अमतौड़ा से मोटर मार्ग निर्माण।


MUCK DESPOSAL PLAN


- 1 Maerial received from hill side cutting
1/3 x 4000x 3x2+1.5/2 = 8000.00 Cum.
40 % for swell factor. = 3200.00 Cum
Grand total :- = 11200.00 Cum.
- 2 Total material (muck) used in motor road during construction – details as given below

S No.	ITEM	QUANTITY (Cum)
1.	R.R. Stone Masonary laid in 1:6	3058
2.	R.R. Stone Masonary laid in dry	3058
3.	Hand Packed Stone Filling	1251
4.	Wire-crate Construction	625
5.	Parapet Construction	0
6.	Granular Sub-base/Base/Surface 00	1529
	Total Muck	9521

- 3 Balance material (muck) to be deposited in muck desposal site. = 1680 Cum,
- 4 Cost of cartage of balance muck upto dumping site 1680 Cum @ Rs. 55.00/Cm. = Rs 92,400.00
- 5 Location and capacity of muck dumping yard.
(a) Construction of R.R. dry wall including supply of all materials, labour and T&P etc. required for proper completion of the work as per PWD detailed specification.
- | Location | Size of dumping yard. | Qty.
(in cum) | Type of land | Capacity of dumpig yard. |
|----------|-----------------------|------------------|--------------|--------------------------|
| In KM. 2 | 1x80x2x1.00 | 160 | State land. | 320 Cum |
- Total cost of construction of dumpig yard 160 cum @ 330.00 per cum. = Rs. 52800.00
- 6 Total Cost of muck desposal plan (4 + 5(b) = Rs. 1,45,200.00
- 7 Dumpig site selected in khud side of the proposed motor road. After construction of motor road plantation will be made by the Forest Department through the provisions of both side plantation fund to be deposited by this Department.


Junior Engineer
PD PWD Bageshwar


Assistant Engineer
PD PWD Bageshwar
महायुक्त अविजन्ता
प्रा० खण्ड लो० नि० वि०
बागेश्वर


Executive Engineer
PD PWD Bageshwar
अधिसासी अविजन्ता
प्रा० खण्ड लो० नि० वि०
बागेश्वर

परियोजना का नाम:- जनपद बागेश्वर के अन्तर्गत स्व० कारगिल शहीद श्री रमेश परिहार के
गाँव डुंगरपुर हेतु अमतौड़ा से मोटर मार्ग निर्माण।

स्वामित्व एवं अनापत्ति प्रमाण पत्र

राज्य योजना के अन्तर्गत जनपद बागेश्वर में स्व० कारगिल शहीद श्री रमेश परिहार के गाँव डुंगरपुर हेतु अमतौड़ा से मोटर मार्ग निर्माण में उत्पादित होने वाले मलवे के निस्तारण हेतु लोक निर्माण विभाग द्वारा उक्त मार्ग के कि०मी० 2 में राज्य सरकार की वन भूमि मलवा एकत्रीकरण हेतु प्रस्तावित की गयी है जिसका क्षेत्रफल लैन्ड शैडयूल में सम्मिलित है। अतः जनहित में सड़क के किनार खड्ड साईड में रिक्त भूमि पर दीवाल लगा कर मलवा एकत्रित करने में राजस्व विभाग को कोई आपत्ति नहीं है।



तहसीलदार
बागेश्वर

उपजिलाधिकारी
बागेश्वर