



HARYANA PUBLIC WORKS DEPARTMENT
 (BUILDING & ROADS) BRANCH, NARNAUL
 Ph. No. 01282-251267 (O), Fax No. 01282-250037 (O),
 E:mail ID: pwd-eeepd-narnaul@hry.nic.in
 Website: <http://haryanapwd-bandr.org>

To

The Reliance Jio Infocomm Ltd.
 C-135, Industrial Focal Points,
 Phase-8 S.A.S. Nagar,
 Mohali-160071 (Punjab).

Memo No. 113

Dated: 12/11/17

Subject: Proposal for grant of permission for laying Optical fiber Cable along the route: with HDD & Open trench method from District boundary Baghot to Sehlang to Pota to Nautana to Siana to District boundary and NH-148B from Km. 84.820 (District boundary) to District boundary via Akoda Khudana to Garhi road & JKS to Satnali near railway under pass to Satnali.

Reference: Your Office Letter No. RJIL/OFC/ROW/NLD dt. 11/11/2016.

On the subject noted above BT Bill amounting to Rs. 1576050/- as detailed given below for deposited the amount to this office so that permission could be granted. The bank guarantee for Rs. 2417600/- (Rs. 100/- Per Mtr.) also be furnished to the office of availability fund of one year along with agreement, detail of B.T. Bill.

Sr. No.	Name of Road	Length of Road
1	NH	
	i) NH-148B at District boundary to Akoda bus stand.	4.50 Km.
	Total Length of NH:	4.50 Km.
2	ODR	
	i) District boundary to sehlang	5.90 Km.
	ii) Sehlang to Syana (upto district boundary) via Pota, Nautana	5.02 Km.
		8.00 Km.
	iii) JKS District boundary to Satnali Village Km. 24.00 to 32.00	5.50 Km.
	iv) Akoda to Khudana road	24.42 Km.
	Total Length of ODR:	


Sr. No.	Items	Length of Road	Rate	Amount
1.	Charges of laying of underground OFC cable (Berm cut)	4500.00 mtr		
	D/d length of pits = $4500/100=45$ mtr.	45.00 mtr.	@ Rs. 50 per mtr.	222750.00
	Balance length	4455.00 mtr		
	Charges for pit digging up = $4500/100=45$ Nos.	45 Nos.	@ Rs. 500 each	22500.00
2.	Charges of laying of underground OFC cable (Berm cut)	24420.00 mtr		
	D/d length of pits = $24420/100=244.20$ mtr.	244.00 mtr	@ Rs. 50 per mtr.	1208800.00
	Balance length	24176 mtr		
	Charges for pit digging up = $24420/100=244.20$ Nos.	244 Nos.	@ Rs. 500 each	122000.00
			Total	1576050.00

The above said B.T. Bill Subject to the following conditions:-

1. The Optical Fiber Cable should be laid as per site plan attached and at extreme edge of PWD road land ROW.
2. As far as possible Reliance shall carry out the work by using micro Trenching / Horizontal Directional Digging (HDD)/ Horizontal Boring methods so as to minimize damage to the surface and cause least inconvenience to public.
3. Reliance shall have to provide barricading, danger light and caution boards at the work sites to ensure public safety.
4. Reliance is also expected to execute the works during off-peak times so as to cause minimum inconvenience to the public traffic.
5. Any traffic diversion from PWD roads required during the execution of work shall be provided by the work executing contractor at the cost of Reliance.
6. Reliance shall lay the cable at the edge of the ROW or at a minimum distance of 15 mtrs from the centre of road and at least 1.5 mtrs below the road surface subject to at least 0.3 mtrs below the drain inverts.
7. Reliance shall ensure the safety of existing cables and shall be responsible for any damage to existing cable.

8. Reliance shall make its own arrangement for crossing crossed drainage structure / rivers etc.
9. In case the Reliance wants shifting / repair or alteration of OFC, they will have to inform in writing to the concerned EE of PWD at least fifteen days in advance before starting the actual work.
10. In case of any damage to the essential services i.e. water supply, sewerage system and telecommunication lines, electricity supply etc. it will be the responsibility of the Reliance to get the services restored to their original and satisfactory condition at its own cost.
11. Reliance shall not sell or trade on the area / space available in the ducts without specific permission of GoH.
12. Reliance shall undertake that the cable shall be removed within fifteen days of notice of removal / shifting of cable, if required by the PWD B&R and cost thereof be borne by Reliance.

DA/Nil.


Executive Engineer,
Provl. Divn. PWD B&R Br.,
Nagaul.