

32

**SITE INSPECTION REPORT**  
(For the Forest Land to be diverted under FCA)

**Proposal No-FP/UP/TRANS/144301/2021**

A Proposal has been received by this office from Executive Engineer, Electricity Secondary Works Division, Jhansi for diversion under (FCA-1980) of 2.448 ha. of Reserved and 0.0555 ha. Protected Forest land Total 2.5035 ha. Forest land for non-forestry Purpose. The Project envisages the use of forest land for Widening and Strengthening of laying of 33/11KV Sub-Station M.E.S. Babina, Total k.m. 6.110, Under Electricity secondary Works in Jhansi District. The site inspection of the land involved in the proposal has done by on by D.F.O. on dated 20.09.2021

On inspection of the site, it is found that the land required by the user agency is a Reserved forest measuring 2.448 ha and Protected forest measuring 0.0555 ha. Total Forest measuring 2.5035 ha.

The requirement of forest land as proposed by the user agency in col.2 part- 1 is unavoidable and is barest minimum required for the project.

Whether any rare/endangered/unique species of flora and fauna found in the area. If, so the details there of:- ( No )

Whether any protected archeological/heritage site/defense establishment of any other important monuments is located in the area, if, so the details there of with NOC from competent authority, if required:- ( No )

(A) The user agency has not violated the provisions of forest (Conversation), Act 1980 and no work has been started without proper sanction. ( Yes ).

(B) It has been found that the user agency has violated the forest (Conservation), Act 1980 provisions. A detail report as per Para 1.9 of chapter 1, Part C of Handbook of for forest (Conservation) Act, 1980 is attached. ( No )

Specific recommendation for acceptance of otherwise of the proposal.

**Recommended**

Place:- Jhansi

Date :- 20.09.2021



(V.K. Mishra)

Divisional Forest Officer

प्रभागीय वन अधिकारी

खोसी वन प्रभाग, झांसी

N.B. x State the purpose for which the forest land is proposed to be diverted, xx out of (a) and (b) tick the option which is applicable and cross the option which is not applicable.

As per letter number 2-2/2000 FC dated 16-10-2000 from Ministry of Environment & Forests, Government of India for proposal involving less than 40 hectares of forest land, the site inspection report from DCF is required and for proposal involving more than 40 hectares of forest land site inspection report from the conservation of forests is required.