

**INFORMATION
IN
FORM-A
PART -I**

Reference Index Sr. NO 1

APPENDIX

(See Rule -6)

FORM -A

Form for seeking prior approval under Section the 2 of Forest (Conservation) Act 1980, proposal submitted by State Government and Other Authorities

PART-I

(To be filled up by the user agency)

Sr. No	PERTICULAR	PROJECT DETAIL
I	Short narrative of the proposal and project /Scheme for which the forest land is required.	<p>Proposal for diversion of forest land for laying of underground OFC duct & cable within the ROW of existing road (MDR-63 ROAD) passing through forest land at village- Marali, Sutarwadi, Bhilarwadi, Tulsan. Ta-Patan & Karad , Dist -Satara ,under section 2 (ii) of Forest (Conservation) Act 1980. This proposal is submitted by the Senior Manager, M/s Telesonic Networks Ltd ,4th Floor, D Building Vega Centre, Shankarsheth Road, Swargate, Pune 411,042.</p> <p>Telesonic Networks Ltd.The main aim of company to provide the mobile service & 4 G & 5 G Internet data service in all over Indian villages. To provide network, there is need network of Towers connected by OFC duct & cable. As per survey done for laying of underground the OFC duct & cable within ROW of road, where the maximum area will be covered for mobile network and easy maintain for long period. The Executive Engineer, Public works Division(West), Satara has sanction permission by Reference no-EP4417 & EP5225. for laying of underground OFC duct & cable within the ROW of existing road. As same part of existing MDR-63 road passing through the Forest Land at village- Marali, Sutarwadi, Bhilarwadi, Tulsan. Ta-Patan & Karad , Dist -Satara . And there</p>

		<p>need the prior permission from competent authority for Laying of underground OFC duct & cable within the Row of the existing MDR-63 road.</p> <p>For this Non-forest activity in forest area, there is need to prior permission under FC Act, 1980. Hence this proposal is being submitted for approval.</p>
II	Map showing the required Forestland, boundary of adjoining forest on 1:50,000 scale	Essential maps attached
III	Cost of project	Cost of Project is approx. 11.47 Lakhs.
IV	Justification	<p>Telesonic Networks Ltd. The main aim of company to provide the mobile service & 4 G & 5 G Internet data service in all over Indian villages. To provide network, there is need network of Towers connected by OFC duct & cable. So detailed survey of existing roads have been done for laying of underground the OFC duct & cable within ROW of MDR-63 road, where the maximum area will be covered for mobile network, and also easy maintain for long period. The Company as applied to do work within the ROW of road as per resolution issued by the Govt. of Maharashtra. Public works Dept. The Executive Engineer, Public works Division(West), Satara has sanction permission by Reference no-EP4417 & EP5225. for laying of underground OFC duct & cable within the ROW of existing road. As same part of existing MDR-63 road passing through the Forest Land at village-Marali, Sutarwadi, Bhilarwadi, Tulsan. Ta-Patan & Karad , Dist -Satara . As same part of existing road passing through the Forest Land, and there need the prior permission from competent authority for Laying of</p>

		<p>underground OFC duct & cable within the Row of the existing MDR-63 road, passing through forest.</p> <p>The OFC cable will be laid by digging trench of size 10 mt. wide and depth below 1.40mt. & in one trench two duct pipe will be laid, & out of which one duct pipe is use for OFC cable. After laying of pipe the trench will be refilled. In this work there is no need to cutting of trees for this works</p> <p>Project authority submits that, cost of C.A. may not be levied in this proposal as the proposed laying of OFC cable within RoW of existing road, road passing outside National Park & WL. Sanctuary area & no need to cutting of trees, which fulfil the conditions given in MoEF&CC guideline no FC-11 /165/2019- FC, Dt. 27th. July 2020</p> <p>There is no alternative other than proposed alignment, & the required forest land for laying of underground OFC cable is barest minimum. Project Authority will start work on forestland after sanction from State Govt. Hence this proposal is submitted for sanction under F.C.A, 1980.</p> <p>Hence this proposal is being submitted for necessary clearance under the provision of the Forest (Conservation) Act, 1980</p>																				
V	Cost benefit analysis	Not applicable																				
VI	Employments likely to generated	<p>Yes Employments likely to generated.</p> <table><tr><th>Type of work</th><th>Unskilled</th><th>Semi-Skilled</th><th>Skilled</th><th>Total</th></tr><tr><td>During WorksTemporary</td><td>1</td><td>2</td><td>2</td><td>5</td></tr><tr><td>Permanent</td><td>0</td><td>3</td><td>2</td><td>5</td></tr><tr><td>Total</td><td>1</td><td>5</td><td>4</td><td>10</td></tr></table>	Type of work	Unskilled	Semi-Skilled	Skilled	Total	During WorksTemporary	1	2	2	5	Permanent	0	3	2	5	Total	1	5	4	10
Type of work	Unskilled	Semi-Skilled	Skilled	Total																		
During WorksTemporary	1	2	2	5																		
Permanent	0	3	2	5																		
Total	1	5	4	10																		

2) Purpose wise break-up of the Forest Land required

Item of Work	Forest land required				Legal Status	Non forest land required				Total land in ha.
	Name of village	G.no/Comp no	L X W in Mt.	Area in ha.		Name of village	G. no	L x W in Mt.	Area in ha.	
Diversion of forest land for laying of underground OFC duct & cable, within RoW of road SH-13 = 1.5 Km	Mhaswad		0	0	R. F	Mhaswad		6920 x 1	0.692	0.692
	Warkute		0	0		Warkute		5770 x 1	0.577	0.577
	Palshi	G.no 961, C.no- 886 SY no 316	1500 x 1	0.15		Palshi		2230 x 1	0.223	0.373
	Mardi		0	0		Mardi		7580 x 1	0.768	0.768
	Mohi		0	0		Mohi		6000 x 1	0.6	0.6
	Shinganapur		0	0		Shinganapur		4410 x 1	0.441	0.441
	Pimpari		0	0		Pimpari		9730 x 1	0.973	0.973
	Morochi		0	0		Morochi		4490 x 1	0.449	0.449
	Dharampuri		0	0		Dharampuri		5010 x 1	0.501	0.501
	Rajuri		0	0		Rajuri		4460 x 1	0.446	0.446
	Barad		0	0		Barad		4040 x 1	0.404	0.404
	Nimblak		0	0		Nimblak		2670 x 1	0.267	0.267
	Pimprad		0	0		Pimprad		4950 x 1	0.495	0.495
	Vidnidea		0	0		Vidnidea		3540 x 1	0.354	0.354
	Dhuldev		0	0		Dhuldev		760 x 1	0.076	0.076
	Phaltan		0	0		Phaltan		1570 x 1	0.157	0.157
	Forest land required			0.15		Non forest land required			7.423	7.573

3	Details of displacement of people due to the project if any	There is no displacement of the people due to this project
I	Number of families	Not applicable
II	Number of Scheduled cast / tribe families	Not applicable
III	Rehabilitation plan.	Not applicable
4	Whether clearance from environment (Protection) Act 1986 required (yes/no)	No
5	Undertaking to bear the cost of raising and maintenance of compensatory afforestation as	Undertaken given on Project authority submits that, cost of C.A. may not be levied in this proposal as the

	compensatory afforestation as well as cost for protection and regeneration of safety zone etc. as per the scheme prepared by the state Government (undertaking to be enclosed)	Project authority submits that, cost of C.A. may not be levied in this proposal as the proposed laying of OFC cable within RoW of existing road, road passing outside National Park & WL. Sanctuary area & no need to cutting of trees, which fulfil the conditions given in MoEF&CC guideline no FC-11 /165/2019- FC, Dt. 27Th. July 2020
6	Details of certificate / documents enclosed as required under the instruction	1) Online Ready Reckoner for cost of land 2) PWD permission for laying of OFC within ROW of existing road 3) Map of land. 4) Photograph of area

Place: Pune
Date : / /2022

For Telesonic Networks Limited.



Authorized Signatory