

Diversion of 1.789ha of forest land for Laying Sewerage Pipeline at Pathankot from Sarna Bridge to PSEB Colony road Both side km 5 to 6 , at APK road from Sukhsadan Hospital to Simbal Chowk road km 3 to 4.50 Left side , from Simbal Chowk to Mamoon Chowk (along APK Road/ NH-154) road km 4.50 to 6 Both side , Mamoon Chowk to Mamoon Cantt Gate road km 0 to 0.614 Right side and from Radha Swami satsang Bhawan to Meter Gauge Railway Track Right side on NH-154 forest Division and District Pathankot in the state of Punjab. (By. Executive Engineer, Punjab Water Supply & Sewerage Division Gurdaspur). Proposal No :- **FP/PB/Pipeline/62937/2020 Page**

CHECK LIST SERIAL NUMBER: 16
SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF
(For the Forest land to be diverted under FCA)

A proposal has been received by this office from Executive Engineer, Punjab Water Supply & Sewerage Division Gurdaspur. for diversion (under FCA-1980) of 1.789 ha. of forest land for non forestry purpose. The subject envisages the use of forest land for Laying Sewerage Pipeline at Pathankot from Sarna Bridge to PSEB Colony road Both side km 5 to 6 , at APK road from Sukhsadan Hospital to Simbal Chowk road km 3 to 4.50 Left side , from Simbal Chowk to Mamoon Chowk (along APK Road/ NH-154) road km 4.50 to 6 Both side , Mamoon Chowk to Mamoon Cantt Gate road km 0 to 0.614 Right side and from Radha Swami satsang Bhawan to Meter Gauge Railway Track Right side on NH-154 forest Division and District Pathankot in the state of Punjab. The site inspection of the land involved in the proposal has been done by me on dated...21-12-2020.....

On inspection of the site, it is found that the land required by the user agency is a forest measuring **1.789 ha.**

The requirement of forest land as proposed by the user agency in Col. 2 of part-I is unavoidable and is barest minimum required for the project.(Yes)

Whether any rare/ endangered/ unique species of flora and fauna found in the area. If so, the details thereof. (No)

Whether any protected archaeological/ heritage site/ defence establishment or any other important monument is located in the area. If so, the details thereof with NOC from competent authority, if required. (No)

(a) **The user agency has not violated the provisions of Forest (Conservation) Act, 1980 and no work has been started without proper sanction.**

(b) It has been found that the user agency has violated the Forest (Conservation) Act, 1980 provisions. A detailed report as per para 1.9 of Chapter 1, Part C of Hand book of Forest (Conservation) Act, 1980 is attached).

(Note: Whichever of the above is applicable should be shown in bold letters)
Specific recommendation for acceptance or otherwise of the proposal.
Recommended for approval.

Place : Pathankot
Date:

Divisional Forest Officer
Pathankot