

SITE INSPECTION NOTES OF DISTRICT FOREST OFFICER,
VELLORE DIVISION, VELLORE FOR LAYING
UNDERGROUND OFC CABLE ALONG THE ROAD SIDE FROM
VELLORE TO ODUGATHUR ROAD FALLS IN PALLIKONDA
RESERVE FOREST

The area requested for diversion of Forest Land for an area 0.063 ha. for laying underground OFC cable along the road side from Vellore to Odugathur road falls in Pallikonda Reserve Forest was inspected by me on 11.09.2023 and, the forest land is Dry Deciduous Forest Land type.

This road is a State Highways Road which passes through Pallikonda Reserve Forest to a stretch of 1.050 Km. The Airtel (Tele sonic Network Limited) has proposed to lay the underground OFC cable to a length of 1.05 km to a width of 60cm and to a depth of 1.65meters. The proposed alignment of the OFC cable to be laid in the forest area is along the State Highways Road which passes through Pallikonda Reserve Forest. In the alignment proposed to lay the OFC cable there is no involvement of any felling of trees. Further due to laying of the OFC cable there will not be any disturbance to the Flora and Fauna in the area.

S. Kalanithi
5/10/23

(S.Kalanithi,
District Forest Officer,
Vellore Forest Division, Vellore.

6/10/23

6/10/23