

# NECESSARY CERTIFICATE

\*\*\*\*\*

- ❖ Required certificates for the proposal, as per the guideline issued by The Chief Conservator of Forests & Nodal Officer, M. S. Nagpur letter No. desk=13/NC/RC/571, Dated 2<sup>nd</sup> July 2005

Required certificates for the proposal, as per the guideline issued by the Chief conservator of forests & Nodal officer, M. S. Nagpur Letter No. Desk -13 / NC / RC / 571, dated 2ND July 1997.

---

## Certificate No 1.

(Document's verification certificate – By the Deputy conservator of Forests, Satara)

Certified that, all documents enclosed here with for proposal of Village - Vatambe, Mukawale, Machutar, Shindola. Ta-Jawali & Mahabaleshwar, District -Satara, have been scrutinised as per revise check list and to be correct.

Place -Satara

Date- / /2021



(M. N. Mohite)


Deputy Conservation of Forests  
Forest Division, Satara

## Certificate No 2.

### Chronology of Events

Sr. No	From	To	Date	Remark
	P. A.	Dy, C. F. Satara		
	Dy, C. F. Satara	C C F Satara		
	C C F Satara	Nodal Officer Nagpur		

Place - Satara  
Date- / /2021



  
 (M. N. Mohite)  
 Deputy Conservation of Forests  
 Forest Division, Satara


## Certificate no. 3

### (Minimum Demands of forest area – Certificate of Collector)

Minimum Demand certified that, all other alternative forth proposal have been explored and the demand for the required forest land for diversion of Forest land for laying of underground OFC duct & cable within the ROW of existing (SH-139 & SH-140) road at Village - Vatambe, Mukawale, Machutar, Shindola. Ta-Jawali & Mahabaleshwar, District-Satara, is the barest minimum demand.

Place – Pune

Date- / /2021



(Kamaludeen S)

Senior Manager, Telesonic Networks Ltd,  
Project Authority.


## Certificate no. 4

### (Minimum demand of forest area –Certificate of Project Authority)

This is to certify that no suitable alternative non-forest land is available for the purpose for diversion of Forest land for laying of underground OFC duct & cable within the ROW of existing (SH-139 & SH-140) road. Road passing through forest land at Village - Vatambe, Mukawale, Machutar, Shindola. Ta-Jawali & Mahabaleshwar, District – Satara, and demand for the required forest land is lowest minimum demand for the same.

Place – Pune

Date- / /2021



(Kamaludeen S)

Senior Manager, Telesonic Networks Ltd,  
Project Authority.

## Certificate no. 5

(Certificate of Deputy Conservator of Forests, Satara Forest Division Satara about absence of alternatives about project.)

This is to Certify that, no suitable non-forest land is available other than Forest land to be diverted for laying of underground OFC duct & cable within the ROW of existing road passing through Forest land at Village- Vatambe, Mukawale, Machutar, Shindola Gut No. 39,40,41,39,31B,45,7,10,26,18 Comp. no 140,87,84,85 Tal-Jawali & Mahabaleshwar, Distt- Satara and demand for the forest land is barest minimum.

Place – Satara

Date- / /2021



(M. N. Mohite)

Deputy Conservation of Forests,  
Forest Division, Satara.

## Certificate no. 6


(Compensatory Afforestation cost - Certificate of Project Authority.)

The Project authority submits that, cost of C.A. may not be levied in this proposal as the proposed laying of OFC cable within RoW of existing (SH 139 & SH-140), road passing outside National Park & WL. Sanctuary area & no need to cutting of trees, which fulfil the conditions given in MoEF & CC guideline no FC-11 /165/2019- FC, Dt. 27<sup>Th</sup>. July 2020

Also certified that, the Project Authority is agreed to defray the cost as determined by the Forest Department for Compensatory Afforestation

Place – Pune

Date- / /2021



Kamaludeen S

Senior Manager, Telesonic Networks Ltd,  
Project Authority.

## Certificate no. 7

(No violation of Forest (conservation) Act, 1980/ Guidelines under it –Certificate of Project Authority.)

This is to certify that the provisions of Forest (Conservation) Act, 1980, and guidelines under it have not been violated in required Forest land for laying of underground OFC duct & cable within the ROW of existing (SH-139 & SH-140) , road passing through forest land at Village - Vatambe, Mukawale, Machutar, Shindola. 39,40,41,39,31B,45,7,10,26,18 Comp. no 140,87,84,85 Ta-Jawali & Mahabaleshwar, District – Satara

Place – Pune

Date- / /2021



(Kamaludeen S)

Senior Manager, Telesonic Networks Ltd,  
Project Authority.



## Certificate no. 8

(Certificate of Forest Department Violation/No Violation of Forest (Conservation) Act, 1980 –Certificate of Deputy Conservator of Forests)

Certified that, the work of proposal of underground OFC duct & cable within the ROW of existing (SH-139 & SH-140) road, Road passing through Forest Land at Village- Vatambe, Mukawale, Machutar, Shindola. 39,40,41,39,31B,45,7,10,26,18 Comp. no 140,87,84,85 Ta-Jawali & Mahabaleshwar District-Satara has not been done on forest land no violation of the Forest (Conservation) Act, 1980 and or its guidelines have been committed. The work in forest land will be started only after according permission of Government of India.

Place -Satara

Date- / /2021



(M. N. Mohite)

Deputy Conservation of Forests  
Forest Division, Satara