

मक डिस्पोजल प्रमाण पत्र

प्रमाणित किया जाता है कि जनपद सम्भल में मुरादाबाद-चन्दौसी मार्ग एन0एच0-509 (पुराना एन0एच0-93) बांयी पटरी चैनेज 192.320 से चैनेज 197.450 (5130मी0), बदायूँ-चन्दौसी मार्ग (एस0एच0-43) बांयी पटरी चैनेज 42.000 से 44.170 (2170 मी0), तक 4" भूमिगत स्टील गैस पाईप लाईन बिछाने हेतु 0.438 हे0 संरक्षित वन भूमि पर निर्माण कार्य के दौरान किसी भी प्रकार का मक/वैस्ट/सामग्री/मलवा निस्तारण/मिटटी खुदान कार्य प्रस्तावित नहीं है। अतः उक्त परियोजना हेतु मक डिस्पोजल योजना अनुमन्य नहीं है।

Disposal / Management Plan

While preparing FCA case, if there is any activity in the project which involves digging of land, muck disposal/management plan has to be prepared.

Should include:-

1. Calculation of muck to be generated self factor has to be applied NA
2. Quantity of muck to utilized in the project activities NA
3. Balance quantity of muck. Which requires disposal/management plan? NA
4. Carriage of muck from the muck generation site in the dumping site. NA
5. Ownership of land and the consent of land owner, in case muck disposal on no forest land. NA
6. Photograph & carrying capacity of proposed dumping site (muck disposal site) NA
7. Development of dumping site-construction of retaining walls and other structure as per requirement of the
8. Rehabilitation of dumping site like leveling planting of grass, shrubs and tree muck. NA

After construction work of approach road will be done

Cost to be incurred in the above activities has to be given component wise. Details of dumping site including length, width and height of structures to be exacted must be mentioned.

Undertaking by user agency has to be given to the effect that:

- 1- Muck management plan will be implemented by the user agency and in case of non implementation of
- 2- The proposed dumping site is located away from river/streams etc.


(प्रशासक कुमार)
मेनेजर
टोरेन्ट गैस प्रा0 लि0