

APPENDIX

(See Rule -6)

FORM -A

Form for seeking prior approval under Section the 2 of Forest (Conservation) Act 1980, proposal submitted by State Government and Other Authorities

PART—I

(To be filled up by the user agency)

Sr. No	PERTICULAR	PROJECT DETAIL
1	Short narrative of the proposal and project /Scheme for which the forest land is required.	<p>Proposal for diversion of forest land for laying of underground OFC duct & cable within the ROW of existing road passing through forest land at village-Baleghol Tal. Kagal, Dist.-Kolhapur ,under section 2 (ii) of Forest (Conservation) Act 1980. This proposal is submitted by the Senior Manager, M/s Telesonic Networks Ltd ,4th Floor, D Building Vega Centre, Shankarsheth Road, Swargate, Pune 411,042.</p> <p>Telesonic Networks Ltd.The main aim of company to provide the mobile service & 4 G & 5 G Internet data service in all over Indian villages. To provide network, there is need network of Towers connected by OFC duct & cable. As per survey done for laying of underground the OFC duct & cable within ROW of road, where the maximum area will be covered for mobile network and easy maintain for long period. This is for laying of underground OFC duct & cable within the ROW of existing road. As same part of existing road passing through the Forest Land at village-Baleghol Tal. Kagal, Dist-Kolhapur . And there need the prior permission from competent authority for Laying of underground OFC duct & cable within the Row of the existing road.</p> <p>For this Non-forest activity in forest area, there is need to</p>



		prior permission under FC Act, 1980. Hence this proposal is being submitted for approval.
II	Map showing the required Forestland, boundary of adjoining forest on 1:50,000 scale	Essential maps attached
III	Cost of project	Cost of Project is approx 5.80 Lakhs.
IV	Justification	<p>Telesonic Networks Ltd. The main aim of company to provide the mobile service & 4 G & 5 G Internet data service in all over Indian villages. To provide network, there is need network of Towers connected by OFC duct & cable. So detailed survey of existing roads have been done for laying of underground the OFC duct & cable within ROW of road, where the maximum area will be covered for mobile network, and also easy maintain for long period. The Company as applied to do work within the ROW of road as per resolution issued by the Govt. of Maharashtra. Public works Dept. This is for laying of underground OFC duct & cable within the ROW of existing road. As same part of existing road passing through the Forest Land at village- Haldavade, Hanbarwadi, Beradwadi, Tal. Kagal, Bhudargad, Radhanagari, Dist-Kolhapur. As same part of existing road passing through the Forest Land, and there need the prior permission from competent authority for Laying of underground OFC duct & cable within the Row of the existing road, passing through forest.</p> <p>The OFC cable will be laid by digging trench of size 1 mt. wide</p>



be laid, & out of which one duct pipe is use for OFC cable. After laying of pipe the trench will be refilled. In this work there is no need to cutting of trees for this works

Project authority submits that, cost of C.A. may not be levied in this proposal as the proposed laying of OFC cable within RoW of existing road, road passing outside National Park & WL. Sanctuary area & no need to cutting of trees, which fulfil the conditions given in MoEF&CC guideline no FC-11/165/2019- FC, Dt. 27th. July 2020

There is no alternative other than proposed alignment, & the required forest land for laying of underground OFC cable is barest minimum. Project Authority will start work on forestland after sanction from State Govt. Hence this proposal is submitted for sanction under F.C.A, 1980.

Hence this proposal is being submitted for necessary clearance under the provision of the Forest (Conservation) Act, 1980

V Cost benefit analysis Not applicable

VI Employments likely to generated Yes Employments likely to generated.

Type of work	Unskilled	Semi-Skilled	Skilled	Total
During Works Temporary	3	6	6	15
Permanent	0	10	5	15
Total	3	16	11	30

2) Purpose wise break-up of the Forest Land required

Item of Work	Forest land required							Non Forest land required				Total land in ha.
	Sl.No.	Name of village	Cont. p. No.	Dist. No.	Survey No.	L x W in Mt.	Area in ha.	Legal Status	Village	L x W in Mt.	Area in ha.	
Overlook of forest land for laying of underground OFC duct & cable, within RoW of road along NH-55 (Gadhingri Bham, District to transport with vehicle to Bolewadi, Karmala)	Kargol	Baleghol	118	852 (A)	141	308.88 x 1	0.039838	R. F (MPP Act 1975)	Baleghol	2311.97 x 1	0.231197	0.3139
			117	878	83	428.85x1	0.042865					
			Forest land required				0.082703	Non forest land required			0.231197	0.3139

3	Details of displacement of people due to the project if any	There is no displacement of the people due to this project
I	Number of families	Not applicable
II	Number of Scheduled cast / tribe families	Not applicable
III	Rehabilitation plan.	Not applicable
4	Whether clearance from environment (Protection) Act 1986 required (yes/no)	No
5	Undertaking to bear the cost of raising and maintenance of compensatory afforestation as well as cost for protection and regeneration of safety zone etc. as per the scheme prepared by the state Government (undertaking to be enclosed)	Undertaken given on Project authority submits that, cost of C.A. may not be levied in this proposal as the proposed laying of OFC cable within RoW of existing road, road passing outside National Park & WL. Sanctuary area & no need to cutting of trees, which fulfil the conditions given in MoEF&CC guideline no FC-11/165/2019- FC, Dt. 27Th. July 2020
6	Details of certificate / documents enclosed as required under the instruction	1) Online Ready Reckoner for cost of land 2) PWD permission for laying of OFC within ROW of existing road

5

3) Map of land.

4) Photograph of area

Place: Pune

Date : 7/1/2022

For Telesonic Networks Limited.



Authorized Signatory

INFORMATION
IN
FORM A
PART II