

Reference: Index Sr. NO 22

### Project Note by Project Authority

#### Name Of Proposal

Proposal for diversion of forest land for laying of underground OFC duct & cable within the ROW of existing road passing through forest land at village-Baleghol Tal. Kagal, Dist-Kolhapur, under section 2 (ii) of Forest (Conservation) Act 1980.

#### Proposal submitted by

This proposal is submitted by the Senior Manager, M/s Telesonic Networks Ltd, 4<sup>th</sup> Floor, D Building Vega Centre, Shankarsheth Road, Swargate, Pune 411,042.

#### Cost of Project

The labour component for the labour work is at Rs 185 / per Rmt. and the total work in forest is 827Rmt, required Rs. 1,52995/ Employments likely to generated.

Type of work	Unskilled	Semi-Skilled	Skilled	Total
During WorksTemporary	3	6	6	15
Permanent	0	10	5	15
Total	3	16	11	30

#### Justification

Telesonic Networks Ltd. The main aim of company to provide the mobile service & 4 G & 5 G Internet data service in all over Indian villages. To provide network, there is need network of Towers connected by OFC duct & cable. So detailed survey of existing roads have been done for laying of underground the OFC duct & cable within ROW of road, where the maximum area will be covered for mobile network, and also easy maintain for long period. The Company as applied to do work within the ROW of road as per resolution issued by the Govt. of Maharashtra. Public works Dept. This is for laying of underground OFC duct & cable within the ROW of existing road. As same part of existing road passing through the Forest Land at village-Baleghol, Tal. Kagal, Bhudargad, Radhanagari,

permission from competent authority for Laying of underground OFC duct & cable within the Row of the existing road, passing from the forest land in Kolhapur Dist. is as under,

Item of Work	Forest land required								Non forest land required			Total land in ha.
	Taluka	Name of village	Comp no	Gut No	Survey No	L X W in Mt.	Area in ha.	Legal Status	Village	L x W in Mt.	Area in ha.	
Proposal for diversion of forest land for laying of underground OFC duct and cable within ROW of existing road Along MDR-55 Gadhingaj Bhalri Devalaya to Tamnakwada Vadgaon to Belewadi Kalamma road	Kagal	Baleghol	718	932 (A)	141	398.38 x 1	0.039838	R. F I MPF Act 1975)	Baleghol	2311.97 x 1	0.231197	0.3139
			717	878	63	428.65x1	0.042865					
		Forest land required					0.082703	Non forest land required			0.231197	0.3139


The OFC cable will be laid by digging trench of size 1 mt. wide and depth below 1.40mt. & in one trench two duct pipe will be laid, & out of which one duct pipe is use for OFC cable. After laying of pipe the trench will be refilled. In this work there is no need to cutting of trees for this works Project authority submits that, cost of C.A. may not be levied in this proposal as the proposed laying of OFC cable within RoW of existing road, road passing outside National Park & WL. Sanctuary area & no need to cutting of trees, which fulfil the conditions given in MoEF&CC Guideline no FC-11 /165/2019- FC, Dt. 27<sup>th</sup>. July 2020

There is no alternative other than proposed alignment, & the required forest land for laying of underground OFC cable is barest minimum. Project Authority will start work on forestland after sanction from State Govt. Hence this proposal is submitted for sanction under F.C.A, 1980.

Hence this proposal is being submitted for necessary clearance under the provision of the Forest (Conservation) Act, 1980

Place -

Date-



(Ramaludeen S)  
Senior Manager, Telesonic Networks Ltd.  
Project Authority