



Punjab Pollution Control Board

Regional Office

E-18-A Focal Point, Hoshiarpur

E-mail: ppcbhoshiarpur@gmail.com website www.ppcb.gov.in Phone/FAX: 01882-248020

No. 1228

Dated 5/5/21

ਸੇਵਾ ਵਿਖੇ

ਜਿਲ੍ਹਾ ਕੰਟਰੋਲਰ,
ਖੁਰਾਕ, ਸਿਵਲ ਸਪਲਾਈਜ਼ ਅਤੇ ਖਪਤਕਾਰ ਮਾਮਲੇ,
ਹੁਸ਼ਿਆਰਪੁਰ।

ਵਿਸ਼ਾ: NOC for HPC Retail outlet at VIII, Puhira (Hoshiarpur City WML) from Bus Stand to Phagwara Chowk, khasra no. 78//24/1, 14,17/1, 17/2, distt. Hoshiarpur, Punjab.
ਹਵਾਲਾ: ਆਪ ਦੇ ਦਫਤਰ ਦਾ ਮੀਮੋ ਨੰ: ਇ (ਪ) -2019/4334-4346 ਮਿਤੀ 18.11.2019.

ਉਪਰੋਕਤ ਵਿਸ਼ੇ ਅਤੇ ਹਵਾਲੇ ਅਧੀਨ ਪੱਤਰ ਦੇ ਸੰਬੰਧ ਵਿੱਚ ਆਪਜੀ ਨੂੰ ਦੱਸਿਆ ਜਾਂਦਾ ਹੈ ਕਿ ਆਪ ਦੇ ਦਫਤਰ ਵੱਲੋਂ ਵਿਸ਼ਾ ਅਧੀਨ ਸਥਾਨ ਤੇ ਇੰਡੀਅਨ ਆਇਲ ਕਾਰਪੋਰੇਸ਼ਨ ਲਿਮਿਟਡ ਵੱਲੋਂ ਰਿਟੇਲ ਆਊਟਲੇਟ ਲਗਾਉਣ ਲਈ ਪੰਜਾਬ ਪ੍ਰਦੂਸ਼ਣ ਰੋਕਥਾਮ ਬੋਰਡ ਵੱਲੋਂ ਐਨ.ਓ.ਸੀ. ਜਾਰੀ ਕਰਨ ਲਈ ਕੇਸ ਪ੍ਰਾਪਤ ਹੋਇਆ ਹੈ। ਇਸ ਅਰਜੀ ਦੇ ਮੁਤਾਬਕ ਪੁਰਬੀ ਵੱਲੋਂ ਇੱਕ ਰਿਟੇਲ ਆਊਟਲੇਟ ਲਗਾਉਣ ਦੀ ਤਜਵੀਜ਼ ਹੈ, ਰਿਟੇਲ ਆਊਟਲੇਟ ਲਗਾਉਣ ਲਈ ਸੈਟਰਲ ਪ੍ਰਦੂਸ਼ਣ ਰੋਕਥਾਮ ਬੋਰਡ ਵੱਲੋਂ ਪੱਤਰ ਨੰ: B-13011/1/2019-20/AQM/10809 dated 07/01/2020 ਰਾਹੀਂ ਸਾਈਟਿੰਗ ਗਾਈਡਲਾਈਨਜ਼/ਹਦਾਇਤਾਂ ਫਿਕਸ ਕੀਤੀਆਂ ਗਈਆਂ ਹਨ। ਜੇਕਰ ਉਕਤ ਅਦਾਰਾ ਸੀ.ਪੀ.ਸੀ.ਓ. ਵੱਲੋਂ ਨਿਰਧਾਰਤ ਸਾਈਟਿੰਗ ਗਾਈਡਲਾਈਨਜ਼/ਹਦਾਇਤਾਂ ਨੂੰ ਪੂਰੀਆਂ ਕਰਦਾ ਹੈ, ਤਾਂ ਇਸ ਦਫਤਰ ਨੂੰ ਉਕਤ ਰਿਟੇਲ ਆਊਟਲੇਟ ਲਗਾਉਣ ਲਈ ਆਪ ਵੱਲੋਂ ਐਨ.ਓ.ਸੀ. ਜਾਰੀ ਕਰਨ ਤੇ ਕੋਈ ਇਤਰਾਜ਼ ਨਹੀਂ ਹੈ ਬਸ਼ਰਤ ਕਿ ਪੁਰਬੀ, ਹੇਠ ਲਿਖੀਆਂ ਸਰਤਾਂ ਦੀ ਪਾਲਣਾ ਕਰੇਗਾ।

- 1) ਅਦਾਰਾ ਮੈਨਫੈਕਚਰਿੰਗ ਸਟੋਰੇਜ, ਐਂਡ ਇੰਪੋਰਟ ਆਫ ਹਜ਼ਾਰਡਸ ਕੇਮੀਕਲਜ਼ ਰੂਲਜ਼ 1989 ਦੀ ਪਾਲਣਾ ਕਰਦੇ ਆਨ ਸਾਈਟ ਐਮਰਜੈਂਸੀ ਪਲਾਨ ਅਤੇ ਆਫ ਸਾਈਟ ਐਮਰਜੈਂਸੀ ਪਲਾਨ ਵੀ ਤਿਆਰ ਕਰੇਗਾ ਅਤੇ ਇਹਨਾਂ ਪਲਾਨਾਂ ਨੂੰ ਸਮਰੱਥ ਅਧਿਕਾਰੀ ਤੋਂ ਅਪਰੂਵ ਕਰਾਏਗਾ।
- 2) ਅਦਾਰਾ ਰਿਟੇਲ ਆਊਟਲੇਟ ਤੋਂ ਬਿਨਾਂ ਕੋਈ ਹੋਰ ਵਾਟਰ ਜਾਂ ਏਅਰ ਪ੍ਰਦੂਸ਼ਣ ਪੈਦਾ ਕਰਨ ਵਾਲੀ ਗਤੀਵਿਧੀ ਜਿਵੇਂ ਕਿ ਆਟੋ ਸਰਵਿਸ ਸੈਟਰ ਆਦਿ ਬੋਰਡ ਦੀ ਕੰਨਸੈਂਟ/ਐਨ ਓ ਸੀ ਤੋਂ ਬਿਨਾਂ ਸਥਿਤ ਨਹੀਂ ਕਰੇਗਾ।
- 3) ਅਦਾਰਾ ਪੰਜਾਬ ਰਿਜਨਲ ਟਾਊਨ ਪਲੇਨਿੰਗ ਅਤੇ ਡਿਵਲਪਮੈਂਟ ਐਕਟ, 1995 ਦੀਆਂ ਧਰਾਵਾਂ ਦੀ ਇੰਨ ਬਿੰਨ ਪਾਲਣਾ ਕਰੇਗਾ।
- 4) ਅਦਾਰਾ ਭਾਰਤ ਸਰਕਾਰ ਦੇ ਪੈਟਰੋਲੀਅਮ ਅਤੇ ਐਕਸਪਲੋਜਿਵ ਸੇਫਟੀ ਆਰਗੇਨਾਈਜ਼ੇਸ਼ਨ ਵੱਲੋਂ ਦਿੱਤਾ ਐਨ.ਓ.ਸੀ.ਮਿਤੀ14/12/2017 ਵਿੱਚ ਦਰਸਾਈਆਂ ਸਾਰੀਆਂ ਸਰਤਾਂ ਦੀ ਇੰਨ-ਬਿੰਨ ਪਾਲਣਾ ਕਰੇਗਾ।
- 5) ਅਦਾਰਾ ਆਈ.ਆਰ.ਸੀ.:12-2016 ਵਿੱਚ ਦਰਸਾਈਆਂ ਗਾਈਡਲਾਈਨਜ਼ ਦੀ ਇੰਨ ਬਿੰਨ ਪਾਲਣਾ ਕਰੇਗਾ।
- 6) ਅਦਾਰਾ ਮਾਸਟਰ ਪਲਾਨ ਹੁਸ਼ਿਆਰਪੁਰ ਦੀਆਂ ਤਜਵੀਜ਼ਾਂ ਦੀ ਪਾਲਣਾ ਕਰੇਗਾ।
- 7) ਅਦਾਰਾ ਸੀ.ਪੀ.ਸੀ.ਓ. ਵੱਲੋਂ ਪੱਤਰ ਨੰਬਰ B-13011/1/2019-20/AQM/10809 dated 07/01/2020 ਰਾਹੀਂ ਜਾਰੀ ਕੀਤੀਆਂ ਹਦਾਇਤਾਂ ਅਤੇ ਸਾਈਟਿੰਗ ਗਾਈਡਲਾਈਨਜ਼ ਦੀ ਇੰਨ ਬਿੰਨ ਪਾਲਣਾ ਕਰੇਗਾ।
- 8) ਅਦਾਰਾ ਡੋਮੇਸਟਿਕ ਐਂਡਵੇਲਟ ਦੇ ਟਰੀਟਮੈਂਟ ਲਈ ਸਿਪਟਿਕ ਟੈਂਕ ਬਣਾਏਗਾ ਅਤੇ ਇਸਦੇ ਡਿਸਪੋਜਲ ਲਈ ਪਲਾਂਟੇਸ਼ਨ ਏਰੀਆ ਬਣਾਏਗਾ।
- 9) ਪੁਰਬੀ ਹੋਰ ਮਹਿਕਮਿਆਂ ਤੋਂ ਲੋੜੀਂਦੀ ਮਨਜ਼ੂਰੀ ਵੀ ਹਾਸਿਲ ਕਰੇਗਾ।

ਇਸ ਤੋਂ ਇਲਾਵਾ ਆਪ ਨੂੰ ਲਿਖਿਆ ਜਾਂਦਾ ਹੈ ਕਿ ਭਵਿੱਖ ਵਿੱਚ ਰਿਟੇਲ ਆਊਟਲੇਟ ਲਗਾਉਣ ਦੇ ਸਬੰਧ ਵਿੱਚ ਕੋਈ ਕੇਸ ਇਸ ਦਫਤਰ ਨੂੰ ਭੇਜਣ ਸਮੇਂ, ਬਿਨੈਕਾਰ ਪਾਸੋਂ ਸੀ.ਪੀ.ਸੀ.ਓ. ਵੱਲੋਂ ਨਿਰਧਾਰਤ ਕੀਤੀਆਂ ਹਦਾਇਤਾਂ ਅਤੇ ਸਾਈਟਿੰਗ ਗਾਈਡਲਾਈਨਜ਼ ਦੀ ਪਾਲਣਾ ਸਬੰਧੀ ਪੱਤਰ ਵੀ ਨਾਲ ਭੇਜਿਆ ਜਾਵੇ।

ਵਾਤਾਵਰਣ ਇੰਜੀਨੀਅਰ

ਅਰੁਣ ਕੁਮਾਰ

ਅਰੁਣ ਕੁਮਾਰ / Arun Kumar
ਜ਼ਿਲ੍ਹਾ ਪ੍ਰਦੂਸ਼ਣ ਰੋਕਥਾਮ ਬੋਰਡ, ਹੁਸ਼ਿਆਰਪੁਰ
ਜ਼ਿਲ੍ਹਾ ਪ੍ਰਦੂਸ਼ਣ ਰੋਕਥਾਮ ਬੋਰਡ, ਹੁਸ਼ਿਆਰਪੁਰ
Hoshiarpur Pollution Control Board Ltd.
Hoshiarpur

Divisional Forest Officer
Hoshiarpur Forest Division
Hoshiarpur 19104/1988

TRANSLATED VERSION FROM PUNJABI TO ENGLISH

Logo

Punjab Pollution control Board
Regional office

E-18-A Focal Point Hoshiarpur

Email: ppcbroshohiarpur@gmail.comwebsite: www.ppcb.gov.in

Phone/Fax: 01882-248020

No 1228

Dated 05-05-2021

To,

District Controller,
Food Civil Supplies & consumer Affairs
HoshiarpurSubject: NOC for HPC Retail outlet at Village Puhiran(Hoshiarpur city WML),
from Bus stand to Phagwara chowk Khasra No.78//24/1, 14,17/1,17/2
District Hoshiarpur, State Punjab

Ref: Regarding your office letter No.E(P)-2019/4334-4346 dated 18-11-2019

In regard to above mentioned subject you are informed that this office has received a request for installation of pump of IOCL at subjected site and you requested for issuance of NOC from Punjab Pollution control board and as per application applicant has to install a retail outlet. To install a retail outlet Central Pollution Control Board has issued Citing/guidelines as per letter No.B-13011/1/2019-20/AQM-10809 dated 07-01-2020 if the unit abide by the guidelines of CPCB and Citing guidelines then this office has no objection to issue NOC for retail outlet by you however the applicant fulfill the terms and conditions mentioned below:

1. Unit will prepare on site emergency plan and off site emergency plan to abide by Manufacturing storage & import of hazard chemicals rules 1989 and will approve these plans from concerned authority.
2. Unit will not start any other water or air pollution activities like Auto service center except Retail outlet without the consent/NOC of board.
3. Unit will abide the sections of Punjab Regional Town Planning & Development Act 1995.
4. Unit will abide by the terms and conditions of Petroleum and Explosive Safety organization of Government of India NOC dated 14-12-2017.
5. Unit will abide by guidelines mentioned in I.R.C 12-2016.
6. Unit will abide by guidelines of Master plan Hoshiarpur.
7. Unit will abide by guidelines and citing guidelines issued by CPCB vide letter No.B-13011/1/2019-20/AQM/10809 dated 07-01-2020.
8. Unit will not create any trade affluent and will make septic tank for treatment of domestic affluent and will use the foul water to irrigate plants.
9. The applicant will obtain necessary permissions from other departments.

Except this your are informed that in future for any correspondence regarding installation of Retail outlet, applicant must enclose letter regarding compliance of guidelines of CPCB and Citing guidelines.

Divisional Forest Officer
Hoshiarpur Forest Division
Hoshiarpur 19/01/2021

Attested True Photos
Translation Copy of the
Documents Produced

MADAN MAHI
NOTARY PUBLIC
Hoshiarpur (Pb.) India



Sd/-
Environmental Engineer

14 FEB 2022