

Technical officer, Ministry of Environment Forests and Climate Change ,Government of India  
 ,Letter No. FC/I/MH-249 /2021 – NGP /9124/Date – 31/12/2021

Sub – Diversion of 0.1655 ha Reserved Forest ,Protected Forest land in favour of Rural Water Supply Division, Zilha Parishad ,Kolhapur for providing drinking water supply pipeline for village – vekhandwadi proposed pipeline passing through village – Badewadi ,Taluka- Panhala ,District –Kolhapur in the State of Maharashtra – regarding

### Compliance Report

Compliance Report

Sr.No.	Raised Points	Compliance												
1.	Name of the signing authority is not mentioned in Part-I submitted along with the Proposal. Revised part – I mentioning name of signing authority and date of submission shall be submitted.	Revised Part-I of Vekhandwadi Drinking water supply pipeline Proposal with mentioning name of Executive Engineer rural water supply division zilha parishad, Kolhapur with his signature and date mentioned, and submitted here with .												
2.	KML file of CA land uploaded in Parivesh portal is not correct. KML file of exact area proposed to carry out CA shall be uploaded and submitted.	This proposal C.A Work on degraded forest land, Proposed C.A. area1.00ha.This KML file is uploaded in Parivesh portal and KML file is also submitted in CD as required.												
3.	Details of alternative alignments explored ,Justification for selecting the proposed alternative and reasons for discarding other alternatives submitted along with the proposal is not tenable.Ecological justification needs to be submitted along Differential GPS map.	<div>Justification of Proposed pipeline alignment along with Alternative pipe alignments is offered as below.</div> <table><tr><th>S. N.</th><th>Proposed alignment</th><th>Justification</th><th>Total Length (F+P)</th></tr><tr><td>1</td><td>Proposed pipeline</td><td>The alignment proposed pipeline is selected such as to occupied list forest area to be Diverted.</td><td>1178.5  (827.5) Forest Length</td></tr><tr><td>2</td><td>Alignment I</td><td>Proposed Alternative-1 Alignment is occupied little more diverted forest area Because; length of the alignment is more than proposed pipeline alignment.</td><td>(F+P) 1200.7</td></tr></table>	S. N.	Proposed alignment	Justification	Total Length (F+P)	1	Proposed pipeline	The alignment proposed pipeline is selected such as to occupied list forest area to be Diverted.	1178.5  (827.5) Forest Length	2	Alignment I	Proposed Alternative-1 Alignment is occupied little more diverted forest area Because; length of the alignment is more than proposed pipeline alignment.	(F+P) 1200.7
S. N.	Proposed alignment	Justification	Total Length (F+P)											
1	Proposed pipeline	The alignment proposed pipeline is selected such as to occupied list forest area to be Diverted.	1178.5  (827.5) Forest Length											
2	Alignment I	Proposed Alternative-1 Alignment is occupied little more diverted forest area Because; length of the alignment is more than proposed pipeline alignment.	(F+P) 1200.7											

		3	Alignment 2	Proposed Alternative-I Alignment is occupied little more diverted forest area Because, length of the alignment is more than proposed pipeline alignment.	(F+P) 1278.2
		<p>I DGPS Maps of Alternative Alignment map is attached here with as required.</p>			
4.	Part - II has been wrongly uploaded on Parivesh portal. Instead of Part II site inspection report has been uploaded. The same shall be replaced and intimated to this office.	Part-II. Is being uploaded by DYCF Kolhapur.			
5.	Complete compliance related to recognition and vesting of forest rights in accordance with the provisions of the Scheduled Tribes and Other Traditional Forest Dwellers (Recognition of Forest Rights) Act,2006 is not submitted,where in proceedings of Sub- Division Level Committee(s),District Level Committee(s) recording their consent for the proposal and bearing signature of the participants is not submitted.The same shall be submitted along with English translated copies.	Complete compliance related to recognition and vesting of forest rights in accordance with the provisions of the Scheduled Tribes and Other Traditional Forest Dwellers (Recognition of Forest Rights) Act,2006 is being submitted ,where in proceedings of Sub-Division Level Committee(s),District Level Committee(s) recording their consent for the proposal. Bearing signature of the participants is also being submitted. The same is being submitted along with English translated copies.			
6.	Cross sectional map both vertical and horizontal has not been submitted. The same needs to be submitted.	Cross sectional maps both vertical and horizontal is submitted here with.			

7.	Details of employment potential in terms of man days of skilled,semiskilled and unskilled persons on permanent (direct and indirect )and temporary (direct and indirect)basis have not provided.The same needs to be provided by the State Government.	Details of Employment potentials in terms of man days is as below.																		
		<table><tr><td></td><td></td><td>Skilled</td><td>Semiskilled</td><td>Unskilled</td><td>Total</td></tr><tr><td>1</td><td>Permanent</td><td>1</td><td>-</td><td>-</td><td>-</td></tr><tr><td>2</td><td>Temporary</td><td>05</td><td>-</td><td>495</td><td>500</td></tr></table>			Skilled	Semiskilled	Unskilled	Total	1	Permanent	1	-	-	-	2	Temporary	05	-	495	500
		Skilled	Semiskilled	Unskilled	Total															
1	Permanent	1	-	-	-															
2	Temporary	05	-	495	500															

Kolhapur  
Date- 28/02/2022

  
 (Ashok R. Dhonge)  
**Executive Engineer,**  
 Rural Water Supply Division,  
 Kolhapur

# APPENDIX

( See Rule 6)

Form for seeking prior approval under section 2 of the proposals by the State Governments and other authorities

## PART-I

(to be filled by user agency)

### I. Project details

(i)	Short narrative of the proposal and project/scheme for which the forest land is required	<p>Diversion of forest land Village- Badewadi Tal- Panhala , Dist. Kolhapur. Forest.G.NO:185,186 for Providing of Drinking Water Supply Pipe line Project Village – Vekhandwadi. Scheme- National Rural Water Supply Program. Badewadi (F.G.No. 185- Lenth 801.50mtrX2mtr=1603sqmtr= 0.1603Ha), F.G. No-186-(Length 26X 2mt = 52=0.0052) Total Forest Area=0.1655Ha.</p> <p>The pipe line passes through Village Badewadi F.G.No.185,186 for drinking water supply pipe line Project for village Vekhandwadi</p> <p>There is no other alternative for this project. So We wants to make a proposal of Forest Conservation Act 1980. This proposal is necessary for this project.</p>
(II)	Map showing the required forest land, boundary of adjoining forest on a 1:50,000 scale map	Required Forest Land Index map1:50,000 scale is attached at page No.
(III)	Cost of the project	Rs.23,37,880/-
(IV)	Justification for locating the project in forest area	Alternative alignment were tried and found infeasible, hence located in the forest area which is

Sadanand Jadhav(RSS)

							economically and technically feasible site.				
V	Cost benefit analysis to be enclosed						Proposed Area-0.1655 And Drinking Water Project for Villagers and Pet Animal. So not applicable .				
VI	Employment likely to be generated						During execution 500 persons/labors for 12month. After execution 5 labors are required.				
7	Purpose wise break up of the land										
	Forest land required						Legal status of land	Non forest area required			Total area ha.
Name of item	Vill age	F.G .No	Co mp No	Length X width (meter)	Area Sq.m	Ha		Priva te F.G. No.	Length X width (meter)	Area in ha	
Drinking Water Supply Pipe line for Vekhand wadi	Bade wadi (vekhand dwadi)	185	836	801.50 X2mtr	1603	0.1603	Protect ed Forest	144, 145, 146, 160	351.20 X 2mtr	0.0702	0.2305
		186	836	26X 2mtr	52	0.0052	Reserve ed Forest	-----	-----	-----	0.0052
Total					1655	0.1655				0.0702	0.2357
3	Details of displacement of people due to project if any						No				
i	Number of Families						Not Applicable				
ii	Number of Scheduled Casts, Schedule Tribe families						Not Applicable .				
iii	Rehabilitation plan ( To be enclosed)						No Rehabilitation in this project so not applicable.				

4	Whether clearance under Environment Protection Act 1986 required (Yes/No)	Not Applicable
5	Undertaking to bear the cost of raising and maintenance of Compensatory afforestation and or penal C.A. as well as cost for protection and regeneration of Safety Zone etc. as per the scheme prepared by the State Government (undertaking to be enclose)	Certificate No. 6 is attached in the proposal
6	Details of Certificates, documents enclosed as requires under the instructions	All Certificate are enclosed in the proposal.

  
 (Ashok. R., Dhonge)  
 Executive Engineer,  
 Rural Water Supply Division,  
 Zilla Parishad, Kolhapur.

Date :- 28/02/2022

Place :- Kolhapur



जिल्हा परिषद, कोल्हापूर  
कार्यकारी अभियंता  
ग्रामीण पाणी पुरवठा विभाग,

नविन प्रशासकिय इमारत, पहिला मजला बालन क्र. १२१, ना  
कोल्हापूर ४१६००३



रयतंत्र्याचा अंगुल महोत्सव

फोन नं. ०२३१-२६५१९६०

E-mail - esbnkolhapur@gmail.com

जा.क्र.कोंजिप/ग्रापाप/कावि- १/३३५/२०२२

दि. २/३/२०२२

प्रति,  
मा. उप वनसंरक्षक,  
वनविभाग,  
कोल्हापूर

विषय :- राष्ट्रीय ग्रामीण पेयजल कार्यक्रम अंतर्गत मौजे वेखंडवाडी ता. पन्हाळा येथील नळ पाणी पुरवठा योजनेची पाईप लाईन वनविभागाच्या हद्दीतून टाकणेंस परवानगी मिळणेच्या प्रस्तावावरील मुद्द्यांची पुर्तता करणेबाबत.

संदर्भ :- १) पत्र क्रं. - F.No.FC-1/MH-249/2021-NGP/9124, दि. 31/12/2021  
२) Desk-17/Nodal/Kolhapur(28)/ID-12896/2159/2021-22, Date-20/01/2022

उपरोक्त विषयास अनुसरून मौजे वेखंडवाडी ता. पन्हाळा येथील नळ पाणी पुरवठा योजनेची पाईप लाईन वनविभागाच्या हद्दीतून टाकणेंस परवानगी मिळणेचा प्रस्ताव केंद्र शासनाच्या नागपुर कार्यालयाकडे सादर करणेत आलेला आहे. सदर प्रस्तावावर त्यांचे कार्यालयाकडून बरील संदर्भाय पत्र क्रं. १ व पत्र क्रं. २ ने १ ते ७ मुद्दे उपस्थित केलेले आहेत.

मुख्य वन संरक्षक, प्रादेशिक, कोल्हापूर कार्यालयाकडून त्रुटीची पुर्तता करणेविषयी कळविणेत आले आहे. त्या अनुशंगाने या कार्यालयाकडून आवश्यक ती पुर्तता करून पुर्तता अहवाल व आवश्यक ते दस्तऐवज यासोबत आपले कार्यालयाकडे सादर करणेत येत आहेत.

तरी सदरचा पुर्तता अहवाल वरीष्ट कार्यालयास सादर करावा ही विनंती

*Spoke*  
9-3-2022

*Spoke*  
(अशोक धोंगे)

कार्यकारी अभियंता  
ग्रामीण पाणी पुरवठा विभाग  
जिल्हा परिषद कोल्हापूर

प्रत माहितीसाठी - उपअभियंता, ग्रामीण पाणी पुरवठा उपविभाग, पन्हाळा यांना माहितीसाठी.

**Justification regarding alternatives examined for  
proposed pipeline**


It is certified that no alternatives were found other than Gat No. 185 & 186 Reserved Forest (Area 0.1655 Ha.) of Villages Vekhandwadi Taluka Panhala, District Kolhapur.

Three alternatives have been examined in detailed and have come to conclusion that the alternatives No.1 is most suitable for forest land point of view.

These two alignments not feasible because of more tree felling due to ecologically disturbance for the forest land.

Sr. No	Alignments	Length (m)		Area (ha.)		Total area (ha.)
		Forest	Non forest	Forest	Non forest	
1	Proposed alignment	827.5	351.2	0.1655	0.0702	0.2357
2	1 <sup>st</sup> alignment	1004.36	196.36	0.2009	0.03927	0.24017
3	2 <sup>nd</sup> alignment	862.96	415.26	0.1725	0.0831	0.2556

Dy. Engineer,  
Zilha Parishad, Kolhapur  
Date:  
Place: Kolhapur.

  
Deputy Engineer,  
Z. P. R. W. S. Sub. Division  
Panhala.