

**SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF  
(For the forest land to be diverted under FCA)**

A proposal has been received by this office from from **Executive Engineer, Irrigation Department Nal Koop Khand, Dehradun** for diversion under FCA 1980 of **0.18 ha** of forest land non-forestry purpose. The project envisages the use of forest land for **Construction of sprinkler based lift Irrigation (From Papariyan, Taulibhood, Lower Pipalsar, Pasta, Rudrapur)**. This site inspection of the land involved in the proposal has done by me on dated .....

On inspection of the site, it is found that the land required by the user agency is a Revenue Forest measuring **0.18 ha**. **Yes**

The requirement of forest land as proposed by the user agency in Co12 part I is unavoidable and is barest minimum required for the project. **Yes**

Whether any rare/endangered/unique species of flora and fauna found in the area. If so, the details thereof. **No**

Whether any projected archeological/heritage site/defence establishment or any other important monument is located in the area, if so, the details thereof, the NOC from competent authority, if required:- **No**


- g) The user agency has not violated the provisions of forest (Conversation), Act 1980 and no work has been started without proper sanction. **✓**
- h) It has been found that the user agency has violated the forest (Conversation), Act, 1980 provisions. A detailed report as per Para 1.9 of chapter 1, Para C of Handbook of forest (Conversation) Act, 1980 is attached. **×**

Specific recommendation for acceptance or otherwise of the proposal.


**Recommended for construcion of sprinkler-based lift Irrigation.**

Place :-Kalsi

Date :-

  
उप-प्रभागीय वनाधिकारी  
सहसपुर उप वन प्रभाग,  
कालसी।

(Signature)

  
प्रभागीय वनाधिकारी  
Divisional Forest Officer  
कालसी उप वन प्रभाग  
Soil Conservation Forest Division  
कालसी।

N.B. x state the purpose for which the forest land is proposed to be diverted.

xx out of (a) and (b) tick the option which is applicable and cross the option which is not applicable?

As per letter number 2-2/2000 FC dated 16-10-2000 from Ministry of Environment & Forests, Government of India for proposal involving less than 40 hectares of forest land, the site inspection report from DCF is required and for proposal involving more than 40 hectares of forest land site inspection report from the Conservator for forests required.