

कार्यालय
अधिशाली अभियन्ता,
पी०एम०जी०एस०वाई०, खण्ड,
लो०नि०वि०, कर्णप्रयाग

ई मेल : eepmgsykaraprayag2@rediffmail.com

Phon, Fax : 01363244103

पत्रांक 187 /32 प्रतिकर-पी.एम.जी.एस.वाई. /2018-19 दिनांक 03 /04/2019

सेवा में

नोडल अधिकारी,
इन्दरा नगर फोरेस्ट कलोनी,
देहरादून।

विषय:- पी०एम०जी०एस०वाई० के अन्तर्गत स्वीकृत नन्दप्रयाग घाट मोटर मार्ग के कि०मी० 15 से जाखणी मोटर मार्ग **FP/UK/ROAD/38448/2019** मोटर मार्ग के वनभूमि प्रस्ताव की आपत्तियों के निराकरण के सम्बन्ध में।

महोदय

उपरोक्त विषयक के कम में अवगत कराना है कि पी०एम०जी०एस०वाई० के अन्तर्गत स्वीकृत नन्दप्रयाग घाट मोटर मार्ग के कि०मी० 15 से जाखणी **FP/UK/ROAD/38448/2019** मोटर मार्ग के वन भूमि प्रस्ताव की आपत्तियों का निराकरण कर दिया गया है।

अधिशाली अभियन्ता,
पी०एम०जी०एस०वाई०, खण्ड,
लो०नि०वि०, कर्णप्रयाग

संलग्न:- 1 प्रति में।

पत्रांक /पी.एम.जी.एस.वाई. /2018-19

तददिनांक

प्रतिलिपि :-1. सहायक अभियन्ता पी०एम०जी०एस०वाई० खण्ड, लो०नि०वि० कर्णप्रयाग को सूचनार्थ एवं आवश्यक कार्यवाही हुतु प्रेषित।

अधिशाली अभियन्ता,
पी०एम०जी०एस०वाई०, खण्ड,
लो०नि०वि०, कर्णप्रयाग

1. Short narrative of the Project does not give adequate information about the proposal Online para -A-(iii) of part-I. It Should give Comprehensive details of the project in brief.	1. Short narrative of the Project has been uploaded para -A-(iii) of part-I.
2. Instead of justification for locating the project in forest land at Para D in part I, only benefit of road is mentioned .	2. Only benefit of road is mentioned.
3. FRA is incomplete and not clear please upload the FRA with all annexure at para K part I.	3. FRA is completely uploaded with all annexure at para K part I.
4. Provided certificate by DM is undated , please upload correct FRA at section K in Form A part I.	4. FRA is dated by DM uploaded at section K in form A, part I.
5. MoU and non encumbrance is not uploaded at section L (iv)-g,h in FormA, part I.	5. .MoU and non encumbrance is uploaded at section L (iv)-g,h in FormA, part I.
6. Required documents provided in additional information uploaded with check list format.	6. Additional information has been uploaded with check list format.
7. Generally documents provided for CA is double the area proposed for diversion, and in this case it's should be 4.9950 ha but it is mentioned 4.795 ha in details provided in part I needs clarification and necessary correction.	7. Area proposed for CA is double the area proposed for diversion .
8. The certificate of aerial distance of the project area is not found uploaded in Form A, part I.	8. The certificate of aerial distance of the project area is uploaded in Form A, part I.

Ex.E. P.W.D. S.Y Division
P.W.D. Karanprayag