

Site Inspection Report

A proposal has been received by this office from M/S Electrosteel Steels Ltd. under FC Act for diversion of 184.23 ha. forest land (Forest Land 99.27 ha. & Jungle-Jhari 84.96 ha.) for non forestry purpose. This proposal has been submitted for the regularization of already encroached forest land for the construction of M/S Electrosteel Steels Ltd. (Previously known as M/S Electrosteel Integrated Ltd.) since 2009. The site inspection of the land involved in the proposal has been done by undersigned on 23.03.2019 and it was found that the user agency was running a fully established steel plant with other attached activities like roads, dumps, offices etc. The patches of vegetation shows that the land required by user agency was Miscellaneous forest which includes Protected forest as well as GMJJ measuring 184.23 ha. During site inspection, it has been found that 738 trees (as per enclosed enumeration list) are present on the said land which need to be either removed or trimmed. Here it is also important to mention that out of 99.27 ha. Notified Forest Land 89.43 ha. forest land is already encroached and rest 9.84 ha. forest land is situated in between the project area and is also prone to encroachment by the company and public both.

No protected archaeological/heritage site/defense establishment or any other important monuments were located on the said project area.

No rare/endangered unique species of flora and fauna were found during the inspection in the diverted area for the said project.



Divisional Forest Officer,
Bokaro Forest Division, Bokaro.