

English Version of NOC from PWD

From

Executive Engineer,
Construction Division B&R,
Fazilka.

To

Sub Divisional Engineer,
Punjab W/S & Sew. Sub Division,
Fazilka.

No. 25 Date 06/04/2017

Subject: - Providing water supply and sewerage scheme Arniwala Sheikh Subhan.

Ref: - Your letter no. 89 date 15/03/2017.

In connection with the above said subject, the approval for laying water supply and sewerage pipe line is hereby granted subject to following conditions:-

1. The pipe line may be laid at minimum depth of 1 meter.
2. The property of any other department e.g. Cable/Tree should not be damaged during laying of pipe lines. In case any loss occurs, it will be responsibility of your department.
3. The Earth excavated for laying pipe line will be refilled as soon as possible and restored in its original condition.
4. In any case if it is required to dismantle the pipe line for repair etc. it will be repaired by your department at your own cost.
5. The expenditure incurred on repair of road damaged due to any leakage will be borne by your department.
6. NOC from Forest Department/N.P Arniwala/Bsnl Departemnt will be obtained by your department at its own level.
7. The pipe line will be laid at its further end beyond road edge.
8. The approval will be deemed to be cancelled in case of decision of any Hon'able Court/Legal Complicacy.

-Sd-

Executive Engineer,
Construction Division B&R
Fazilka.

Endst.No.

Date.

Copy of the above is forwarded to the Sub Divisional Engineer, B&R Construction Sub Division, Fazilka w.r.t its letter no. 852 date 24/03/2017 for information and necessary action.

-Sd-

Executive Engineer,
Construction Division B&R
Fazilka.