

From

Executive Engineer,  
Central Works Division,  
Pb. PWD B&R Branch,  
Patiala.

To

The Executive Engineer,  
Punjab Water Supply & Sewerage Division No: 1,  
Patiala.

Memo No. 3

Dated 1-4-16


Subject: Issue of NOC for Laying Water Pipe line from Vilalge Islampur to Liberty chowk on Rajpura Bypass of NH-64(07)

Ref: Sub Divisional Engineer, Punjab Water Supply & Sewerage Sub Division, Rajpura letter No. 177 dated 29.03.2016.

As requested by you through the communication referred above, this office has no objection against laying Water Pipe line from village Islampur to Liberty chowk on Rajpura Bypass of NH-64(07) subject to the following conditions:-

1. The Water Supply line shall be located as close to the extreme edge of this ROW as possible
2. The Water Supply line shall not be permitted to run along the National Highway when the road formation is situated in double cutting Nor shall these be laid over the existing culverts and bridges without the prior approval of Govt. of India.
3. The Water Supply line shall be so placed that at no time there is interference with the maintenance of the National Highway and there is no interruption of the flow of traffic during and after execution.
4. These should be laid strictly as per drawing by adopting confined cut excavation method as otherwise directed by the Highway authority so as no to obstruct drainage of the road land. The refilling of the trenches shall be as per MORT&H specifications.
5. For all the major bridges of 60m or more in length to be constructed in future on NH, the requirements of the concerned department should be ascertained in advance, and suitable provision in the form of the ducts etc. made in the project estimate.
6. The agency shall take prior approval from this department before undertaking any work of installation, shifting of repairs, or alterations, to the Water Supply line.


7. Expenditure if any, by this department (Highway Authority) for repairing any damage cost to the road by the laying, maintenance of shifting of the Water Supply line will be borne by the agency.
8. If the department considers it necessary in future to move/remove the Water Supply line for any work of improvement or repair of road. It will be carried out at the cost of the agency owing. The Water Supply line within a reasonable time of 60 days of the intimation given.

  
Executive Engineer,  
Central Works Division,  
Pb. PWD B&R Branch,  
Patiala.

Endst. No.

Dated:

Copy of the above is forwarded to the Sub Divisional Engineer, Central Works Sub Division, Sirhind at Patiala w.r.t his office letter no.4113 dated 18.03.16 for information and further necessary action.

  
Executive Engineer,  
Central Works Division,  
Pb. PWD B&R Branch,  
Patiala.

  
Sub Divisional Engineer  
Pb. W/S & Sew. Sub Div.  
RAJPURA

  
Executive Engineer,  
Pb. W/S. & Sewerage Division No. 1  
PATIALA