



HARYANA STATE POLLUTION CONTROL BOARD

Lala Nemi Chand Singhal Enc. Sohna Road, Near
Hanuman Mandir, Dharuhera Ph. 01274-244440-41(O)

Website: www.hspcb.gov.in E-Mail - hspcb.pkl@sifymail.com

Telephone No.: 0172-2577870-73

No. HSPCB/Consent/ : 313129218MAHCTE6117016

Dated: 26/12/2018

To.

M/s : SHRI RAM STONE CRUSHER
Khewat No. 11, Khatoni NO. 11, M.No. 49, Kila No. 3 (7-11) & 4 (7-11) total 15 Kanal
02 Marla at VIII-Panchnota, Nangal Chaudhary Distt-Mohindergarh
MAHENDRAGARH
123023

Sub. : Grant of consent to Establish to M/s SHRI RAM STONE CRUSHER

Please refer to your application no. 6117016 received on dated 2018-12-17 in regional office Dharuhera.

With reference to your above application for consent to establish, M/s SHRI RAM STONE CRUSHER is here by granted consent as per following specification/Terms and conditions.

Consent Under	AIR/WATER
Period of consent	26/12/2018 - 25/12/2023
Industry Type	Stone crushers
Category	ORANGE
Investment (In Lakh)	350.0
Total Land Area (Sq. meter)	7610.0
Total Builtup Area (Sq. meter)	4000.0
Quantity of effluent	
1. Trade	0.0 KL/Day
2. Domestic	0.5 KL/Day
Number of outlets	1.0
Mode of discharge	
1. Domestic	Septic Tank
2. Trade	NA
Permissible Domestic Effluent Parameters	
1. NA	
Permissible Trade Effluent Parameters	
1. NA	mg/l
Number of stacks	1
Height of stack	

1. Stack attached to DG set	3 meters
Permissible Emission parameters	
1. SPM	600 mg/m ³
Capacity of boiler	
1. N.A.	Ton/hr
Type of Furnace	
1. N.A.	
Type of Fuel	
1. Diesel	0.250 KL/day

*Regional Officer, Dharuhera
Haryana State Pollution Control Board.*

Terms and conditions

1. The industry has declared that the quantity of effluent shall be 0.5 KL/Day i.e 0KL/Day for Trade Effluent, 0 KL/Day for Cooling, 0.5 KL/Day for Domestic and the same should not exceed .
2. The above 'Consent to Establish' is valid for 60 months from the date of its issue to be extended for another one year at the discretion of the Board or till the time the unit starts its trial production whichever is earlier. The unit will have to set up the plant and obtain consent during this period.
3. The officer/official of the Board shall have the right to access and inspection of the industry in connection with the various processes and the treatment facilities being provided simultaneously with the construction of building/machinery. The effluent should conform the effluent standards as applicable
4. That necessary arrangement shall be made by the industry for the control of Air Pollution before commissioning the plant. The emitted pollutants will meet the emission and other standards as laid/will be prescribed by the Board from time to time.
5. The applicant will obtain consent under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21/22 of the Air (Prevention & Control of Pollution) Act,1981 as amended to-date-even before starting trial production
6. The above Consent to Establish is further subject to the conditions that the unit complies with all the laws/rules/decisions and competent directions of the Board/Government and its functionaries in all respects before commissioning of the operation and during its actual working strictly.
7. No in-process or post-process objectionable emission or the effluent will be allowed, if the scheme furnished by the unit turns out to be defective in any actual experience
8. The Electricity Department will give only temporary connection and permanent connection to the unit will be given after verifying the consent granted by the Board, both under Water Act and Air Act.
9. Unit will raise the stack height of DG Set/Boiler as per Board's norms.
10. Unit will maintain proper logbook of Water meter/sub meter before/after commissioning.

11. That in the case of an industry or any other process the activity is located in an area approved and that in case the activity is sited in an residential or institutional or commercial or agricultural area, the necessary permission for siting such industry and process in an residential or institutional or commercial or agricultural area or controlled area under Town and Country Planning laws CLU or Municipal laws has to be obtained from the competent Authority in law permitting this deviation and be submitted in original with the request for consent to operate.
12. That there is no discharge directly or indirectly from the unit or the process into any interstate river or Yamuna River or River Ghaggar.
13. That the industry or the unit concerned is not sited within any prohibited distances according to the Environmental Laws and Rules, Notification, Orders and Policies of Central Pollution control Board and Haryana State Pollution Control Board.
14. That of the unit is discharging its sewage or trade effluent into the public sewer meant to receive trade effluent from industries etc. then the permission of the Competent Authority owing and operating such public sewer giving permission letter to his unit shall be submitted at time of consent to operate.
15. That if at any time, there is adverse report from any adjoining neighbor or any other aggrieved party or Municipal Committee or Zila Parishad or any other public body against the unit's pollution; the Consent to Establish so granted shall be revoked.
16. That all the financial dues required under the rules and policies of the Board have been deposited in full by the unit for this Consent to Establish.
17. In case of change of name from previous Consent to Establish granted, fresh Consent to Establish fee shall be levied.
18. Industry should adopt water conservation measures to ensure minimum consumption of water in their Process. Ground water based proposals of new industries should get clearance from Central Ground Water Authority for scientific development of previous resource.
19. That the unit will take all other clearances from concerned agencies, whenever required.
20. That the unit will not change its process without the prior permission of the Board.
21. That the Consent to Establish so granted will be invalid, if the unit falls in Aravali Area or non conforming area.
22. That the unit will comply with the Hazardous Waste Management Rules and will also make the non-leachate pit for storage of Hazardous waste and will undertake not to dispose off the same except for pit in their own premises or with the authorized disposal authority.
23. That the unit will submit an undertaking that it will comply with all the specific and general conditions as imposed in the above Consent to Establish within 30 days failing which Consent to Establish will be revoked.
24. That unit will obtain EIA from MoEF, if required at any stage.
25. In case of unit does not comply with the above conditions within the stipulated period, Consent to Establish will be revoked.
26. That unit will obtain consent to operate from the board before the start of product activity.

Specific Conditions

Other Conditions :

That the unit will install and abide by the directions of notification dated 11.05.2016. 2. The unit will installed air pollution control measure (APCM) as per notification dated 11.05.2016. 3. Unit will apply for first CTO after the installation of plant and machinery and completion of latest APCM as per notification 11.05.2016 before commissioning and before 90 days of expiry of CTE. 4. Unit will take all necessary clearances from all the concerned departments / agencies. 5. This CTE is for establishment of unit at Khewat No. 11, Khatoni NO. 11, M.No. 49, Kila No. 3 (7-11) & 4 (7-11) total 15 Kanal 02 Marla at VIII-Panchnota, Nangal Chaudhary Distt-Mohindergarh. 6. In case at any stage, if aravali plantation/Gair Mumkin Pahar will be declared as forest by the concerned department / by any court of law / Govt./Forest Deptt etc, and if unit fails to meet prescribed siting norms, this CTE deemed revoked. 7. This CTE is valid for 05 years or up to the commissioning of the unit whichever is earlier. 8. The unit will use / purchase raw materials from the legal mines. 9. The unit will abide with the directions/guidelines HSPCB/CPCB/ any court decision/ direction of any competent authority. 10. The unit will abide for the production capacity upto average 3000 MT/day with install one set of plant & machinery as per submitted proposed site plan. 11. Unit will maintain record of water consumed for spraying/dust suppression & used for domestic purpose. 12. This CTE is without prejudice to any action under the provisions of applicable laws / acts / notification / courts order to be taken in respect of any violation at any stage without any claim of the unit. If the unit fails to comply the provisions of said notification dated 11.05.2016, conditions of CTE, various applicable provisions of concerned departments / agencies / authorities / any relevant decision of court, the consent to establish so granted shall be revoked automatically without giving any notice.

Bhupender Singh

Digitally signed by Bhupender Singh
Date: 2018.12.26 09:45:16 +05'30'

*Regional Officer, Dharuhera
Haryana State Pollution Control Board.*