

(18)

CHECK LIST SERIAL NUMBER - 25

SITE INSPECTION REPORT NOT BELOW THE RANK OF DCF

(For the forest land to be diverted under FCA)

A proposal has been received From by the Uttar Pradesh State Highways Authority 4th Floor, Kisan Mandi Bhawan, Vibhuti Khand Gomti Nagar Lucknow U.P. India for diversion under (FCA - 1980) of 9.00 ha forest land for construction Varanasi - Shaktinagar section (SH -5A) project. The site inspection of the land involved in the proposal has done by me on dated : 6/5/2015.

On inspection of the site. It is found that the land required by the user agency is a Protected forest measuring : 9.000 ha. Total 9.000 ha.

The requirement of forest land as proposed by the user agency in Col-2 Part-I is unavoidable and is barest minimum required for the project.

Weather any rare / end angered / unique species of flora and fauna found in the area. It so the details there of : No.

Weather any protected archeological /heritage site/defense establishment or any other important monuments is located in the area, if so the details there, of with NOC from competent authority, if required : No.

The user agency has not violated the provisions of forest (Conservation) Act 1980 and no work has been started without proper sanction ().


a) It has been found that the user agency has violated the forest (Conservation) Act 1980 provisions. A details report as per Para 1.9 of Chapter 1. Para C of Handbook of forest (Conservation) Act, 1980 is attached ()

Specific recommendation for acceptance or otherwise of the proposal.

The proposal is recommended for sanction.

Place- Mirzapur .

Date: 6/5/2015


Divisional Forest Officer
Mirzapur Forest Division
Mirzapur .

N.B. State the purpose for which the forest land is proposed to be diverted. The forest land required to be diverted for construction of above Road.

XX Out of (a) and (b) tick the option which is applicable and cross the option which is not applicable. As per letter number 2-2/2000 F.C. 16-10-200 from Ministry of environment and Forest, Government of India for proposed involving less than 40 hectares of forest land, the site inspection from DCF is required and for proposal involving more than 40 hectares of forest land site inspection report land from the conservator of forests is required.