



(64)

UTTAR PRADESH POLLUTION CONTROL BOARD

Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.com, Website: www.uppcb.com

Validity Period :17/03/2022 To 16/03/2025

Ref No. - 152904/UPPCB/Bareilly(UPPCBRO)/CTE/PILIBHIT/2022 Dated:- 20/03/2022

To ,

Shri AYUSH MITTAL

M/s INDIAN OIL CORPORATION LIMITED

VILLAGE-LALAUARI, (PILIBHIT TO JAHANABAD ROAD), TEHSIL-SADAR, DISTRICT-

PILIBHIT

PILIBHIT

Sub : Consent to Establish for New Unit/Expansion/Diversification under the provisions of Water (Prevention and control of pollution) Act, 1974 as amended and Air (Prevention and control of Pollution) Act, 1981 as amended.

Please refer to your Application Form No.- 15555443 dated - 14/03/2022. After examining the application with respect to pollution angle, Consent to Establish (CTE) is granted subject to the compliance of following conditions :

1. Consent to Establish is being issued for following specific details :

A- Site along with geo-coordinates : 28.623696 & 79.759650

B- Main Raw Material :

Main Raw Material Details		
Name of Raw Material	Raw Material Unit Name	Raw Material Quantity
RETAIL OUTLET STORAGE OF M.S. (IN K.L.)	Kilo Liters/Day	20
RETAIL OUTLET STORAGE OF H.S.D. (IN K.L.)	Kilo Liters/Day	20
RETAIL OUTLET STORAGE OF H.S.D. (IN K.L.)	Kilo Liters/Day	20

C- Product with capacity :

Product Detail	
Name of Product	Product Quantity
H.S.D (IN K.L.)	20
H.S.D (IN K.L.)	20
M.S. (IN K.L.)	20

D- By-Product if any with capacity :

By Product Detail			
Name of By Product	Unit Name	Licence Product Capacity	Install Product Capacity
NA	Metric Tonnes/Day	00	00

2. Water Requirement (in KLD) and its Source :

Source of Water Details		
Source Type	Name of Source	Quantity (KL/D)
Ground Water (within premises)	SUBMERSIBLE PUMP	2.0

3. Quantity of effluent (In KLD) :

Effluent Details	
Source Consumption	Quantity (KL/D)
Domestic	2.0

4. Fuel used in the equipment/machinery Name and Quantity (per day) :

Fuel Consumption Details		
Fuel	Consumption(tpd/kld)	Use
Diesel	0.20	15 K.V.A. D.G. SET

5. For any change in above mentioned parameters, it will be mandatory to obtain Consent to Establish again. No further expansion or modification in the plant shall be carried out without prior approval of U.P. Pollution Control Board.

For any change in above mentioned parameters, it will be mandatory to obtain Consent to Establish again. No further expansion or modification in the plant shall be carried out without prior approval of U.P. Pollution Control Board.

2. You are directed to furnish the progress of Establishment of plant and machinery, green belt, Effluent Treatment Plant and Air pollution control devices, by 10th day of completion of subsequent quarter in the Board.
3. Copy of the work order/purchase order, regarding instruction and supply of proposed Effluent Treatment Plant/Sewerage Treatment Plant /Air Pollution control System shall be submitted by the industry till 16/03/2025 to the Board.
4. Industry will not start its operation, unless CTO is obtained under water (Prevention and control of Pollution) Act, 1974 and Air (Prevention and control of Pollution)Act, 1981 from the Board.
5. It is mandatory to submit Air and Water consent Application,complete in all respect, four months before start of operation, to the U.P. Pollution Control Board.
6. Legal action under water (Prevention and control of Pollution) Act, 1974 and Air (Prevention and Control of Pollution) Act,1981 may be initiated against the industry With out any prior information,in case of non compliance of above conditions.

Specific Conditions:

- 56
- 1- This CTE is granted to M/S INDIAN OIL CORPORATION LIMITED, GATA No-442, VILLAGE -LALAUARI, (PILIBHIT TO JAHANABAD ROAD), TEHSIL-SADAR, DISTRICT-PILIBHIT for RETAIL OUTLET STORAGE & distribution H.S.D. (Diesel)-Tank Storage Capacity 20, 20 KL, M.S. (Petrol)-Tank Storage Capacity 20 KL only.
 - 2- Unit shall make all arrangements of fire safety and disaster; comply with the provisions of fire safety and explosive norms.
 - 3- Unit shall responsible for any emergency/ Disaster.
 - 4- Unit shall comply with the provisions of Environment (Protection) Act, 1986, Water (Prevention and Control of Pollution) Act, 1974 as amended, Air (Prevention and Control of Pollution) Act, 1981 as amended.
 - 5- This CTE shall void if any complaint find against the unit.
 - 6- The Retail Outlet shall installed 15 K.V.A set and stack height as per norms with acoustic enclosure.
 - 7- Retail Outlet shall insure the proper/sufficient plantation of your Retail Outlet campus for the improvement of environment nearby area and submit a compliance report within three month.
 - 8- Retail Outlet shall obtain No Objection Certificate from State Ground Water Authority Lucknow /DGWMA, PILIBHIT before extraction of ground water.
 - 9- Retail Outlet shall insure the proper/sufficient plantation for the improvement of the environment in nearby area.
 - 10- Retail Outlet shall insure the installation of Rainwater Harvesting system on your Retail Outlet campus.
 - 11- This CTE is only valid for discharge of domestic effluent 1.0 KLD through septic tank and soak pit.
 - 12- The Board has the right to modify any condition & when required in compliance with any change in environmental guidelines and Hon'ble courts orders passed from time to time.
 - 13- To comply Central Pollution Control Board guidelines For setting up of new petrol pumps in compliance of Hon'ble NGT order dated 18.01.2019 in OA no. 86/2019 Gyan prakash@pappu singh Vs GOI & Others.

Please note that consent to Establish will be revoked, in case of, non compliance of any of the above mentioned conditions. Board reserves its right for amendment or cancellation of any of the conditions specified above. Industry is directed to submit its first compliance report regarding above mentioned specific and general conditions till 20/04/2022 in this office. Ensure to submit the regular compliance report otherwise this Consent to Establish will be revoked.

ROHIT SINGH Digitally signed
by ROHIT SINGH
Date: 2022.03.20
15:48:53 +05'30'

**Regional Officer
U.P.P.C.B. Bareilly**

Dated:- 20/03/2022

Copy To -

Chief Environment Officer, (Circle-7), U.P. Pollution Control Board, Lucknow For Kind Information.

**Regional Officer
U.P.P.C.B. Bareilly**