

SITE INSPECTION REPORT - NOT BELOW THE RANK OF DCF
(for the forest land to be diverted under FCA)

A proposal has been received by this office from Mr. H. S. Chaudhary for diversion under Section 4 of FCA of 1.25 ha. of forest land for non-forestry purpose. The project envisages the use of land for construction of a Petrol Pump. The site inspection of the land involved in the proposal has been done by me on dated 15.12.2010.

On inspection of the site, it is found that the land required by the user agency is a RE/PT/any land of 1.25 ha. Currently the land is being used for running Petrol Pump. Krishi Sava Kendra is not being operated here.

The requirement of forest land as proposed by the user agency in Col. 2 part-I is unavoidable and Yes least minimum required for the project.

Whether any rare/endangered/unique species of flora and fauna found in the area. If, so the details thereof:- No

Whether any protected archeological/heritage site/defence establishment or any other important monument is located in the area, if, so the details thereof with NOC from competent authority, if required:-

a) The user agency has not violated the provisions of forest (Conservation), Act 1980 and no work has been started without proper sanction.

b) It has been found that the user agency has violated (Conservation, Act and 1980 provisions. A details report as per para 1.9 of chapter I, Para C of Hand Book of Forest (Conservation) Act, 1980 attached.

User Agency has not produced N.C.C. for the operation of Petrol Pump
Specific recommendation for acceptance or otherwise of the proposal.

Place Raigarh
Date 15.12.2010

Name [Signature]
Designation प्रभावीय वन्यजिवाणु
Office Seal रायनगर वन्यजिवाणु, रायनगर

N.B. State the purpose for which the forest land is proposed to be diverted.
Out of (a) and (b) tick the option which is applicable and cross the option which is not applicable.

As per letter number 2-2/2000 FC dated 16-10-2000 from Ministry of Environment & Forest, Government of India for proposal involving less than 40 hectares of forest land, the site inspection report from DCF is required and for proposal involving more the 40 hectares of forest land site inspection report from the conservation of forests is required.