



DIGITAL
LIFE

क्रमांक/जिडिफाप्रालि/ओएफसी/प्रस्ताव/सूरजपुर/2025

रायपुर, दिनांक : 14/05/2025

प्रति,

वन मण्डलाधिकारी,
वन मण्डल सूरजपुर,
जिला-सूरजपुर (छत्तीसगढ़).

विषय : सूरजपुर जिले के सूरजपुर वनमण्डल अन्तर्गत वन संरक्षण अधिनियम के अन्तर्गत वन भूमि के गैर वानिकी उपयोग हेतु Laying of OFC along with ROW (Road Corridor) under Network Strengthening and providing connecting to Rural Areas in Surajpur District of Chhattisgarh हेतु क्षेत्रफल 7.396 हेक्टेयर के संबंध में ।

पंजीयन क्रमांक FP/CG/OFC/146672/2021

संदर्भ : आपका पत्र क्रमांक/मा.चि./800 दिनांक 26.04.2024 ।

महोदय,

संदर्भित पत्र के परिपालन में लेख है कि विषयांकित प्रकरण वर्ष 2021 में पंजीकृत है तथा तत्समय वन (संरक्षण) नियम 2003 यथा संशोधित 2009 अन्तर्गत प्रस्ताव प्रक्रियाधीन था एवं उक्त प्रकरण में EDS एवं EDS प्रत्युत्तर के पत्राचार में प्रकरण आज पर्यन्त तक विचाराधीन है ।

उपरोक्त संदर्भित पत्र में आपके द्वारा प्रकरण में "वैकल्पिक वृक्षारोपण क्षेत्र हेतु गैर वनभूमि का चयन कर डी.जी.पी.एस. रिपोर्ट एवं संबंधित परिक्षेत्र अधिकारी से 10 वर्षीय सिंचित वृक्षारोपण परियोजना तैयार कर" प्रस्तुत किए जाने हेतु लेख किया गया है ।

उक्त संबंध में अवगत हो कि उपरोक्त बाध्यता वन (संरक्षण एवं संवर्धन) नियम 2023 अन्तर्गत परिवेश पोर्टल 2.0 में प्रक्रियाधीन प्रकरणों में लागू है ।

विषयांकित प्रकरण के संबंध में संस्थान द्वारा भारत सरकार पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय के अधीन "परिवेश पोर्टल" के Complaint Management System में Complaint ID : TIC-25029197 के माध्यम से Ticket raised कर मार्गदर्शन चाहा गया, जिस पर दिनांक 14.05.2025 को Complaint Management System द्वारा Ticket resolve कर डी-लीस्टेड प्रकरण को रि-लीस्ट करते हुए निर्देशित किया गया है कि "प्रकरण परिवेश पोर्टल 1.0 के माध्यम से ही व्यपवर्तन की कार्यवाही अग्रेषित होगी (अवलोकन हेतु छायाप्रति संलग्न है) । इसी अनुक्रम में विदित हो कि परिवेश 1.0 के प्रक्रियाधीन प्रकरणों में सड़क समानांतर (आर.ओ.डब्ल्यू.) सीमा में ऑप्टिकल फायबर केबल बिछाने हेतु भारत सरकार पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय नई दिल्ली के पत्र क्रमांक FC-11/155/2019-FC दिनांक 27 जुलाई 2020 के माध्यम से वैकल्पिक वृक्षारोपण की प्रक्रिया में छूट प्रदान की गई है । अवलोकन हेतु पत्र की छायाप्रति संलग्न है ।

4th Floor, Office Block, Office No.401-405, Ambuja Mall, Vidhansabha Road, Mowa (Saddu), Raipur (Chhattisgarh)-492014

Office Phone No. : 0771-3557701

Jio Digital Fibre Private Limited, CIN : U72900GJ2007PLC105869

Registered Office : Office – 101, Saffron, Nr. Centre Point, Panchwati 5 Rasta, Ambawadi, Ahmedabad – 380 006, Gujarat, India,
Phone No.: 079-3560 0100, www.jio.com

अतः उपरोक्तानुसार लम्बित प्रकरण परिवेश पोर्टल 1.0 में कार्यवाही अग्रेषित करने का कष्ट करें।

संलग्न :- उपरोक्तानुसार छायाप्रति ।



असि.वाईस प्रेसिडेंट (कार्पो. अफेयर्स)
जियो डिजीटल फायबर प्रायवेट लिमिटेड
रायपुर (छत्तीसगढ़)

प्रतिलिपि :-

1. प्रधान मुख्य वनसंरक्षक (भू-प्रबंध/व.स.अ.), अरण्य भवन, नवा रायपुर, अटल नगर को सादर सूचनार्थ प्रेषित ।

COMPLAINT DETAILS

Complaint ID and Proposal #	Complaint Details	Complaint Issuer Details	Feedback	Uploaded Screenshot
Complaint ID: TIC-25029197 Proposal No: ED/CC/OEC/446679/202	Issue Type: Others Clearance Type: Forest Clearance	Mobile No & Email: 7415478692 amanksingh@rediffmail.com	This proposal registered on dated: 22-04-2022 in Parivesh 1.0 and as per portal, proposal pending at DFO. As per Guidelines No. FC-11/118/2021-FC dated: 25th Jan 2024 this proposal has to be migrated	N/A
PARIVESH: Complaint Management System				
Date: 03-05-2025 05:27 PM		UPPAAI ISSUARK PP/User Agency	L.V. Request you to kindly check and resolve the issue as soon as possible.	

Complaint Resolution Details

Complaint Details	Resolved Date	Resolved Remarks	Uploaded Screenshot(Resolve)	Issue Sub Category
Complaint ID: TIC-25029197 Date: 03-05-2025 05:27 PM	14-05-2025 01:00 PM	The concerned proposal has not been granted In-Principle Approval. There is no reference of such proposals to be migrated to PARIVESH 2.0. As per current scenario, proposal applied in PARIVESH 1.0 will continue to be processed in PARIVESH 1.0. It was	N/A	Others

Complaint Details	Resolved Date	Resolved Remarks	Uploaded Screenshot(Resolve)	Issue Sub Category
		Delisted due to Non-Reply of EDS for more than 90 days by the UA, now it has been Relisted.		

Query Details

S.No.	Complaint ID	Raise Query Date	Query Details	Reply Query Date	Reply Details	Uploaded Screenshot (Reply)	Status

PARIVESH portal is Designed, Developed and Hosted by National Informatics Centre, Ministry of Electronics & IT (MeitY) |

Government of India

© Content Owned by Ministry of Environment, Forest and Climate Change | Government of India

Release Date: 21-11-2023

Updated Date: 07-05-2025

कार्यालय वनमण्डलाधिकारी, सूरजपुर वनमण्डल सूरजपुर (छ.ग.)

Phone No. (07775)-266992 (O)

E-mail Id -dfosurajpur@gmail.com

क्रमांक/मा.चि./४००

सूरजपुर, दिनांक/ २६ / ०४ / २०२४

प्रति,

असिस्टेंट वॉईस प्रेसिडेंट (कार्पो. अफेयर्स)

जियो डिजिटल फायबर प्रायवेट लिमिटेड

रायपुर (छत्तीसगढ़)

विषय:-

सूरजपुर जिले के सूरजपुर वनमण्डल अंतर्गत वन संरक्षण अधिनियम के अंतर्गत वनभूमि के गैर वानिकी उपयोग हेतु जियो डिजिटल फाइबर प्राइवेट लिमिटेड द्वारा Laying of OFC along with ROW (Road Corridor) under Network strengthening and Providing Connecting to Rural Areas in Surajpur District of Chhattisgarh हेतु क्षेत्रफल 7.396 हे. का व्यपवर्तन प्रस्ताव।

पंजीयन क्रमांक-FP/CG/OFC/146672/2021

संदर्भ:-

1. अपर प्रधान मुख्य वन संरक्षक (भू-प्रबंध/व.सं.अ) नया रायपुर अटलनगर का पत्र क्रमांक/भू-प्रबंध/विविध-ए/115-933/633 दिनांक 01.03.2024
2. मुख्य वन संरक्षक सरगुजा वनवृत्त अम्बिकापुर का पत्र क्रमांक/मा.चि./न.क्र.-157/2024/1901 दिनांक 20.03.2024

— 00 —

विषयांकित संदर्भित पत्र-1 में Laying of OFC along with ROW (Road Corridor) under Network strengthening and Providing Connecting to Rural Areas in Surajpur District of Chhattisgarh हेतु क्षेत्रफल 7.396 हे. के प्रस्ताव पर अपर प्रधान मुख्य वन संरक्षक (भू-प्रबंध) छ.ग. रायपुर के द्वारा डब्ल्यू नई दिल्ली के पत्र दिनांक 29.12.2023 द्वारा जारी गाईड लाईन अनुसार भूमिगत ऑप्टिकल फायबर केबल बिछाने हेतु 1.000 हे. से अधिक के प्रकरणों में क्षतिपूर्ति वृक्षारोपण हेतु बाध्यता एवं छूट नहीं देने की जानकारी देते हुये प्रकरण में क्षतिपूर्ति वृक्षारोपण हेतु गैर वनभूमि का चयन कर डी.जी.पी.एस. रिपोर्ट एवं 10 वर्षीय सिंचित वृक्षारोपण परियोजना प्रतिवेदन तैयार कर संशोधित प्रस्ताव भेजने हेतु निर्देशित किया गया है।

अतः उक्त प्रकरण में क्षतिपूर्ति वृक्षारोपण हेतु गैर वनभूमि का चयन कर डी.जी.पी.एस. रिपोर्ट एवं 10 वर्षीय सिंचित परियोजना प्राक्कलन तैयार कर संशोधित प्रस्ताव शीघ्र इस कार्यालय को प्रस्तुत करे, ताकि प्रस्ताव वरिष्ठ कार्यालय को प्रस्तुत किया जा सकें।

संलग्न :- संदर्भित पत्र -01 एवं 02 मय प्रस्ताव 04 प्रतियों में।

वनमण्डलाधिकारी

सूरजपुर, वनमण्डल सूरजपुर

सूरजपुर, दिनांक/ २६ / ०४ / २०२४

पृ. क्रमांक/मा.चि./४०१

प्रतिलिपि:- 1. अपर प्रधान मुख्य वन संरक्षक (भू-प्रबंध), अटलनगर नया रायपुर की ओर सूचनार्थ सम्प्रेषित।

✓ 2. मुख्य वन संरक्षक, सरगुजा वनवृत्त अम्बिकापुर की ओर सूचनार्थ सम्प्रेषित।

वनमण्डलाधिकारी

सूरजपुर, वनमण्डल सूरजपुर

Government of India
Ministry of Environment Forests & Climate Change
(Forest Conservation Division)

Indira Paryavaran Bhawan
Jor Bagh Road, Aliganj
5th Floor, Agni Wing
New Delhi-110003
Dated: 27th July, 2020

To,
The Principal Secretary (Forests)
All States/UTs

Sub: Clarification regarding guidelines for diversion of forest land for non-forest purpose as per the general approval, under Section-2 of the Forest (Conservation) Act, 1980, for laying of underground CNG/PNG and Slurry pipelines-reg.

Sir,

I am directed to refer to the representation received from the Government of Punjab through Regional Office Chandigarh vide letter no. 1-2Misc/2019-ROC dated 08.01.2020 on the above mentioned subject and to inform that the matter was considered by the Forest Advisory Committee (FAC) in its meeting held on 23.04.2020.

2. FAC observed that as per existing guidelines dated 28.03.2019, condition mentioned in Para 4.1 (f) is also applicable on the proposals mentioned in Para 4.2. It further observed that laying of underground CNG/PNG and Slurry pipelines in RoW of the existing road is an activity being taken up in forest area which is already under non forest use.

3. After thorough deliberation on the issue, FAC recommended that CA may not be levied in case of laying of underground Optical Fiber Cables (OFC), telephone lines, drinking water supply pipelines, electricity cables, CNG/PNG and Slurry pipelines within the RoW of existing roads (trench size not more than two meter in depth and one meter in width) not falling in National Parks and Wildlife Sanctuaries without felling of trees.

4. In view of the above, Para 4.2 of the Comprehensive Guidelines issued on 28.03.2019 may be read as:

Laying of Underground Optical Fiber Cables (OFC), telephone lines, drinking water supply pipelines, electricity cables, CNG/PNG and Slurry pipelines. General approval is accorded for taking up these projects within RoW of existing roads (trench size not more than two meter in depth and one meter in width) not falling in National Parks and Wildlife Sanctuaries' without felling of trees. Approval, in addition to general conditions mentioned above under para 4.1 (*except condition "f"*), subject to the following specific conditions:

- a. *No tree felling is involved for the proposed work*
- b. *After completion of the project the area under RoW should be reclaimed suitably.*
- c. *UA agrees to make good of any loss to Forest/Environment.*

- d. *The UA will seek permission from the local FD for carrying out any maintenance.*
- e. *In case, the proposed area falls in the RoW of the road passing through National Parks and Wildlife Sanctuaries, General Approval is subject to prior permissions from the State Board for Wildlife.*
- f. *In case of project involve tree felling, ten trees for each tree marked for removal shall be planted at the cost of user agency in consultation with the local forest department.*

This issues with the approval of the competent authority.

Your faithfully,

(Sandeep Sharma)
Asst. inspector General of Forests

Copy to:

- 1. The PCCF (HoFF), Department of Forest, All States/UTs.
- 2. The DDGFs(Central), MoEF&CC, All Regional Offices.
- 3. The Nodal officer (FCA), Department of Forest, All states/UTs.
- 4. Monitoring cell of FC Division with request to upload on PARIVESH portal

Validity unknown

Digitally signed by SANDEEP
SHARMA
Date: 2020.07.28 17:18:20 IST

