



UTTAR PRADESH POLLUTION CONTROL BOARD

Validity Period :08/04/2019 To 07/04/2020

Ref No. - 55566/UPPCB/Mathura(UPPCBRO)/CTE/MATHURA/2019 Dated:- 11/04/2019

To ,

Shri SHYAM GUPTA

M/s INDIAN OIL CORPORATION LIMITED

KHASRA NO-617, MAUJA HARIPURA BARAHANA CHHATA,

MATHURA.,MATHURA,281403

MATHURA

Sub : Consent to Establish for New Unit/Expansion/Diversification under the provisions of Water (Prevention and control of pollution) Act, 1974 as amended and Air (Prevention and control of Pollution) Act, 1981 as amended.

Please refer to your Application Form No.- 5041319 dated - 08/04/2019. After examining the application with respect to pollution angle, Consent to Establish (CTE) is granted subject to the compliance of following conditions :

1. Consent to Establish is being issued for following specific details :

A- Site along with geo-coordinates :

B- Main Raw Material :

Main Raw Material Details		
Name of Raw Material	Raw Material Unit Name	Raw Material Quantity
Petrol-20 KL, And Diesel-40 KL	Metric Tonnes/Day	60

C- Product with capacity :

Product Detail	
Name of Product	Product Quantity
Retail Outlet PETROL 20 KL, DIESEL (20-20 KL)40 KL	60

D- By-Product if any with capacity :

By Product Detail			
Name of By Product	Unit Name	Licence Product Capacity	Install Product Capacity
N/A	Kilo Liters/Day	0	0

2. Water Requirement (in KLD) and its Source :

Source of Water Details		
Source Type	Name of Source	Quantity (KL/D)
Ground Water (within premises)	submersible pump	1.0

3. Quantity of effluent (In KLD) :

मो. एहतशाम जुबेरी / Mohd. Ehtasham Zuberi
मुख्य प्रबंधक (रिटेल सेल्स) / Chief Manager (Retail Sales)
इंडियन ऑयल कॉर्पोरेशन लि. (पि. प्र.)
Indian Oil Corporation Ltd. (M. D.)
आगरा मण्डल कार्यालय / Agra Divisional Office
इंडियन ऑयल हाउस / Indian Oil House
65/2, संजय प्लेस, आगरा- 282002 (यू.पी.)
65/2, Sanjay Place, Agra - 282002 (U.P.)

Effluent Details	
Source Consumption	Quantity (KL/D)
Domestic	1.0

4. Fuel used in the equipment/machinery Name and Quantity (per day) :

Fuel Consumption Details		
Fuel	Consumption(tpd/kld)	Use

5. For any change in above mentioned parameters, it will be mandatory to obtain Consent to Establish again. No further expansion or modification in the plant shall be carried out without prior approval of U.P. Pollution Control Board.
- For any change in above mentioned parameters, it will be mandatory to obtain Consent to Establish again. No further expansion or modification in the plant shall be carried out without prior approval of U.P. Pollution Control Board.
2. You are directed to furnish the progress of Establishment of plant and machinery, green belt, Effluent Treatment Plant and Air pollution control devices, by 10th day of completion of subsequent quarter in the Board.
3. Copy of the work order/purchase order, regarding instruction and supply of proposed Effluent Treatment Plant/Sewerage Treatment Plant /Air Pollution control System shall be submitted by the industry till 07/04/2020 to the Board.
4. Industry will not start its operation, unless CTO is obtained under water (Prevention and control of Pollution) Act, 1974 and Air (Prevention and control of Pollution) Act, 1981 from the Board.
5. It is mandatory to submit Air and Water consent Application, complete in all respect, four months before start of operation, to the U.P. Pollution Control Board.
6. Legal action under water (Prevention and control of Pollution) Act, 1974 and Air (Prevention and Control of Pollution) Act, 1981 may be initiated against the industry With out any prior information, in case of non compliance of above conditions.

Specific Conditions:

Handwritten signature and date: 13/5/19

मो. एहताशम ज़ुबेरी / Mohd. Ehtasham Zuberi
मुख्य प्रदाता (सी.डी. सेल्स) / Chief Manager (Retail Sales)
इंडियन ऑयल कॉर्पोरेशन लि. (वि. प्र.)
Indian Oil Corporation Ltd. (M. D.)
आगरा मण्डल कार्यालय / Agra Divisional Office
इंडियन ऑयल भवन / Indian Oil House
65/2, संजय प्लेस, आगरा- 282002 (यू.पी.)
65/2, Sanjay Place, Agra - 282002 (U.P.)

01. The industry shall comply with ambient air quality standards of SO₂ - 80 g/m³; NO_x - 80 g/m³, PM_{2.5} - 60 g/m³; PM₁₀ - 100 g/m³; and other parameters as notified by MoEF & CC, GOI vide notification No.GSR 826(E), dated 16.11.2009 during operational phase of the project.
02. The industry shall meet the following National Ambient Air Quality standards in respect of Noise. Day time (6 AM to 10 PM) - 75 dB (A) Night time (10 PM to 6 AM) - 70 dB (A)
03. The industry shall not increase the capacity beyond the permitted capacity mentioned in this order, without obtaining CTE & CTO of the Board.
04. Proper handling, storage, utilization and disposal of all the solid waste should be ensure in environmentally sound manner.
05. The following Rules and Regulations notified by the MOEF & CC, GOI shall be implemented. a) E-Waste Management Rules, 2016. b) The Plastic Waste Management Rules, 2016. c) Hazardous and other Wastes (Management & Transboundary Movement) Rules, 2016.
06. Greenbelt of adequate density & thickness shall be developed & maintained all along the periphery in an area of 33% of total project area.
07. The industry shall ensure that there shall not be any change in the process technology, raw materials and scope of working without prior approval from the Board.
08. The industry shall provide & operate the following dust containment / suppression measures to comply with standards prescribed by the Board. a) Shall construct wind breaking wall all around the periphery of the site. b) Shall install machinery in a closed shed. c) Shall provide bag filter to mitigate fugitive dust emissions from process section and house the bag filter in closed shed. d) Shall store all the raw materials & products in closed sheds only. e) Shall regularly undertake cleaning & wetting of ground at your premises. f) Shall provide & operate water sprinklers at all dust emanating sources.
09. All the pollution control equipment / measures installed by the industry should be intact during the consent period.
10. The industry shall comply with all the directions issued by the Board from time to time.
11. The industry shall submit condition wise compliance report of this CTO order to the Regional Office, Mathura regularly on a half yearly basis by 1 st January and 1 st July of each calendar year.
12. Concealing the factual data or submission of false information / fabricated data and failure to comply with any of the conditions mentioned in this order may result in withdrawal of this order and attract action under the provisions of relevant pollution control Acts.
13. The Board reserves its right to modify above conditions or stipulate any additional conditions including revocation of this order, in the interest of environment protection.
14. The unit should produce land use certificate within month failing which the consent may be revoked.
15. CTE is valid for only PETROL PUMP – Storage Capacity-Petrol -20 KL And Diesel-40 KL.
16. In case of failure to comply with any of the NOC conditions, the CTE order issue to you stands automatically revoked without any notice on this behalf. Please note that consent to Establish will be revoked, in case of, non compliance or any of the above mentioned conditions. Board reserves its right for amendment or cancellation of any of the conditions specified above. Industry is directed to submit its first compliance report regarding above mentioned specific and general conditions till 30/05/2019 in this office. Ensure to submit the regular compliance report otherwise this Consent to establish will be revoked.

Please note that consent to Establish will be revoked, in case of, non compliance of any of the above mentioned conditions. Board reserves its right for amendment or cancellation of any of the conditions specified above. Industry is directed to submit its first compliance report regarding above mentioned specific and general conditions till 11/05/2019 in this office. Ensure to submit the regular compliance report otherwise this Consent to Establish will be revoked.

ARVIND KUMAR
Digitally signed by ARVIND KUMAR
Date: 2019.04.11 17:17:15 +05'30'

Regional Officer, Mathura

Dated:- 11/04/2019

Copy To -

Chief Environmental Officer (Circle-4), U.P. Pollution Control Board, Lucknow.

Handwritten signature: 12/5/19
मो. एहतशाम जुबेरी / Mohd. Ehtasham Zuberi
मुख्य प्रबंधक (रिटेल सेल) / Chief Manager (Retail Sales)
इंडियन ऑयल कॉर्पोरेशन लि. (वि. प्र.)
Indian Oil Corporation Ltd. (M. D.)
इंडियन ऑयल हाउस / Indian Oil House
65/2, संजय प्लेस, अग्रा-282002 (यु.पी.)
65/2, Sanjay Place, Agra - 282002 (U.P.)

ARVIN D KUMAR
Digitally signed by ARVIND KUMAR
Date: 2019.04.11 17:40:26 +05'30'