

FORM-A

Form for seeking prior approval of Central Govt. under section-2 of the Forest (Conservation) Act, 1980 for diversion of fresh Forest Area.

PART-I

A. General Details:

A-1. Project Details:

Name of Project for which Forest Land is required *:

Construction of 132/33KV Sub-Station AIIMS at Mangalagiri in Guntur District for extending Supply to the AIIMS.

Short narrative of the proposal and Project/scheme for which the forest land is required.*:

132/33KV Sub-Station AIIMS.

State *:

Andhra Pradesh

Category of the Project*:

132/33KV Sub-Station, AIIMS

Shape of forest land proposed to be diverted* Other than Linear

Estimated cost of the Crores and Sixty Nine Lacs)

1169 lakhs

Project * : (Rupees Eleven

Total period for which the forest land is proposed to (Ha.) be diverted :

Total Area of Forest Land proposed for diversion* :

0.99

(Ha.)

Non-Forest Land required for (Ha.) this Project* :

0

A-2. Details of User Agency

Name*:

Executive Engineer/Construction/APTRANSCO/Guntur

Address1 :

H.No.26-8-39, 3 statues centre, Nagarampalem, Guntur-522004.

Address2 :

State:

Andhra Pradesh

District :

Guntur

Pin :

522004

Landmarks :

3 statues centre, Nagarampalem

Email Address:

eetlcguntur@gmail.com

Landline Telephone No :

0863-2354840

Fax No.:

0863-2354840

Mobile No.:

9440811164

Website (if any):

Details of Proposals seeking prior approval of Central Government under the Act for diversion of forest land submitted by the User Agency in the past.

No

Legal status of User Agency * :

State PSU

A-3. Details of Person Making Application

First Name:

Sreenivasa Rao

Middle Name:

Last Name:

Chava

Gender:

Male

Designation:

Executive Engineer/ Construction /Guntur

Address1 :

H.No.26-8-39, 3 statues centre, Nagarampalem,
Guntur-522004.

Address2 :

State:

ANDHRA PRADESH

District :

GUNTUR

Pin :

522004

Landmarks :

3 statues centre, Nagarampalem

Email Address:

eetlcguntur@gmail.com

Landline Telephone No :

0863-2354840

Fax No.:

0863-2354840

Mobile No.:

9440811164

Upload a copy of documents in support of the competence/authority of the person making this application to make application on behalf of the User Agency *:(Pdf only) Annexure U.A Document

B. Details of Land required for the Project

B-1. Details of proposal seeking prior approval of Central Government under the Act for diversion of forest land for the Project already submitted in the past . NIL

Whether any proposal seeking prior approval of Central Government under the Act for diversion of forest land required for this project has been submitted in the past?. * : NIL

B-2. Details of forest land proposed to be diverted

No. of Divisions*:

1

Division wise details of land:

Division 1 *:

Guntur

Forest Land: (Ha.)

0.99

Non-Forest Land(Ha.)

0

Total

0.99

(Ha.)

B-2.2 Details of Districts involved

No. of Districts * :

1

District wise breakup:

District 1 * :

Guntur

Forest Land: (Ha.)

0.99

Non-Forest Land(Ha.)

0

Total

0.99

(Ha.)

B-2.3 Village wise breakup (Note:Multiple entries of villages allowed)

Village :

Tadepalli

Forest Land: (Ha.)

0.99

Non-Forest Land(Ha.)

0

Total

0.99

(Ha.)

B-2.4 Component wise breakup (Note:Multiple entries of Component allowed)

Component wise Non-Linear breakup (Note: 1Km square=100ha.)

Forest Land:

Component* :

Construction of 132/33KV Sub-Station AIIMS at Mangalagiri in Guntur District for extending Supply to the AIIMS

Area: (Ha.)

0.99

Non Forest Land:

Area: (Ha.)

0

Total: (Ha.)

0

C. Maps of forest land proposed to be diverted (Note: Multiple entries of division wise paths are allowed.)

Division name * :

Guntur

Area of forest land to be diverted*:

0.99

(Ha.)

Patch/Segment wise details:

Select No. of segments* :

1

Upload a copy of Survey of India Toposheet indicating boundary of forest land proposed to be diverted *:(.pdf only) Yes

Upload a scanned copy of the Geo-referenced map of the forest land proposed to be diverted prepared by using DGPS or Total Station *: Yes

D. Justification for locating the Project in forest land and details of alternates examined

Upload a copy of note containing justification for locating the Project in forest land* :Yes

Whether a copy of map indicating location of alternative examined is required to be provided* :yes

Enter reason for not providing such map *:

Map Enclosed

E. Employment likely to be generated:

Whether project is likely to generate employment ?* : Yes

F. Displacement of People due to the project, if any

Whether project involve displacement?* : No

G. Details of Cost-Benefit analysis for the Project :

Whether the Project requires Cost-Benefit analysis ?* : No

Upload a copy of Cost-Benefit analysis*: (pdf only)

H. Status of Environmental clearance

Whether the Project requires Clearance under the Environment (Protection) Act 1986 ?* : No

I. Status of Wildlife Clearance : No

Whether the Project or a part thereof is located in any Protected Area or their Eco sensitive zone?* : No

J.Applicability of special provisions governing Scheduled Areas :

Whether the Project or a part thereof is located in a Scheduled Area(Yes/No) ? *: No

K.Status of settlement of rights under the Forest Rights Act,2006 on the forest land proposed to be diverted

Whether the process for settlement of Rights under the Forest Rights Acts 2006 on the forest land proposed to be diverted has been completed?: Yes

L.Details of land identified for Compensatory Afforestation

Whether non-forest or Revenue forest land is required to be provided by User Agency ?*: No

Reason for not providing Non-Forest Land*:

Public Utility Projects to extend supply / power to the AIIMS (involving less than 1 Ha. of forest land)

Whether the area of non-forest land or Revenue forest land required to be provided by User Agency for raising Compensatory Afforestation is less than area of forest and proposed to be diverted ?* : No

Additional Information (if any) (Note:Multiple entries allowed)entries allowed)

Upload Additional Information. :(.pdf only)

Remarks:

The project is most essential for construction activities of AIIMS, after construction also the supply is required to the AIIMS and public utility.



Executive Engineer
Construction Division
A.P.Transco, Guntur