S.I.R.

SITE INSPECTION REPORT-NOT BELOW THE RANK OF DCF (For the forest land to be diverted under FCA)

- On inspection of the site, it is found that the land required by the user agency is a RF/PF/un-classed/Other forests measuring 1.163 ha. CIVIL SOYAM
- 5.3 The requirement of forest land as proposed by the user agency in Col.2 part-I is unavoidable and is barest minimum required for the project. <u>yes</u>
- Whether any rare/endangered/unique species of flora and fauna found in the area. If, so the details there of.

 Leopard, Black Bear, etc are found in the area but the project may

 not affect them.
- 5.5 xx Whether any protected archeological/heritage site/defence establishment or any other important monument is located in the area. If, so the details there of with NOC from competent authority, if required.
 - a) The user agency has not violated the provisions of forest (Conservation) Act 1980 and no work has been started without proper sanction.
 - b) It has been found that the user agency has violated (Conservation). Act 1980 provisions. A details report as per para 1.9 fo chapter I, para C of Hand book of forest (Conservation)Act. 1980 attached.

Specific recommendation for acceptance or otherwise of the proposal. The proposal. Recommended supposed full fill mill of condition like provision of compensatory of forestation N.P.V, boundary pillars demarcation side level implant for muck disposal and shrilly are not to F.C.A-1980.

UTTARKASHI.

N.B. X State the purpose for which the forest land is proposed to be Diverted.

out of (a) and (b) tick the option which is applicable and cross the option which is not applicable.

As per letter number 2-2/2000 FC darted 16.10.2000 from ministry of Environment & Forest, Government of india for proposal involving less then 40 hectares of forest land, the site inspection report from DCF is required. And for proposal involving more the 40 hectares of forest land site inspection report from the conservator of forests is required.